

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|-----|---|
| 1 | 1- MAXON® NATURAL GAS / LO-PRESSURE AIR MANIFOLD- 4”F, 5,000 GP2, S/N G98A324791
Consisting of 4 1/2 in. & 3 in. Outside Dimension Flanged Steel Tubing, MAXON® Automatic Shut-Off Gate Valve, 1-1 Trim, 40 psi, Max Inlet Pressure; DURCO-WALTER 4 Automatic Shut-Off Gate Valve, Model 4W181VS5V92, 400°F, 285° F Max Shut off Pressure @ 100°F, s/n 10-IS-95, DURCO-WALTER 3 Automatic Shut-Off Valve Model 3W181V85V92, 285°F Max Shut-Off Pressure @ 100° F ROSEMONT Pressure Sensor Model 1151DP3E12B2, 3- Butterfly Valves, Mounted on 3 Square Steel Tubing Frame. |
| 2 | 1- LOT- MIXING TANK- Vertical, Welded Stainless Steel, 8' high, Flat Bottom & Top, with 2- 10 in. diameter Top Positioned Side Outlets (1- is Stainless Steel Flanged) and 2- 3 1/2 in. Stainless Steel Flanged Bottom Positioned Side Outlets.

1- LIGHTNIN- AGITATOR GEARBOX- Powered by TOSHIBA 10 hp. Electric Motor and having a 2” diameter x 4’ long Carbon Steel Shaft and 3-Blade 40” diameter Impeller. |
| 3 | 1- GRUENDLER- SINGLE ROLL CRUSHER- S/N 22652 (Date of Manufacture - 2-24-85) 24” x 24” with 3’ diameter x 10” wide Drive Sheave/Flywheel with 4- V Belt Grooves, Water Cooled Bearings, Central Point Pressure Lubrication, Drive Sprocket with Roller Chain, Mounted on 48” x 129” Base constructed of 10” WFI Steel Beam. |
| 4 | 1- LOT - PARTS TO FIT GRUENDLER CRUSHER- Rotor No. -00-483-01, Pillow Block Bearing No. – GB 00505 02, To include, but not limited to: 1- Crusher Rotor with Shaft and Main Drive Gear having 24” diameter x 24” long 6- Segment Toothed Chipper Center Section, 38” diameter x 4” wide Main Drive Gear, 2- Pillow Block Bearings (<i>Apparently Unused</i>); 1-shaft with Drive Sheave/Flywheel; 2- Wood Crates containing Related Parts; (9- Pieces Total) |
| 5 | 1- JEFFERY- HAMMER MILL- Model 30 AB, S/N 885619, 21” x 21” Intake Throat, Powered by TECO 30 hp, 1175 rpm Electric Motor, MEITHER Water Cooled Bearing; Unitized on a 56” x 83” I-Beam Base. |
| 6 | 1- WILLIAMS PATENT CRUSHER AND PULVERIZER CO.- HAMMER MILL- S/N 19673, 10” x 20” Intake Throat, Stainless Steel, MEITHER Water Cooled Bearings. |
| 7 | 1- BUFFALO TANK- VERTICAL CARBON STEEL RECEIVER TANK- (Manufactured 1985) Nat. Bd. No. J2-3227, 60 in. diameter x 11' over all height, Domed Top and Bottom, 150 MAWP @ 350° F, 3/8” Shell and Heads, 1 ea.- 1/2” Bottom and 2” Top and 3” Side Flanged Outlets. |
| 8 | 2- MANCHESTER- 30- GALLON TANKS-Each with 4 1/2 in. Flanged Bottom Outlets. |
| 9 | 1- METALFAB, INC,- SCREW TYPE AUGER- S/N 798017, Stainless Steel, 10” diameter x 13' long Stainless Steel Tube with Stainless Steel Auger having 1/4” thick Flighting, 26” long x 19’ wide Stainless In-feed Hopper, with 20” diameter Inlet Opening, powered SEW-EURODRIVE 3 hp 1680 rpm Electric Motor driving through a SEW-EURODRIVE Type R77DT100L4 In-Line, Direct Mounted Reduction Gearbox, Unitized on a 2’ x 8’ long Steel Base. |
| 10 | 1- LIGHTNIN- AGITATOR- Model 17010, With Vertical Motor Mounting, 25.92 ratio, 42.00 Output rpm with 10 hp (est) Electric Motor and 3” diameter x 6’ long Stainless Steel Shaft having a 3- Blade, 6’ diameter Stainless Steel Impellor, each Blade is fitted with a 90° Stainless Steel, Current Direction Flow Control Fin and Bolted Blade Hub. |

1 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
“THE LEADER IN CLIENT SATISFACTION”

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
11	1- LIGHTNIN- AGITATOR- Model 17010, With Vertical Motor Mounting, 25.92 ratio, 42.00 Output rpm with 10 hp (est) Electric Motor and 3 diameter x 6' long Stainless Steel Shaft having a 3- Blade, 6' diameter Stainless Steel Impellor, each Blade is fitted with a 90° Stainless Steel, Current Direction Flow Control Fin and Bolted Blade Hub.
12	1- LIGHTNIN- AGITATOR- With Gearbox, Powered by SIEMENS 5 HP Electric Motor, 2" diameter x 56" long Stainless Steel Shaft having a 3- Blade, 4' diameter Stainless Steel Impeller and Bolted Blade Hub.
13	1- LIGHTNIN- AGITATOR- Series 10, Reduction Gearbox, Unitized on a Channel Steel Base.
14	1- LIGHTNIN- AGITATOR IMPELLER KIT- With 2" diameter x 56" long Stainless Steel shaft having a 3- Blade 4' diameter Stainless Steel Impellor and Bolted Blade Hub. (NOTE: UNUSED - IS PACKED IN THE ORIGINAL WOODEN FACTORY SHIPPING CRATE.)
15	1- ACRISON INC.- WEIGHT FEEDER- Model GP403B-2500(300)-800-130-N, S/N 96377-01, stainless Steel, with 20" high x 3' x 3' Feed Hopper, 5" diameter x 3' long Discharge Auger Tube Powered by BALDOR 1 hp Electric Motor, Mounted in Square Tubing Carbon Steel Frame.
16	1- LOT-RAMSEY R.E.C.® COAL WEIGH FEEDER- RATE WEIGH- Model 52093, 23" high x 31" wide x 18'9" long, Belt Chamber, 5'5" overall height x 44" overall width x 19' long. 1- RAMSEY R.E.C.® POWER BELT FEED EXTENTION- Model 1050-3-5209, 53" wide x 14' long, (approx. overall dimensions). 1- RAMSEY R.E.C.® WEIGH FEEDER- Model 90-120/57235, With 23" wide x 57" long Belt, powered by Electric Motor driving through a Reduction Gear. 1- POWERBELT EXTENSION UNIT- 24" wide x 72" long.
17	1- MERRICK- WEIGHT FEEDER FRAME EXTENSION.
18	1- AMERICA BIN & CONVEYOR INC. SINGLE SCREW AUGER CONVEYOR- S/N 98-089-S, U-Type 12" diameter x 12' long, Full Top Cover, US ELECTRIC MOTOR 3hp Electric Motor.
19	1- LOT- POWERED BELT CONVEYOR PARTS- Consisting of but not necessarily limited to: 6- Head Stocks, 20" diameter x 24" wide, 4- are Rubberized and 5- are equipped with Electric Motor and Reduction Gearboxes; 5- Tail Stock Rollers, 20" & 18" diameter x 26" wide; 6- Pallets of Troughing Rollers (Each Pallet has 5- Rollers);
20	TBA
21	TBA

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
22	<p>1-LOT- CLEAVER BROOKS- PACKAGED BOILER- Model CB100-200, S/N L79440, (Manufactured 03-12-85) 15 Max PSI, Fire Tube, 8,369,000 input BTU, 60 gph. Oil UL No. V895029</p> <p>1- CLEAVER BROOKS- FORCED AIR OIL FUEL BURNER AND CONTROL PANEL- Nat. Bd. No. 59454, McDonnell No. 157 Valve, 3-HONEYWELL Limit Switches, Skidded. (NOTE: STATE OF VIRGINIA INSPECTION CERTIFICATION No. 95543 Dated 1-5-98).)</p> <p>1- CLEAVER BROOKS- PACKAGED BOILER FEED SYSTEM- Model 007105?? HS-IS-7419, Unit No. M233/5A?? NEN F8-07/07 with 3' diameter x 5' long Horizontal Welded Carbon Steel, Elevated Water Tank, 4", 3" & 1/2" Flanged and Threaded Connections, Sight Fluid Level Gage, 1 1/2" x 1 3/4" Gear Type Transfer Pump powered by Electric Motor Mounted on 4-51" high Channel Steel Legs.</p> <p>1- CLEAVER BROOKS- WATER SOFTENER TANK- Model ACCSAB901-1/4, Vertical Carbon Steel.</p>
23	<p>1- REPUBLIC INDUSTRIES BLOWER UNIT- (ROOTS TYPE) Part No. 451VT F50B (Manufactured 2/3/93) with DUROFLOW Model GGDDAAA Cat. No. 4512 Blower s/n M74803, powered by GENERAL ELECTRIC 50 hp 3555 rpm Electric Motor with EM Products Model 150X1659 Intake Silencer (Date of Manufacture 1/93) and Discharge Chamber, Unitized on a 24" high x 58" long x 28" wide Steel Frame.</p>
24	<p>1-GARDNER, DENVER,- SUTORBILT, ROTARY POSITIVE BLOWER UNIT- Model GAF MDPA Cat. 6 MP, S/N S0006968, 2350 max rpm, powered by MARATHON 40 hp Electric Motor, Unitized in a 24" high x 60" long x 30" wide Channel Steel Frame.</p>
25	<p>1- INGERSOLL-RAND RECIPROCATING AIR COMPRESSOR- TYPE 30, Model 71 T2, Powered by 10 hp Electric Motor, Mounted on a 100 gallon Horizontal Air Receiver Tank.</p>
26	<p>1- WORTHINGTON- RECIPROCATING AIR COMPRESSOR- S/N, EU-4677, Size 6 x 3 1/2 x 2 3/4, powered by 10 hp Electric Motor, Mounted on a 100 gallon Horizontal Air Receiver Tank.</p>
27	<p>1- BUFFALO FORGE- LOT - 4- AXIAL FLOW FANS, SIZE 18 MB, S/N 89312318, Tube Type Axial, Operating Speed 1760, Powered by an Electric Motor.</p>
28	<p>1- CINCINNATI FAN- CENTRIFUGAL BLOWER- Model PB-15A, S/N 9714085, Powered by BALDOR 10 hp Electric Motor.</p>
29	<p>1- CINCINNATI FAN- CENTRIFUGAL BLOWER- Model PB-12A, Powered by BALDOR 3 hp Electric Motor.</p>
29A	<p>1- CHAMPION- INDUSTRIAL FAN- S/N 555C98-1, Size 25 LS Type IE</p>
29B	<p>1- CHICAGO- INDUSTRIAL FAN- S/N 212735, Size 10</p>
30	<p>2- SMOOT- ROTARY AIR LOCKS-5 1/2" x 6" In take with US ELECTRIC- Electric Motor, Right Angle Synchogear Drive. Also with Rotary Air Lock , 10" x 10" powered by Electric Motor driving through Reduction Gearbox. (NOTE 1- EDGE OF INFEED FLANGE IS BROKEN AND 1- IS INSIDE.)</p>

3 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
31	1- WARMAN CENTRIFUGAL SUMP PUMP- Model 100 RVSPR-L, S/N MDS10055MM #SPR1020608-A R009, WITH 54" TALL Mounting Column, powered by PEM 25 hp Electric Motor. (<i>Apparently UNUSED</i>)
32	1- WARMAN- DRIVE SHAFT AND UPPER MOUNTING AND MAIN BEARING HOUSING. (<i>Apparently UNUSED</i>)
33	1-GALLAGHER- CENTRIFUGAL SUMP PUMP- 6" x 5", Stainless Steel, Rubber Lined, 54" long Column, Powered by US ELECTRIC 25 hp Electric Motor.
34	1- GORMAN RUPP- DIAPHRAGM PUMP- 5 1/2" outside dimension Inlet/Outlet, 2- Octagonal 8" high x 10" diameter Strainers, 20" diameter Diaphragm Chamber, GORMAN RUPP Part No. 40P 6HP 01 Air Actuator.
35	1- GORMAN RUPP- DIAPHRAGM PUMP- 5 1/2" outside dimension Inlet/Outlet, 2- Octagonal 8" high x 10" diameter Strainers, 20" diameter Diaphragm Chamber, GORMAN RUPP Part No. 40P 6HP 01 Air Actuator.
36	1- SUMP PUMP, CENTRIFUGAL- 8" x 4", 18 1/2" Mounting Depth, powered by ROTATING APPARATUS 30 hp Electric Motor.
36A	1- MORRIS- CENTRIFUGAL PUMP- 4" x 5" Rubber Lined, powered by Electric Motor.
37	2- SUMP PUMPS, CENTRIFUGAL- 1- 6" x 4" and 1- 5" x 2", 43" Mounting Depth, 1- Powered by 7.5 hp Electric Motor, 1- Not Powered.
38	1- ANSIMAG- CENTRIFUGAL PUMP- Model FF6410CPS, S/N 13804 (Date of Manufacture 10/16/97) 6" x 3 1/2", powered by SIEMENS 20 hp, Direct Coupled Electric Motor, Unitized on Channel Steel Base, KFC 732111A, 9,000 Impeller.
39	1- ANSIMAG- CENTRIFUGAL PUMP- Model KFC FF6410CPS, S/N 13805 (Date of Manufacture 10/16/97) 6" x 3 1/2", powered by SIEMENS 20 hp, Direct Coupled Electric Motor, Unitized on Channel Steel Base, KFC 732111A 9,000 Impeller.
40	1-ANSIMAG- CENTRIFUGAL PUMP- Model K43600, S/N 12649, (Date of Manufacture 6/5/97) 4" x 2 3/4", 6.25", Impeller, powered by BALDOR 20 hp Direct Coupled Electric Motor, Unitized on a Channel Steel Frame.
41	1- ANSIMAG- CENTRIFUGAL PUMP- Model K436-A, S/N 8545, 4" x 2 3/4", Code No. KP785955, 5.00" Impeller, powered by US ELECTRIC MOTORS 10 hp Direct Coupled Electric Motor, Unitized on Channel Steel Base.
42	1- ANSIMAG- CENTRIFUGAL PUMP- Model K 1516-OA, S/N 13114, (Date of Manufacture 3/13/97) 1- 5/8" x 7/8", 4.75 hp, 3500 Direct Coupled Electric Motor, Individually Unitized on Channel Steel Base.
43	1- ANSIMAG- CENTRIFUGAL PUMP- Model K 1516-OA, S/N 12108 (Date of Manufacture 5/10/97) 1- 5/8" x 7/8", 4.75 hp 3500 Direct Coupled Electric Motor, Individually Unitized on Channel Steel Base.

4 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
44	1- GOULD- CENTRIFUGAL PUMP- S/N 7020848, 3" x 4" x 8", powered by 10 hp (est) Electric Motor, Unitized on a Channel Steel Base.
45	1- GOULD- CENTRIFUGAL PUMP- Model 3196, S/N 7020849, 1.5" x 3" x 10", Standard No. A50, powered by 7.5 hp Electric Motor, Unitized on a GOULD Steel Base.
46	1- ANSIMAG- CENTRIFUGAL PUMP- Model K326CA, S/N 18665 (Date of Manufacture 3/23/99) powered by BALDOR 7 1/2 hp Direct Coupled Electric Motor, with VELAN Butterfly Valve and 1 3/4" Piping Discharge Manifold.
47	1- WILFLEY- CENTRIFUGAL PUMP- Model AG-S/N 6175, Size 3" x 1.5", Stainless Steel Impeller 7.8" x 9", Standard Dimension Design A50.B, Material CD4, 150 psi Rating, powered by RELIANCE 7.5 hp Electric Motor, Unitized on a Channel Steel Base.
48	1- WILFLEY- CENTRIFUGAL PUMP- Model AG- Size 3" x 1.5", Stainless Steel Impeller 7.8" x 9", Standard Dimension Design A50.B, Material CD4, 150 psi Rating, powered by RELIANCE 7.5 hp Electric Motor, Unitized on a Channel Steel Base.
49	1- LABOUR TABER- CENTRIFUGAL PUMP- Model DPL, S/N L-26395-2, Size 15W, Impeller diameter 8 3/8", Material D.I., powered by SIEMENS 5 hp Electric Motor, a #157 DKA Suction Strainer and Discharge Surge Chamber and a LUNKENHEIMER 2 1/2" Check Valve.
50	1- LABOUR TABER- CENTRIFUGAL PUMP- Model DPL, S/N L-26395-1, Size 15W, Impeller diameter 8 3/8", Material D.I., powered by SIEMENS 5 hp Electric Motor, a #157 DKA Suction Strainer and Discharge Surge Chamber and a LUNKENHEIMER 2 1/2" Check Valve.

INDEPENDENT HYDRAULIC POWER UNITS

51	1- INDEPENDENT HYDRAULIC POWER UNIT- With Pump, powered by LINCOLN 15 hp Electric Motor, Valves, Pressure Gauge and Reservoir.
52	1- AMERICAN INDUSTRIES- INDEPENDENT HYDRAULIC POWER UNIT- With Pump, Electric Motor and Reservoir.
53	1- AMERICAN INDUSTRIES- INDEPENDENT HYDRAULIC POWER UNIT- With Pump, Electric Motor and Reservoir.
54	1- INDEPENDENT-HYDRAULIC POWER UNIT- Model 300-428, With Pump, powered by TOSHIBA 7.5 hp Electric Motor.
55	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by TOSHIBA 50 hp Electric Motor, Central Valves, Reservoir, Mounted on Skid Frame.
56	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by 25 hp (est) Electric Motor, Central Valves, Shell and Tube Heat Exchanger, Reservoir.
57	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by DELCO 3 hp Electric Motor, Pressure Gauge, Filters, and Reservoir.

5 OF 30

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
58	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by DELCO 3 hp Electric Motor, Pressure Gauge, Filters, and Reservoir.
59	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by NEWMAN 7.5 hp Vertically Mounted Electric Motor, Valves, Pressure Gauge, Reservoir.
60	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by RELIANCE 5 hp Electric Motor, 5- Valve Gang Block, Electrically Actuated, Reservoir.
61	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by LEESON 3 hp Electric Motor with Filter, Reservoir, 2- Spare Electric Motors. (NOTE: APPARENTLY UNUSED, IS STORED IN ORIGINAL WOOD SHIPPING CRATE.)
62	1- INDEPENDENT- HYDRAULIC POWER UNIT- With Pump powered by LINCOLN 1 hp Electric Motor with Filters, Shell and Tube Heat Exchanger Reservoir.
63	TBA

Lot Numbers 64 through 67 unassigned

ELECTRIC MOTORS

68	1- GENERAL ELECTRIC- ELECTRIC MOTOR-100 hp, 1780 rpm, Frame 405-T, 460 VAC.
69	1- US ELECTRIC MOTORS- ELECTRIC MOTOR- 60 hp, 3450 rpm, Frame 364T, 460 VAC.
70	1- SIEMENS- ELECTRIC MOTOR- 50 hp, 1765 rpm, Frame 326T, 230/460 VAC. (NOTE: REBUILT 1/26/98)
71	1- SIEMENS- ELECTRIC MOTOR- 50 hp, 1765 rpm, Frame 326T, 230/460 VAC.
72	1- US ELECTRIC MOTORS- ELECTRIC MOTOR- 40 hp, 1800 rpm, Frame 364-U, 440 VAC.
73	1- ELECTRIC MOTOR- 30 hp, 3,600 rpm, Frame 286-TB, 230/460 VAC. (NOTE: REBUILT-IN WOODEN SHIPPING CRATE)
74	1- ELECTRIC MOTOR-30 hp, 3,600 rpm, Frame 286-TB, 230/460 VAC. (NOTE: REBUILT-IN WOODEN SHIPPING CRATE)
75	1- ELECTRIC MOTOR- 40 hp, 1180 rpm, Frame 364T, 230/460 VAC.
76	1- ELECTRIC MOTOR- 25 hp, 1170 rpm, Frame 324T, 230/460 VAC
76A	2- ELECTRIC MOTORS- 1- 15 hp, 1775 rpm, Frame 254T, 230/460 VAC & 1- additional motor.
77	1- WEG- ELECTRIC MOTOR- 30 hp, 1750 rpm, 208/230/460 VAC (NOTE: IN WOODEN SHIPPING CRATE-UNUSED)
78	1- LOT - 4- ELECTRIC MOTORS- 1- 15 hp, 1750 rpm; 1- 10 hp, 1165 rpm; 2- 3 hp, 1740 & 1775 rpm.

6 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
79	1- LOT - 7- ELECTRIC MOTORS- 1- with Reduction Gearbox; 1- 15 hp; 2- 3 hp, 1765 rpm; 1- 2 hp 1154 rpm.
80	1- LOT - 7- ELECTRIC MOTORS- 2- 5 hp, 1715 rpm; 2- 3 hp, 1775 rpm & 1730 rpm; 1- 1.5 hp 1740 rpm.
81	1- LOT - 8- ELECTRIC MOTORS-1- 15 hp, 1775 rpm; 1- 10 hp, 3450 rpm; 2- 5 hp, 1775 & 1740 rpm; 1- 2 hp, 1780 rpm; 1- 1.5 hp 1740 rpm.
82	1-LOT- 3- ELECTRIC MOTORS- 1- GENERAL ELECTRIC 15 hp, 1760 rpm; 2- 10 hp, 3490 & 3475 rpm.
83	1- LOT - 21- ELECTRIC MOTORS- 3 hp and Smaller
84	1- LOT - 5- ELECTRIC MOTORS- 1- RELIANCE 30 hp, 1- 20 hp, 1755 rpm; 2- 10 hp, 1165 rpm.
85	TBA
86	1- LOT - 6- ELECTRIC MOTORS- 1- WESTINGHOUSE 25 hp, 1765 rpm; 2- 10 hp, 3450 rpm; 2- 1.5 hp, 1750 rpm.
87	1- LOT - 4- ELECTRIC MOTORS-1- CLEAVER BROOKS 10 hp; 1- BES, 1- RELIANCE 15 hp; 1- LEESON 3 hp.
88	1- LOT - 3- ELECTRIC MOTORS- 1- SIEMENS 20 hp, 1755 rpm; 1- SIEMENS 25 hp, 1755 rpm; and 1- Unknown.
89	1- LOT - 2- ELECTRIC MOTORS- 1- TECO 25 hp, 3545 rpm; 1- ROTATING APPARATUS- 25 hp, 3600 rpm.
90	1- LOT - 20- ELECTRIC MOTORS- 7 1/2 hp and Smaller
91	1- LOT - 2- ELECTRIC MOTORS- 1- 40 hp and 1- 5 hp, (NOTE: IN WOODEN SHIPPING CRATE)
92	1- LOT- 6- ELECTRIC MOTORS- 7.5 hp and Smaller.
93	1- LOT- 6- ELECTRIC MOTORS- 3- RELIANCE 25 hp (approx); 1- MARATHON 10 hp; 1- WESTINGHOUSE 20 hp and 1- WESTINGHOUSE 7.5 hp.
94	1- LOT- 2- ELECTRIC MOTORS-GENERAL ELECTRIC- 1.5 hp, 1750 rpm, D. C., 180 watts.
95	1- ACRISON INC.- WEIGHT FEEDER- GP403B-2500(300)-800-130-N 96377-01, MO D7-9J5151, 9.119 ratio, 1750 rpm Input, 190 rpm Output, 50 hp max, powered by SIEMENS 50 hp Electric Motor.
96	1-RAMSEY R.E.C.® COAL WEIGH FEEDER RATE WEIGH- 52093, 91J7005, 8.996 ratio. (NOTE: APPARENTLY UNUSED)
97	1- MERRICK- WEIGHT FEEDER FRAME EXTENSION- (Date Manufactured 7/99) 8.996 ratio. (NOTE: APPARENTLY UNUSED)

7 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT DESCRIPTION

98 TBA

Lot Numbers 99 through 107 unassigned

108A 1- FALK- REDUCTION GEARBOX- 2207J 25, 24.99:1 ratio, powered by RELIANCE 5 hp Electric Motor.

109 TBA

Lot Numbers 110 through 116 unassigned

117 2- REDUCTION GEARBOXES- 1- FALK Model 52-1050F Z3AG, 39.34 ratio and 1- PHILADELPHIA Size 3803S, 86.5:1 ratio.

118 1- RIGHT ANGLE REDUCTION GEARBOXES- Powered by BALDOR 3 hp Electric Motor.

119 1- LINKBELT MOTORGear® REDUCTION GEARBOX- 2947Y1228J, Size 10CDB, 15.1 hp, 11.4 ratio,
(NOTE: APPEARS TO BE UNUSED)

120 TBA

ELECTRICAL EQUIPMENT

121 1- LOT-ROBICON- I.D. SERIES VARIABLE FREQUENCY MICROPROCESS OR AC DRIVE- Model Mark III- Part No. 456026.00, 700 hp, 480 VAC, 3060 Hz, Co. 08838, 874 amps with SIEMENS Cat. No. PD63F160, 1600 amp Main Breaker Switch, 6-LC1FX43 Modules, 9-#9817 Modules and Other Components, Mounted in a 92" high x 72" wide x 30" deep Steel Cabinet with double Hinged Front Doors and Filtered Ventilation;

1- ROBICON- VARIABLE FREQUENCY DRIVE WITH PROGRAMMABLE MODULE- Housed in a 72" high x 30" wide x 24" deep Steel Cabinet with Single Hinged Door.

122 TBA

123 1- LOT - 18- DRY TYPE TRANSFORMERS- Consisting of but not necessarily limited to: 8- 25 KVA; 3- 15 KVA; and 7- 10 KVA.

124 TBA

Lot Numbers 124 - 129 unassigned

130 1- LOT - 2- GATE VALVES- 14" diameter with Stainless Steel Gate, 12" Lift, with Bonnet and Hood Activation Wheel. *(NOTE: UNUSED)*

131 1- FABRI-VALVE- LOT- 2- GATE VALVES- Model F440537 C37, S/N 627818007001 and N/A, Size 10, Material R 316 Stainless Steel 150 CWP, -20F/150F, Bonnet with Hand wheel Activation. *(NOTE: UNUSED)*

132 1- LOT - 1- CRATE- Containing but not limited to:1- 10" diameter and 2- 9" diameter Butterfly Valves, 1- 5½"x 12" long Flanged Pup Joint.

8 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
133	1- LOT - 1- CRATE- Containing but not limited to: 50 Pieces (est) 4" and Smaller Flanged Valves, Plug and Ball.
134	TBA
135	1- LOT - 1- PALLET OF PARTS FOR GATE VALVES- To include Bonnets with Power Activation Cylinders and 2- Cardboard Boxes of Contents.
136	1- LOT - 1- CRATE OF MISCELLANEOUS PARTS- Oil Burner Conversion Kit to fit the Furnace section of the Rotary Drum Dryer, Lot No. 236. LOCATION: BAGGING WAREHOUSE, BUILDING NO. 6.
137	1- LOT - 2- PALLETS OF STACKING CARDBOARD FILING CABINETS WITH CONTENTS- Consisting of but not limited to: 15- RACAL HEALTH AND SAFETY INC Breath Ease® Cat. No. 022-00-03 Turbo Units with Helmets; Miscellaneous Parts to include Visor, Face Plates.
138	1- JOB BOX- Hinged Top, 4' high x 5' side x 30" deep.
139	1- LOT - 36 (APPROXIMATE) WIRE FRAMES FOR DUST COLLECTOR SACK/BAGS- And 2- Pallets, containing 24 (approximate) Boxes of Filter Bags for Dust Collector.
140	1- LOT - 2- PALLETS OF SCREENS- 60" wide
141	TBA
142	1- C.P. ENVIRONMENTAL FILTERS INC.-1- ITEM) LOT - 7- DUST COLLECTORS / BAG HOUSES 84 NF 049 C, 105" tall x 56" x 56" Micro Pulse Bag Type with Hopper Bottom; Lot also Includes but is not limited to: 1-103" tall x 40" x 45"; 1-126" tall x 41" x 41"; 1-120" tall x 32" x 32"; 1-108" tall x 40" x 45"; 1-91" tall x 32" x 32"; 1-32" tall x 65" x 65" with diameter, Adjustable Height Discharge Chute.
143	3- HOPPERS, WELDED CARBON STEEL- Pyramid/Modified Pyramid to include: 1- 4' high x 9' 8" x 13' 4", Heavy Duty Construction; 1- 3' high x 60" x 64" with 12" diameter flange Bottom Discharge; 1- 6' 8" high x 60" x 31" offset to the side.
144	TBA

Lot Numbers 145 through 149 unassigned

150	1- LOT - 1- PALLET WITH 2- ROLLS OF FLAT BELT CONVEYOR BELTING- 1- Roll 20 in. Wide x 3/8 in. x 200 ft. long (est); 1- Roll 20 in. wide x 1/4 in. x 200 ft. long (est) Black, 3- Ply; (NOTE: Both Rolls are New/Unused) ; LOCATION: BAGGING WAREHOUSE, BUILDING 6
151	1- LOT - 1- PALLET WITH 1- ROLL OF FLAT BELT CONVEYOR BELTING- 30 in. wide x 3/16 in. x 1/16 in. Std x 330 ft long; Black, 3- Ply; (NOTE: NEW/UNUSED) LOCATION: BAGGING WAREHOUSE, BUILDING 6

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|-----|---|
| 152 | 1- LOT - 1- PALLET WITH 1- ROLL OF FLAT BELT CONVEYOR BELTING- 18 in. wide x 3/8 in. x 150 ft. long (est), CHEVRON CLEATLOK, Black, 3- Ply with 3- Rows of Cleats; (NOTE: NEW/UNUSED) LOCATION: BAGGING WAREHOUSE, BUILDING 6

1- ROLL OF FLAT BELT CONVEYOR BELTING-18 in. wide x 3/8 in. x 75 ft. (est) Black, 3-Ply; (NOTE: NEW/UNUSED) LOCATION; BAGGING WAREHOUSE, BUILDING 6 |
| 153 | 1- LARGE ROLL OF BELTING-LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 154 | 1- PALLET CONTAINING 3- REDUCTION GEARBOXES- 1- US ELECTRIC MOTOR FR 21, Type GDC, Ratio 39:1; 1- DODGE Size TXT615T Torque Arm Speed Reducer, 49.7 hp Rating, 15.33 Ratio; 1- FAULK Model 115SCD25, 25:1 Ratio; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 155 | 1- LOT - 2- PALLETS FAN AND INDUSTRIAL BLOWER IMPELLER- Consisting of but not necessarily limited to: 1- 48 in. diameter Exhaust Fan powered by Electric Induction Motor; 1- Industrial Blower Impeller, 57 1/2 in. Diameter x 24 in. wide with 3 1/4 in diameter Shaft Hole having WOODRUFF Key Slot; 1- Aluminum Shutter Unit, 4 ft. x 4 ft. (NOTE: All Items appear to be New/Unused) LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 156 | 1- LOT - 2- PALLETS ELECTRICAL POWER CABLE- Containing 10- Spool (Partial) and 1- Roll consisting of but not limited to: Carol 3/0 AWG Type MTW or THHN or THWN 600 v; 4/0-19, CV Black THHN; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 157 | 1-GOULDS- LOT - 2- PALLETS CONTAINING 3- CENTRIFUGAL PUMPS-2- of the Pumps are GOULDS Model 3196, 1 in. x 1 1/2 in. Centrifugal Pumps powered by Electric Induction Motor mounted on GOULD Cast and Machine Base; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 158 | 1 LOT - 3- PALLETS CONTAINING 1- KATRON WEIGHT BELT FEEDER- 1- Y-Type Rotary Feeder, 1- 6 in. outside dimension Butterfly Valve; 1- FAULK Reduction Gearbox Case and Gear (NOTE: FOR PARTS ONLY) LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 159 | 1- MILLER LOT - 1- PALLET CONTAINING KNIFE GATE- Model LA53H4N, 18 in. diameter, with Stainless Steel Knife Plate, Air Operated; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 160 | 1- WHEELABRATOR LOT - 1- PALLET CONTAINING 23 (APPROX) CELL PLATES FOR WHEELABRATOR- Stainless Steel; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 161 | 1- LOT - 1- PALLET CONTAINING 4- FABRICATED STEEL COLUMNS- 12 in. x 12 1/2 in. x 3/16 in. x 10 ft. long, Carbon Steel; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 162 | 1- LOT - 2- PALLETS CONTAINING CONSTRUCTION BARRIER PLASTIC FENCING AND PLYWOOD PANELING- 4 ft. x 8 ft. x 1/4 in.; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |
| 163 | 1- LOT - 4- PALLETS- 1- Barrel Chain (Replacement) for a Chain Mill; 1- Weld Neck 45° Ell, 17 1/2 in. inside dimension x 5/16 wall; 1- Pallet of Link Chain; 1- Pallet of Stainless Steel Pipe, Flanged; 1- Pallet of Feed Hopper and U-Trough; LOCATION: BAGGING WAREHOUSE, BUILDING 6 |

10 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
164	1- LOT- 7- PALLETS ELEVATOR BUCKETS- Consisting of but not limited to: TAPCO INC 17 in. long x 10 in. diameter Solid Metal, Fabricated, 14 in. long x 8 in wide x 7 in. deep Solid Metal, Cast; <i>(NOTE: 4- of these Pallets are NEW in Unopened Condition. LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
165	1- PEER CHAIN COMPANY- LOT - 4- PALLETS ELEVATOR CHAIN- Consisting of but not limited to: <i>(NOTE: 2- of these Pallets are NEW in Unopened Condition.) LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
166	1- LOT - 4- PALLETS- Consisting of but not limited to: DODGE Reduction Gearboxes, FISHER Valve Actuators, Trunion Roller, 1- Section of Screw Auger Shaft; 1- Base Plate to mount an Electric Induction Motor; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
167	1- LOT - 22- BOXES AND 1- WOOD CRATE OF DUST COLLECTOR/BAG HOUSE STAYCLEAN SOCK FRAMES- 5 in. inside dimension x 8 ft. long (approx); <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
168	1-LOT - 11- SECTIONS (132 LINEAR FEET) PALLET RACK SHELVING- Having 41 in. deep x 10 ft high Support Columns with a 3 in. x 1 7/16 in. Post Cross Section; Each Section having 2- 12 ft. long Shelf Support Spreader Beams with 5 in. x 2 3/4 in. Cross Section, Recessed for Solid Flooring <i>(Not Installed); LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
169	1- LOT - 3- SAW HORSES, STEEL, and 1- MANUALLY POWERED WINCH AND 1- SPOOL OF WIRE LINE- Sawhorses are 31 in. high x 48 in. long; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
170	1- LOT - 1- CRATE and 3- PALLETS PIPE FITTINGS-10 in. outside diameter and smaller, PVC and Metal; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
171	1- LOT - 1- PALLET CONTAINING 2- SECTIONS OF WOVEN CHAIN FLAT CONVEYOR BELTING 1- 24 in. wide and 1- 36 in. wide; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
172	1- LOT - 1- PALLET CONTAINING 1- ELECTRIC TRANSFORMER- And 1- Roll of Stainless Steel Sheet, 36 in. Wide x 50 ft. long (est.), 1- Stainless Steel Box with Open Top; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
173	1- LOT - 1- PALLET- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
174	1- FALK- LOT- 1- REDUCTION GEARBOX- Model 2100Y2-A, 1750 Input RPM, 50 hp Rating, 47.19 Ratio with Chain Sprocket; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
175	1- LOT - 2- PALLETS CONTAINING 2- REDUCTION GEARBOXES- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
176	1- MANVILLE MICRO-LOK® LOT - 2- PALLETS CONTAINING 6- BOXES HEAVY DENSITY FIBER GLASS PIPE INSULATION- 850° Temperature Rating, Size 3 in. x 1 1/2in. Wall, AP-T Plus Jacket; <i>(NOTE: Unused/In Box) LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
177	1- REEL RUBBERIZED EXTERIOR FLEXIBLE ELECTRICAL CONDUIT- 2 in. inside diameter (approx) x 75 ft. length; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

11 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
178	1- BOOM ATTACHMENT FOR FORKLIFT- 2- Section Adjustable Boom Length and Height, 9 ft. Max Boom Length. <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
179	1- LOT - 7- PALLETS ELEVATOR CHAIN WITH CAST BUCKETS ATTACHED- Buckets are 13 1/2 in. x 8 in. x 5 3/4 in. diameter overall dimension; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
180	1- TYLER HUMMER- VIBRATING SCREEN- 4 ft. wide x 15 ft. long with Top Cover, Bottom Hoppers and Screens. <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
181	1- MORSE- DRUM LIFT/TILT FORKLIFT ATTACHMENT- Model 285A-HD, S/N 101, 1,500 LBS. (EST) Capacity, Full Drum Transport and Tilt Dolly, Manual; also with WESCO DRUM LIFT/TILT FORKLIFT ATTACHMENT, <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
182	1- LOUISVILLE- LOT - 2- 8 FT. FIBERGLASS STEP LADDERS- Model FS1008- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
183	1- LOUISVILLE LOT - 2- 6 FT. FIBERGLASS STEP LADDERS- Model FS1006- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
184	1- LOUISVILLE- LOT-2- 4FT. FIBERGLASS STEP LADDERS- Model FS1004- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
184A	2- WERNER- TASK-MASTER® PLANK ALUMINUM- Model 2412, 500 lbs. Rated Load, 12 ft. long, 14 in. wide; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
185	1- LOT - 4- PALLETS OF HOSES- Consisting of but not necessarily limited to: 1- 4 in. outside diameter x 30 ft. est) with Stainless Steel Ball Valve and QC End Fittings, 4 in. Corrugated, Perforated, Drain Pipe, 150 ft. long (est) and Assorted 2 in. to 1 in. Red, Blue, and Black Water and Air Hoses; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
186	1- PALLET CONTAINING 4- RAIL HOPPER CAR AIR FLOAT UNLOADING PANS, ALUMINUM <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
187	1- REEL- ELECTRICAL SUBMERSIBLE PUMP POWER CABLE- 12 AWG 4- Conductor, 600 v, TW Heavy Duty PVC-Jacketed; (approx. 1/2 Reel) <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
188	1- LOT-PALLET- ELECTRICAL BREAKER BOXES- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i> LOT - 1- PALLET CONTAINING 2- 55 GALLON DRUMS OF ELECTRICAL WIRING, <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
189	1- WILDEN- PALLET CONTAINING 2- DIAPHRAGM PUMPS- 1 in., 1- Polypropylene, Air Operated, 1- Brass; 1- Bucket of Pipe Fittings, Brass; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>
190	1- ANDERSON HICKEY CO.- FILE CABINET- Vertical, 4- Drawer, Letter, Locking; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

12 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- 191 1- LOT - 1- PALLET CONTAINING 7- MATERIAL SUPPORT STANDS- Adjustable Height 34 in. to 42 in. (approx) Steel, Tripod, with V- Type Top Work Holder, Height Adjusting Wing Nut; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 192 1- LOT - 95 (APPROX) PALLETS, WOOD- 40 in. x 48 in. (*NOTE: Approximately 25% are Excellent/Unused Condition.*) *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 1- LOT - 1- PALLET WOOD/TIMBER BLOCKS, 2-4in. x 15 in. x 30 in. long; 2-5 ½ in. x 5 ½ in. x 29 in. long; 1-6 in. x 6 in. x 18 in. long; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

193 TBA

Lot Numbers 194 through 199 unassigned

- 200 1- ATLAS COPCO ROTARY SCREW AIR COMPRESSOR- Model GA 45, S/N 45 H0L023380-(1997) Product No.8972 4349 74, 129 psig Max Discharge Pressure, powered by 60 hp Electric Induction Motor, Sound Suppressed Enclosure, Skidded with Forklift Pockets, 39,739 Indicated Meter Running Hours, 20,462 Indicated Meter Load Hours, Co. No. 1; (*NOTE: GOOD/VERY GOOD*) WITH: SQUARE D 100 amp 600 VAC. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 201 1- KAESER- ROTARY SCREW AIR COMPRESSOR- Type CS 90, S/N 751344- (1985) 345 cfm, 110 psig Max Pressure, powered by 75 hp Electric Induction Motor, Sound Suppressed Enclosure, 49,719 Indicated Meter Service Hours, 34,283 Indicated Meter Load Hours; Co. No. 2; WITH: CUTTLER HAMMER Heavy Duty Safety Switch, 200 amps, 600 VAC. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 202 1- INGERSOLL-RAND® ROTARY SCREW AIR COMPRESSOR- Model 60H-SP, S/N H1284U89C- (Date Manufactured -1990) 240 acfm, 125 psig Rated Operating Pressure; Max Discharge 128 psig, Skidded with Forklift Pockets, mounted on 25 in. x 40 in. wide x 6 ft. long Fabricated Base; 24,942 Indicated Meter Hours. Co. No. 3. WITH: CUTLER HAMMER 200 amp, 600 VAC Heavy Duty Safety Switch. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 203 1- KAESER- REFRIGERATED TYPE COMPRESSED AIR DRYER- Model KRD750, K750A4600110159 (Date Manufactured 2001) 750 scfm at 100 psig and 100° F Rated Capacity, Max WP - 200 psig, mounted on 2- I-Beam Rails with Leg Pockets, 4833 Demand Manager™ Indicated Meter Hours; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 204 1-LOT-1- STEEL- FAB VERTICAL AIR RECEIVER TANK- (Year Built - 1997) Nat. Bd. No. 173151, 3 ft. diameter x 8 ft. s-s, Domed on both ends, 450 gallon capacity, MAWP-165 psig at 450°F, MDMT -20°F, With Skirt; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 1- STEEL FAB- VERTICAL AIR RECEIVER TANK- (Year Built- 1997) Nat. Bd. No. 173355, 3 ft. diameter x 75 in. s-s, Domed on Both Ends, 350 gallon Capacity, MAWP 137 psig at 450°F, MDMT- 20°F at 137 psig, With Skirt, *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

13 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|-----|--|
| 205 | 1- LOT - CONDENSATE WATER RECLAIM AND TREATMENT SYSTEM- Consisting of but not necessarily limited to the following described Items of this Lot: <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- RESERVOIR TANK- Open Top Carbon Steel, ft. high x 3 ft. wide x 5 ft. long, having Full Bar Grating Top Cover; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- VAN AIR- ENVIROSAVER, CONDENSATE UNIT- Model ES-1250, S/N 236950, Part No. 26-10282, <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- GOULDS- CENTRIFUGAL PUMP- Model 3196, 1 IN. X 1.5 IN. X 8 IN., Ductal Iron, powered by US ELECTRICAL MOTORS PREMIUM EFFICIENCY 7.5 hp Electric Induction Motor, Mounted on GOULDS Cast and Mechanical Base; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- HANKINSON- IN-LINE TRAP- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- WILKERSON- IN-LINE TRAP- <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i> |
| 206 | 1- COMPRESSED AIR / FORCED AIR HEAT EXCHANGER- With but not necessarily limited to: 3- In-Line Traps: 2- are 4 in. outside diameter x 25 in. long, 1- is 3 1/4 in. outside dimension x 15 in.; Co. No. 4; <i>LOCATION: IN THE CEILING OF BAGGING WAREHOUSE, BUILDING 6</i> |
| 207 | 1- EZ-GO, GOLF CAR, ELECTRIC, (1989) <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i> |
| 208 | 1- EZ-GO-GOLF CAR, (1997) Electric, NOTE: (Transmission is inoperable); <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i> |

BAGGING WAREHOUSE BUILDING 6

- | | |
|-----|---|
| 209 | TBA |
| 210 | 1- LOT-ST. REGIS-PACKER AND PALLETIZER- Max Load 4000 lbs., Maximum Pallet Size 48 in. x 48 in., Minimum Pallet Size 36 in. x 36 in.; Consisting of but not necessarily limited to the following described items of this Lot; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

5- ST. REGIS FORCED FLOW PACKERS- Model 770-A, Mounted on Stands, Co. No. 6, (NOTE: 2- of these units are for parts only.) <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- BAG FLATTENING CONVEYOR- With 36 in. wide x 9 ft. long Web/Chain Conveyor Belt, Powered by Electric Induction Motor driving through Reduction Gear Box, Operators Station, Co. No. 5, <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i>

1- 'INCLINE CONVEYOR', FEED CONVEYOR- With 24 in. wide x 8 ft. long Web/Chain Conveyor Belt, powered by Electric Induction Motor driving through Reduction Gear Box, Co. No. 4; WITH: Reversible Walk Way Diamond Checkered Plate Flooring, Co. No. 4A; <i>LOCATION: BAGGING WAREHOUSE, BUILDING 6</i> |

14 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT DESCRIPTION

210 Continued-

1- INCLINE CONVEYOR- 28 in. wide x 22 ft. long with 20 in. With Powered Flat Belt, with 7 ft. long Bagged Product Centering In-Feed V Section, Discharge End Repose Section; Co. No. 3; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1- ACCUMULATOR / FEEDER CONVEYOR- With 28 in. wide x 13 ft. long Gravity Roller Conveyor having a 18 in. wide x 30 in. long Powered Flat Belt Section and a 5 ft. 8 in. long Bagged Product Centering In-Feed V Section; Co. No. 2; WITH: Elevating Support Leg, Cross Braced; Co. No. 2A. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1- ST. REGIS / WEB PACKAGING CORPORATION-AUTOMATIC AIR FLOTATION PALLETIZING UNIT, TYPE 8604.117E, With Integral Independent Hydraulic Power Unit, Operator's Station, Loaded Pallet Pusher; Co. No. 1. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1-REGENT JACK MANUFACTURING CO.- AUTOMATIC 'EMPTY PALLET' FEEDER DISPENSER- With Empty Pallet Pusher; Co. No. 1B; 15- Pallet (approx.) Capacity. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1- 'LOADED PALLET' GRAVITY RUN-OFF CONVEYOR ROLLER- 49 in. wide x 16ft. long x 30 in. high having Adjustable Height Legs; Co. No. 1A.- *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1-LOT- CATWALK, DECK, AND STAIRS- Consisting of but not necessarily limited to: 1-69 in. x 82 in. (128 in. overall length) x 30 in. high Work Service Platform with Bar Grating Deck, 41 in. high Safety Hand Railing with Toe Board; 1-34 in. wide x 14 ft. long Catwalk with Bar Grating Flooring, 42 in high Safety Hand Railings; Co. No. 3E; 4- Adjustable Height Support Sections; Co. No. 3A and 3C; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1-SET STAIRS / INSPECTION / WORK STATION- 33 in. high with Hand Safety Railings having Toe Boards; Co. No. 5A; 1- Pallet Electrical Control Panel; 1- Pallet containing DRESSER/RMD ROOTS Lobe type Blower, p/n 6510902L, s/n 010182354; **NOTE: New Unused**; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1- LOT- SPARE AND COMPONENT PARTS- 1-Pallet with Wooden Crate of Parts, 1-Pallet with 2- Barrels of Parts; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

211 1- LOT- SIGNODE-SPIRAL GRIP PALLET STRETCH WRAP MACHINE- S/N 30168DO-, With 4,000 lbs, (est) Turntable Capacity; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1- BENCHMARK- PALLET - 8- BOXES / ROLLS CLEAR STRETCH WRAP- 80 Gauge, 20.00 in. wide x 5000 ft. long.; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

1-PALLET- Containing Separator / Slip Sheets, Cardboard, 49 ½ in. x 41 in. *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

212 1- DOCK RAMP / PLATE- 78 in. wide x 48 in. deep, with Side Rails, Front Positioning Chin Angle; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*

15 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- LOT DESCRIPTION**
- 213 1- DOCK RAMP / PLATE- 78 in. wide X 48 in. deep, with Side Rails, Front Positioning Chin Angle;
LOCATION: BAGGING WAREHOUSE, BUILDING 6
- 214 1- PALLET MULE- PALLET JACK (Manual), 4500 lbs. Capacity (est) *LOCATION:*
BAGGING WAREHOUSE, BUILDING 6
- 215 1- METTLER / TOLEDO SPIDER DIGITAL PLATFORM SCALES- 300 lbs. Capacity x 0.1 lbs.
Graduations with 16 in. x 20 in. Platform; Mounted on 21 in. high x 30 in. X 23 in. deep Angle Iron
Table; WITH: 2- HRS CO 50 lbs. Check Weights; *LOCATION: BAGGING WAREHOUSE,*
BUILDING 6
- 216 1- POWERTEK INC. LOT - 14- (APPROX) LINER KITS- Sea Liner Bulk Packaging Systems, for use in 20
ft. long Sea/Land Containers; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 217 TBA

Lot Numbers 218 through 219 unassigned

- 220 1- METTLER / TOLEDO TRUCK LOAD-OUT SCALES- 8530VS, S/N 4286846, Pit-less, Above Ground
Type, 70 ft. long x 11 ft. wide, 100,000 lbs. Capacity, 20 lbs, Graduations, Diamond
Checkered Steel Plate Deck, 4- Sections; WITH: METTLER/TOLEDO Model 8530
Digital Programmable Read-out Unit, s/n 42840-4NT; TOLEDO SCALES CORP. Model
8806 Ticket Printer, s/n 2610470-2PT; *LOCATION: CENTER TRUCK AND RAIL*
LOAD-OUT AISLE
- 221 TBA

Lot Numbers 222 through 224 unassigned

- 225 1- R.D. COLE MANUFACTURING COMPANY- TANK, WATER STORAGE, 250,000 gallon Capacity; 37'
9" diameter x 30' 4" high, Vertical, Above Ground, Hemispherical Heads, Welded Carbon Steel,
(Date of Manufacture 1966) With Shallow Domed Roof, Ladder with Climbing Safety Cage.
LOCATION: ADJACENT TO BUILDING 11
- 226 1- R.D. COLE MANUFACTURING COMPANY- TANK, WATER STORAGE, S/N 10017, 6,000 gallon
Capacity; 9' 6" diameter x 10' 9 ¼ length, (Date of Manufacture-1966) Nat. Bd. No 2768,
Hemispherical Heads, Black Iron, Horizontal, Above Ground, Mounted on Concrete Saddle, w.P. 125
ibs, 650° F, Shell- ½", Head- 11/32". *LOCATION: BUILDING 11 PUMP HOUSE*
- 1- TANK, POTABLE WATER STORAGE- 2,000 gallon Capacity Nominal, 4' diameter x 20' s-s,
Horizontal, Above Ground, Shallow Domed Heads, Galvanized Carbon Steel, Mounted
on Concrete Saddles; *LOCATION: BUILDING 11 PUMP HOUSE*
- 227 1- FIRE PUMP, SPLIT CASE CENTRIFUGAL- 4A(-?-) Powered by DETROIT DIESEL 4 - 71N Diesel
Engine, Battery Electric Starter, Skidded; and 1- Tank, Diesel Day Fuel, 250 gallon Capacity
(approx.) 3' diameter x 5' long, Elevated on Legs; (**NOTE: PUMP AND ENGINE ARE
MOUNTED ON FRAME BASE WITH BAR GRATING DECK.**) *LOCATION: BUILDING 11
PUMP HOUSE*

16 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT DESCRIPTION

227 Continued-

1-LOT-MANIFOLD PIPING- To include but not limited to: STACKHAM, CIC, KUNKLE VALVE CO. 8" AND SMALLER; Check, Gate and Choke Valves, Couplings, and Reducers. .)
LOCATION: BUILDING 11 PUMP HOUSE

1-KING-KNIGHT CO. AUTOMATIC CONTROL PANEL FOR ENGINE DRIVEN FIRE PUMP-
Model FP-59-12-PC, S/N 59965, *LOCATION: BUILDING 11 PUMP HOUSE*

228 1- INGERSOLL RAND® RECIPROCATING AIR COMPRESSOR- Model 234C2, TYPE 30, Size 3 & 1
3/4 x 23/4, Powered by ALLIS CHALMERS 2 hp Electric Induction Motor, Mounted on 40 gallon
Horizontal Air Receiver Tank; *LOCATION; BUILDING 11 PUMP HOUSE*

229 1- LOT - 1- PALLET CONTAINING 14- COLLAPSIBLE FIRE HOSES- Fabric and Rubberized Fabric;
LOCATION; BUILDING 11 PUMP HOUSE

1-LOT-BLUE RIBBON- Model 19008 8' Wood Step Ladder, Type 1 A, 300 lbs max Load; 1-
UNION Square Pointed Shovel, 1- Push Broom. *LOCATION; BUILDING 11 PUMP
HOUSE*

1-ELECTRICAL CONTROL PANEL FOR DEEP WELL PUMP- 42" high x 30" wide x 14" deep;
LOCATION; BUILDING 11 PUMP HOUSE

230 1 LOT - EYE WASH STATION AND 8 FT. STEP LADDER, WOOD- *LOCATION: ADJACENT
TO BUILDING 11 PUMP HOUSE*

231 2- BORDON CHEMICAL- FLAT BOTTOM, NODDED, SPHEOIDAL STORAGE TANKS- Aluminum 18%
Liquid Nitrogen Solution- Above Ground, 250,000 gallon capacity each, 44 ft. 6 in. diameter, 25 ft. 4
in. height, 30 ft. diameter, Flat Bottom mounted on a poured Concrete Slab Base/Foundation, with
Exterior Surface Blown Insulation, *LOCATION: ADJACENT TO BUILDING 11 PUMP HOUSE*

1- SAND & JURS- FIGURE 2006 AUTOMATIC TANK GAUGES, *LOCATION; BUILDING 11
PUMP HOUSE*

1-DUPONT / SUPERIOR WELDING- HEAT EXCHANGERS- Model C83B-36, *LOCATION;
BUILDING 11 PUMP HOUSE*

***NOTE: These Tanks (Lot 231) HAVE NOT been in service for an extended period of years. The
owner states the material of construction is ALUMINUM.***

232 1- TANK, SULPHERIC ACID STORAGE- Above Ground, Vertical, 4,500 gallon (nominal) Capacity, 8 ft.
diameter x 12 ft. high, ¼ in. Side Walls, Rood and Bottom Plate, Shallow Crowned Roof, ½ in. high
Interior Crowned Bottom, 2 ft. inside dimension, Flanged Cleanout Fitting, Ladder with Safety
Climbing Cage, Full Perimeter Top Safety Hand Railings.

1- LABOUR- CENTRIFUGAL PUMP- 1 in. x 1 ½ in., powered by Electric Induction Motor.

17 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|-----|--|
| 233 | <p>1- STORAGE SILO, LIMESTONE- Above Ground, Elevated, 225 tons Capacity (approx.), 18 ft. diameter x 16 ft. swh with 10 ft. 6 in. high 45° Cone Hopper Bottom, Bolted Carbon Steel, mounted on 4- H Beam Steel Legs.</p> <p>1- SURGE HOPPER- Carbon Steel, Welded, mounted on 4 steel legs, 60 cf (approx.) Capacity, 56 in. diameter x 32 in. s-s with 60° Conical Bottom, Domed Top; With: KICE 2-Way Rotary Valve, 8 in. outside dimension; <i>LOCATION MAIN MILL</i></p> <p>1- UNIVERSAL RAI BLOWER- ROOTS BLOWER- Model 56U-PAI, Powered by SIEMENS 10hp Electric Induction Motor with intake Cleaner and Silencer mounted on Fabricated Steel Frame; <i>LOCATION: MAIN MILL</i></p> |
| 234 | <p>3- OUTER BANKS INDUSTRIAL INC.- TANKS, PHOSPHORIC ACID STORAGE- 30,400 gallons (nominal) Capacity Each, 15 ft. diameter x 23 ft. high, API 650, A-36-GRC, Welded Carbon Steel, ¼ in. Shell Plate, 5/16 in. Flat Bottom and Roof Plate, Rubber Lined with 3/16in. Side Wall and Top and ¼ in. Bottom, with GOODYEAR LS-582 (or similar); 24 in. x 24 in. Flush Type Cleanout Fitting with Davit, 4-23ft. high x 16 in. x 3/8 inc. Internal Baffles.</p> <p>2- WILFLEY- CENTRIFUGAL PUMPS- 1 in. x 1 ½ in., Stainless Steel, each powered by RELIANCE 15 hp. Electric Induction Motor, Individually mounted on Base. Manifold consisting of but not necessarily limited to: 2 in. and 3 in. diameter Stainless Steel Piping and Valves.</p> |
| 235 | <p>2- AEC ENGINEERING- TANKS, PHOSPHORIC ACID STORAGE- Above Ground, 125,000 gallon (nominal) Capacity Each, 30 ft. 6 in. diameter x 24 ft. Side Wall, API-650 Appendix 'A' and 'M', A-36 Welded Carbon Steel, with 1/4 in Shell and Bottom Plate, 3/16 in. Roof Plates, Rubber Lined, 3/16 In. Side Wall and 1/4 in. Bottom with GOODYEAR LS-582 (or similar), Flat Bottom, 30 ft. 0 in. radius, Gore Plate Umbrella, Fully Enclosed Roof, 1- 36 in. and 1- 24 in. diameter (Roof Mounted) Man-way Clean-out Hatch, Flanged; Each Tank with 1/4 Circle Bar Grating Top Maintenance Deck with Safety Hand Railings; 1- Ladder with Safety Climbing Cage and 1- Crossover/Connecting Catwalk having Safety Hand Railings;</p> <p>1-TRANSFER PUMP AND MANIFOLD SKID-Consisting of but not necessarily limited to: 2- DEMCO Model Mark II, Group 1, Centrifugal Pump, 1.5 in. x 1 in. x 8/64, CD4M Alloy, Stainless Steel Impeller Housing each powered by MARATHON 30 hp Electric Induction Motor, each mounted on Fabricated Stainless Steel Bas; 1- Manifold consisting of but not necessarily limited to: 8-3 in. and 6- 2 in. Plug Valves, Stainless Steel, 150 ft. (est) of 3 in. Stainless Steel Schedule 80 Pipe. 2- Motor Starter Control Boxes, Stainless Steel; 2- Safety/Emergency Eye Wash and Shower Stations.</p> <p>1-LOT-PRODUCT SUPPLY, TRANSFER AND UTILITY LINES- Consisting of 250 linear ft. (approx); 3- Insulated Piping Lines, 1-Compressed Air Line; 1- Stainless Steel Line, 3- ROBROY INDUSTRIES Plasti-bond Red Hot Electrical Conduit Lines; 2- 80 ft. long Sections of Dual Bar Joist Overhead Utility Line Bridge, mounted on 3- 8 in. x 8 in. x 12 ft. high Steel Columns.</p> |
| 236 | <p>1- ROTARY DRUM DRYER- 8 ft. diameter x 50 ft. long Steel Drum of 3/8 in. Carbon Steel, with 2- Dual Wheel Trunion Idler Trucks, 1- of these having a Dual Idler Wheel Thrust Roller, powered by 60 hp Electric Induction Motor driving through FALK Reduction Gear Box with Chain Drive to Drum; WITH: Furnace Section, 9 ft. diameter x 15 ft. long Dual, Forced Air Burners, Natural Gas Fired, with 3 1/2 in. od Gas Supply Manifold Containing 10- Valves, Check, Regulator and Plug,</p> |

18 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
236	Continued- 5- Flow Meters; WITH: 1- HAUCK Model 7 BAIC-30-T-T Centrifugal Blower, powered by SIEMENS 30 hp Electric Induction Motor. <i>LOCATION: MAIN MILL</i>
237	1- ROTARY DRUM COOLER- 7 ft. diameter x 50 ft. long, Steel Drum of 3/8 in. Carbon Plate with 2- Dual Wheel Trunion Idler Trucks, 1- of these having a Dual Idler Wheel Thrust Roller, Powered by 50 hp Electric Induction Motor driving through FALK Reduction Gearbox with Chain Drive to Drum. <i>LOCATION: MAIN MILL</i>
238	1- CONTINENTAL- AUTOMATIC BOILER- (1966) 150 hp, 150 psi, s/n F9C150C-5178-G436, Nat. Bd. No. 8810, 5175 M/BTU/hr, Fire Tube, Forced Draft Natural Gas Burner, Skidded; North Carolina Inspection Certificate Expired 1/2003; WITH: 1- Boiler Water Tank, Horizontal, Elevated with Circulation Pump powered by Electrical Induction Motor; 1- Boiler Chemical Barrel, Vertical, with Circulation, Injection Pump powered by Electric Induction Motor; 1- FIREYE® Controller; 2- DURCO 3 in. x 2 in. Centrifugal Pumps, each powered by 15 hp Electric Induction Motor, Mounted on Fabricated Channel Steel Base. <i>LOCATION: MAIN MILL</i>
239	TBA
240	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: BAGGING WAREHOUSE, BUILDING 6
241	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: MAIN MILL
242	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: MAIN MILL
243	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: MAIN MILL
244	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: MAIN MILL
245	1- JESCO® SELF-DUMPING FORKLIFT MATERIAL HOPPER- Model 211541, 1.5 cy Capacity, 4000 lbs. max; LOCATION: MAIN MILL
246	1- SPEED KING BELT- INCLINED CONVEYOR STAINLESS STEEL- with 18 in. CHEVRON Cleated Belt x 50 ft. long, Fully Enclosed, 21 in. x 24 in. Cross Section with Fully Enclosed Discharge Head powered by 7 1/2 hp Electric Induction Motor through V-Belt Drive; <i>LOCATION: MAIN MILL</i> 1- FIELD KING- BULK LOAD-OUT CONVEYOR, FLAT BELT TUBE TYPE- 12 in. wide x 25 ft. long, Tube Type, Fully Enclosed Cantilevered Discharge Arm, Chevron Cleated Flat Belt, Discharge End having Adjustable height vial Manually Operated Winch and Cable System.
247	1- LOT - METAL AND WOOD- Consisting of but not necessarily limited to: 4- Sheets Stainless Steel Plate, 5 ft. x 9 ft. 10 in. x 1/16 in.; 3- Sheets Stainless Steel Rolled Corrugated Roofing/Siding Panels 30 in. wide x 15 ft. 9 in. long; 13- Pieces Z-Section Rotary Cooler Flights 10 in. high x 5 1/2 in. flange x 3/32 in x 8 ft long, Carbon Steel; 11- Pieces Z-Section Rotary Cooler Flights 10 in. high x 5 1/2 in.

19 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|------------|---|
| 247 | Continued- Flange x 3/32 x 5 ft. long, Carbon Steel; Lot - Bar Grating, 1 in., 2- Sections are 20 ft. long; <i>LOCATION: EAST WALL OF MAIN PLANT</i> |
| 248 | 1- LOT - 3- MATERIAL PLATFORMS FOR FORK LIFTS- 2- are for Gas Bottles(less the bottles) and 1- is for a Man Lift; <i>LOCATION: EAST WALL OF MAIN PLANT</i> |

UNDER SHED ON HILL

- 249 1- LOT - PIPE, HDEP AND PVC 12- Joints (approx) and 1- Coil of Corrugated Drain; 2- 10 in. diameter x 5/8 in. wall x 9 ft. 6 in. long, 1- with Coupling, Both with 45° Ell; 1- Joint 9 in. outside dimension x 15 ft. long; 3- Joints 6 1/2 in outside dimension x 20 ft. long; 1- Coil of 6 in. outside dimension x 50 ft. long Corrugated Plastic Drain Pipe; and Other Items; *LOCATION: UNDER SHED ON HILL*

1-LOT - PIPE, HDEP, PVC, AND CARBON STEEL, H-BEAM AND ANGLE IRON- 20 Joints (approx) - 12 3/4 in. outside dimension x 20 ft. long and smaller, 20 pieces (approx) I-Beam, Angle Iron, and Square Tubing, 12 in. x 10 in. x 10 ft. long and smaller; *LOCATION: UNDER SHED ON HILL*

BUILDING 15- SHINGLE BUILDING

- 250 1- LOT - 2- MATERIAL STORAGE RACKS WITH CONTENTS- 1- 6 ft. high x 40 in. wide x 20 ft. long, Steel, with 48- 6 in. x 5in. wide x 20 ft. long Sorting/Storage Compartments, 7- Side-Mounted, Cantilevered Storage Arms, 20,000 lbs. max. Storage Capacity; 1- 70 in high x 56 in. wide x 124 in. long, Cantilevered, Steel Material Storage Rack, 3- Section, Heavy Duty with 3- Storage Levels on Each Side; WITH CONTENTS of but not limited to: 1- Piece - 3 in. x 3/4 in. x 161 in. long AISI 304/L Stainless Steel Bar; 1- piece - 4 in. x 3/4 in. x 161 in. long AISI 304/L; 10- Pieces - 3 in. outside dimension Carbon Steel, HDEP Pipe; 1- Piece - H-Beam, 19 in high x 11 1/2 in. web x 1 1/4 in. thick x 19 ft. 7 in. long; Flat Bar - 4 in. x 1/2 in. and smaller; Round Bar - 1 1/2 in. diameter, Schedule 40 and smaller; Channel - 4 in. x 1 in. x 3/8 in. and smaller; Angle - 2 in. x 2 in. x 1/4 in. and smaller; Round Stock - 2 in. diameter and smaller; This includes 10- (approximate) pieces of 304 L Stainless Steel. The rest is Mild Steel; 8- Joints of 1 1/4 in. Untested Pipe for Construction of Hand Railings; 3- Sheets Plate to include: 1- 4 ft. x 8 ft. x 1/4 in. Carbon Steel; 1- 4 ft. x 8 ft. x 1/8 in Aluminum; 1- 4 ft. x 8 ft. x 1/4 in. Stainless Steel (NOTE: Less a Cut Out Section) 1- 4 ft. x 8 ft. of Expanded Metal. *LOCATION: BUILDING NO. 15 SHINGLE BUILDING*
- 251 1- LOT - ASSORTED SPROCKETS AND SHEAVES- Consisting of but not necessarily limited to: 9- (approximate count) Head and Tail Stock Sprockets for Chain Link Elevator Leg; 22- (approximate count) Roller Chain Sprockets; 2- Pallets containing 36- (approximate count) Multi-Groove V-Belt Drive Sheaves; *LOCATION: BAGGING WAREHOUSE, BUILDING 6*
- 252 1- EXTENSION LADDER- *LOCATION: BUILDING 15, SHINGLE BUILDING*
- 253 1- LOT - SALVAGE STAINLESS STEEL- *LOCATION: SOUTH END OF MAIN MILL*

BUILDING 18- FUEL SHED

- 254 1- LOT - 1- FUEL STORAGE TANK- #2 Fuel Oil, 1,000 gallon nominal Capacity, 46 in. diameter x 144 in. long, Welded Carbon Steel; With: TOKHEIM Fuel Pump, Dispenser Nozzle and 12 ft. (est.) of 1 1/4 in. outside dimension Hose; *LOCATION: BUILDING NO. 18 FUEL SHED*

20 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
255	1- PRE - ENGINEERED AND FABRICATED BUILDING, METAL- Lean-To-Type, 11 ft. 3 in. high Side and 10 ft. high Low Side Eaves, 15 ft. wide x 30 ft. long, 450 Sq. Ft. ±, 1- 87in. High x 38 in. wide Side Passageway (Door Opening Less the Door) 1- 8 ft. high x 7 ft. 11 1/2 in. wide End Passageway; The exterior Metal Cladding has 8 in. Perimeter Opening around Bottom of Sidewalls. <i>LOCATION: BUILDING NO. 18 FUEL SHED</i>
256	1- JOHN WOOD- LOT - AIR RECEIVER TANK- Nat. Bd. No. 861134, (Year Manufactured - 1985) Vertical, 6 ft. s-s x 3 ft. diameter, Domed on Both Heads, MAWP 125 psig, 340 gallon Nominal Capacity, (Certificate Expiration Date - 12/2003) <i>LOCATION: BUILDING NO. 17 MAINTENANCE SHOP</i>
257	TBA
258	1- STEEL FAB INC- AIR RECEIVER TANK- S/N 3546,(1989) Vertical, Carbon Steel, Welded 300 gallon, 36 in. diameter x 68 in. high s-s, Domed on both ends, MAWP 165 psig @ 450 ° MDMT 20° F @ 165psig, Skirted; <i>LOCATION: AIR COMPRESSOR HOUSE</i>
259	TBA

BUILDING 4- PARTS WAREHOUSE

Lot Numbers 260 through 263 unassigned

264	1- BALDOR- ELECTRIC INDUCTION MOTOR- 125 hp, 1,775 rpm; (NOTE: APPARENTLY REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE</i>
265	1- HOWELL- ELECTRIC INDUCTION MOTOR- 125 hp, 1,775 rpm, 445 U Frame; (NOTE: REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
266	1- US ELECTRIC MOTORS- ELECTRIC INDUCTION MOTOR- 125 hp, 1,800 rpm, 445 US Frame; (NOTE: REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
267	1- RELIANCE- ELECTRIC INDUCTION MOTOR- 75 hp, 1,800 rpm, 365 T Frame; (NOTE: REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
268	1- GENERAL ELECTRIC- ELECTRIC INDUCTION MOTOR- 60 hp 1,800 rpm; (NOTE: REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE</i>
269	1- US ELECTRIC MOTORS- ELECTRIC INDUCTION MOTOR- Model R058A, Catalog No. H25E3F, 25 hp, 1,130 rpm, 324 T Frame; (NOTE: THIS ITEM IS NEW); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
270	1- BALDOR- ELECTRIC INDUCTION MOTOR- 25 hp, 1,800 rpm, 324 U Frame; (NOTE: APPARENTLY RECONDITIONED); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>

21 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
271	1- BALDOR- ELECTRIC INDUCTION MOTOR- 25 hp, 1,800 rpm, 324 U Frame; (NOTE: MECHANICAL CONDITION UNKNOWN-HAS SEEN SERVICE-APPARENTLY OPERABLE); LOCATION:BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
272	1- WESTINGHOUSE- ELECTRIC INDUCTION MOTOR- 20 hp, 3,450 rpm, 286 U-Frame; (NOTE: REBUILT BY INDUSTRIAL ELECTRIC SALES & SERVICE); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
273	1- US ELECTRIC MOTORS- ELECTRIC INDUCTION MOTOR- 15 hp, 1,750 rpm, 284 U-Frame; (NOTE: THIS ITEM IS NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
274	1- SIEMENS- ELECTRIC INDUCTION MOTOR- 15 hp, 1,755 rpm, 254 T-Frame; (NOTE: THIS ITEM IS NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
275	1- MARATHON- ELECTRIC INDUCTION MOTOR- 7 ½ hp, 1,800 rpm, 213 T-Frame; (NOTE: THIS ITEM IS NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING 1- WESTINGHOUSE- ELECTRIC INDUCTION MOTOR- 7 ½ HP, 1,800 RPM; ; (NOTE: THIS ITEM IS NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
276	1- SIEMENS- ELECTRIC INDUCTION MOTOR- 7.5 hp, 1,800 rpm,213 T-Frame, Catalog No. HTH2086; (NOTE: THIS ITEM IS NEW - IS IN ORIGINAL FACTORY SHIPPING CARTON). LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING 1- SIEMENS- ELECTRIC INDUCTION MOTOR- 7.5 hp, 1,800 rpm,213 T-Frame, Catalog No. HTH2086; (NOTE: THIS ITEM IS NEW - IS IN ORIGINAL FACTORY SHIPPING CARTON). LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
277	1- BALDOR- ELECTRIC INDUCTION MOTOR- 5 HP. 1725 RPM, 184 T-Frame, (NOTE: THIS ITEM IS NEW- IS IN THE ORIGINAL FACTORY SHIPPING CARTON); LOCATION: BUILDING NO. 4 PARTS WAREHOUSE/RECEIVING 1- LEESON AND SIEMENS LOT - 1- LEESON AND 1- SIEMENS ELECTRIC INDUCTION MOTORS-Both are 3 hp. The LEESON is NEW and the SIEMANS is USED 1- MARATHON- ELECTRIC INDUCTION MOTOR- 5 hp, 3,600 rpm. 184 T-Frame; (NOTE: THIS ITEM IS NEW); LOCATION: BUILDING NO.4 PARTS WAREHOUSE/RECEIVING
278	1- LOT - 1- PALLET CONTAINING 9- ELECTRIC INDUCTION MOTORS- Consisting of but not limited to: 1- BALDOR 2 hp, 1,800 rpm, 56 C-Frame; 1- SIEMENS 2 hp, 1,800 rpm, 145 T Frame; 2- BALDOR 1 1/2 hp 1,800 rpm, 145 T-Frame; 1- BALDOR 1/2 hp, 1,750 rpm, 56 C-Frame; and Others; (NOTE: 7- OF THESE MOTORS ARE APPARENTLY NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
279	1- LOT - 1- PALLET - ELECTRIC INDUCTION MOTORS- Consisting of 2- RELIANCE 1.5 hp RPM III D-C Electric Induction Motors, 1,750 rpm, DC0189 Frame, TENV Enclosure; 2- BALDOR and 1- SIEMENS 1/2 hp Electric Induction Motors; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE / RECEIVING

22 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
280	1- LOT - ELECTRIC INDUCTION MOTORS- Containing 3- US ELECTRIC MOTORS Unimount® 125 1.5 hp, 1,750 rpm, Electric Induction Motors, 145 T Frame driving through a Syncrogear Module; (NOTE: ALL 3 ITEMS APPEAR TO BE NEW) ; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
281	1- LOT - 3- SHAFT MOUNTED SPEED REDUCERS- Consisting of but not limited to: 1- MORSE™ Model 307XM25 38.5 hp Rating Shaft Mounted Speed Reducer, 1- DODGE Size TD7, 1- DODGE Size TU4 Shaft Mounted Speed Reducer; 1- US ELECTRIC MOTORS Syncrogear Module Frame 2, Type GMP, 2 hp Input; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
282	1- CORKEN®- ANHYDROUS AMMONIA GAS COMPRESSOR-, DOUBLE SEAL- Model 29LAM3FBANSNN, S/N UY60626, Complete with Fly Wheel. (NOTE: THIS ITEM IS NEW, APPARENTLY IN EXCELLENT CONDITION) ; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
283	1- LOT- CONTENTS LOCATED ON 2- SHELVES (PARTIAL)- Consisting of but not necessarily limited to: 3- Black Pipe Fittings 8 rd, containing 90° and 45° Ells, Nipples, Tees, Unions, Couplings, Plugs; 7- Pieces of Weld Neck Fittings of 45° Ells and Eccentric Reducer; Pipe Wall Stand-Off Clamps and Other Items; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
284	1- LOT - CONSISTING OF CONTENTS OF 2- BOXES- 1- FRANKLIN ELECTRIC 15 hp Submersible Pump Motor, 460/380 VAC, 6; 1- 15hp, 200 GPM Deep Well Pump, Stainless Steel, with 2 ½” Check Valve, 3” x 2 ½” Reducer; (NOTE: THESE 2- ITEMS ARE NEW-IN ORIGINAL FACTORY SHIPPING CRATES) . LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
285	1- LOT - FLAT BELT CONVEYOR PARTS- Consisting of but not necessarily limited to: 2- Rollers, 11” diameter x 32” long, 1- Head and 1- Tail Stock; 3- Pallets of Bottom Roller Bridges; (NOTE: APPROXIMATELY HALF ARE NEW) ; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
286	1- LOT - 1- PALLET- Containing 1- Roll CHEVRON Speed King # 12 CBT, 12” x 54' long, and 1- Roll GOODYEAR 303 Hot Alumina Belting, 14 ½” wide x 50' long with 5/32” x 5/32” Covers; (NOTE: BOTH ROLLS ARE NEW) ; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
287	1- LOT-2- PALLETS- EACH CONTAINING 1- ELECTRICAL CONTROL PANEL- 1- Metal and 1- Fiberglass; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
288	1- LOT - 5- PALLETS- 1- Pallet Diamond Roller Chain, 120 and 140 Cottered, 10.21 feet, Segmented Exterior Drum Teeth for Dryer and Cooler Drums, 3- Pallets of Trunion Rollers; 2- Trunion Rollers; 4- REXNOR Part No. RX1245-P, ST OFF P/P, 30LKSLG; 2- LINK BELT RC140 Chain. LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
289	1- LOT - 4- PALLETS- Consisting of but not necessarily limited to: GENERAL ELECTRIC Mini Guard Ballast with Cover/Mountings; 1- Spool of Wire Rope; Gaskets; Bolts and Nuts; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING
290	1- SPEARS- LOT - 1- BASKET - HDEP PIPE FITTINGS-Schedule 40 and 80, 10 and 12 diameters consisting of 90° and 45° Ells, Y's and Couplings; LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING

23 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
“THE LEADER IN CLIENT SATISFACTION”

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|------------|---|
| 291 | 1- LOT - 1- STORAGE RACK, 2- STORAGE SHELF SECTIONS, BOTH WITH CONTENTS
Storage Rack is Cantilevered, Heavy Duty Steel, Support Columns on 6' Centers with 4- Pair of 2' long Arms; Storage Shelf Sections are 6' high x 4' wide x 18 deep; The contents of both consists of but is not necessarily limited to ALTO™ and PHILIPS 8' and 4' Florescent Lamps, GENERAL ELECTRIC Mini Guard Optical 14 Closed Glass Reflectors, GENERAL ELECTRIC WL400 Wall Lighter Fixture; MERCURY, TUNGSRAM™, SYLVANIA, GENERAL ELECTRIC and Other Metal Halide, Mercury Vapor, Mercury/Sodium, High Pressure Sodium Lamps, 100 watts to 400 watts; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE / RECEIVING</i> |
| 292 | 1- GATES LOT - POWER TRANSMISSION V-BELTS- To include: B68, B74, B75, B81, B88, 5VX1000, AND B46 through B57; (NOTE: THESE ITEMS ARE NEW); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 293 | 1- GATES LOT - POWER TRANSMISSION V-BELTS- To include: 5V1000, C96, BX112, B64, B70, 3VX630, BX103, C112, C120, C144, C158, B85, C173, B86; (NOTE: THESE ITEMS ARE NEW); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 294 | 1- GATES LOT - POWER TRANSMISSION V-BELTS- To include: 5VX1060, 3VX560, 3VX600, A53, 3VX630, A60, 5VX800, B65, 5V900, B60, B112, 5V1500, 4L690; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 295 | 1- LOT - 10- COILS ELECTRIC POWER AND COMMUNICATION WIRING- Multi conductor, (NOTE: THESE ITEMS ARE USED); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 296 | 1- LOT - STORAGE RACK WITH CONTENTS- Storage Rack is Steel with Cantilevered Arms, 66 in. high x 86 in. long having 4- Dual Side Arms; With Contents consisting of but not limited to: 51- (approximately) Spools of Instrument and Measurement Wire - #14-3SOOW-A Super VU Tran Cord, 18 AWG Control Cable with Drain Wire, Type K and Type J Thermo cable Wire, 10,12, and 14 Ga. THHN Stranded Copper Wire; And Plasti-Bond REDH ² OT™ Electrical Conduit Threaded, Consisting of: 2- jts 3 1/2 in. x 10' long; 20- jts 2 7/8 in. x 10' long; 11- jts 2 5/16 in. x 10' long; 3-jts 1 7/8 in. x 10' long; Additional joints of Sch 40 Rigid PVC Electrical Conduit. <i>LOCATION:BUILDING NO.4, PARTS WAREHOUSE/RECEIVING</i> |
| 297 | 1- SHELVING UNITS- Consisting of but not necessarily limited to: SQUARE D Contact Kits, Limit Switches, Current Transformers, ALLEN BRADLEY Terminal Blocks, Speed Switches, HONEYWELL Pressure Switches, PROTECTO Relay, GENERAL ELECTRIC Molded Case Circuit Breakers, FISHER Controls and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 298 | 1- LOT - 3- SECTIONS OF STORAGE CABINET WITH UPPER HUTCH, STEEL, CLOSED ON BACK AND BOTH SIDES, WITH CONTENTS- Consisting of but not necessarily limited to: Conduit Fittings, Aluminum, Plastic, and Steel, 1 to 1/2, Lock Nuts, Steel Plugs, Couplings and Unions; (Many of these Items are Liquid Tight) and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE / RECEIVING</i> |
| 299 | 1- LOT-4- SECTIONS OF STEEL SHELVING OPEN ON ALL SIDES, WITH CONTENTS- Each Section 87 in. high x 37 in. wide x 24 in. deep, Each with 6- shelves, With Contents consisting of but not necessarily limited to: BRUNNER & LAY Air Hammer Bits, Nails, Paint Brushes, and Rollers; NAPA Worm Gear Clamps, BOND-IT® Ear-Lokt Buckles, Coils of Plastic and Copper Tubing, 3/8 outside dimension x .062 Wall, 1- Spool 1/2 Nylon Rope, 500' long (estimated). <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |

24 OF 30

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

- | LOT | DESCRIPTION |
|------------|---|
| 300 | 1-LOT -8- AIR HAMMER BITS- 5- SLEDGE HAMMERS- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 301 | 1- LOT -2- SECTIONS OF STEEL SHELVING- OPEN ON ALL SIDES, WITH CONTENTS-
Each Section 87" high x 37" wide x 24" deep, Each with 6- Shelves with Contents consisting of but necessarily limited to: INGERSOLL RAND®, NAPA, and FRAM Air and Oil Filters, Elements, and Separators; LINCOLN, FISHER, and HANKISON Line Regulators, Lubricators, and Filters; and Other Items. <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 302 | 1- LOT- 1- SECTION OF WOOD SHELVING, ENCLOSED BACK AND BOTH SIDES, WITH CONTENTS- Section is 100" high x 8' wide x 2' deep on the Bottom Cabinet, 1' deep on the Top Hutch Unit with Contents consisting of but not necessarily limited to: Bag house Door Seals, DWYER® Series 3000 Photohelic Pressure Switch/Gage, 2- A.F.I. 2 150 wpsi 304/304L; Armored Flex Guard Hose, 2' long, Flanged. NOTE: THESE ITEMS ARE NEW: ROMAC INDUSTRIES INC. CL1-7.24-12 Clamp; FIREYE® Infrared Scanner Heads, Flame Monitor and Chassis, Programmer Module, 2- CHA-DA SALES, INC. Morris -4C 219mm Pipe Couplings/Sleeve and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 303 | 1- VIBCO- RAIL HOPPER CAR/BIN VIBRATOR- Model CCW-5000/138A020801, Pneumatic Operation; <i>NEW. LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 304 | 1- LOT- CONTENTS OF SHELVING UNIT- Consisting of but not necessarily limited to: LOVEJOY Bore Couplings, FLOWSERVE 1 7/8" Series 84/85 Single Cartridge Seal, DURCO and GALIGHER® Pump Parts including Alloy Shafts Impellers, Casings, Back Plates, Section Heads, AP AURORA® Boiler Feed Water Pump, TEEL Boiler Condensate Pump and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 305 | 1- LISTA INTERNATIONAL CORPORATION- LOT- PARTS CABINET, STEEL WITH CONTENTS- 59 1/2" high x 28" wide x 29" deep, 11- Drawers (4- are 2 deep, 5- are 5 deep and 1- is 9 deep) with Contents consisting of but not necessarily limited to: Parts for FOXBORO, HONEYWELL, K-TRON, FISHER, RELIANCE ELECTRIC and Others; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 306 | 1- LYONS- PARTS CABINET, STEEL, WITH CONTENTS- MSSII, SAFETYLINK, 59 1/2 x 30 x 27 1/2 deep, 11- Drawers (2- are 2 deep, 2- are 3 deep, 3-are 4 deep and 4- are 5 deep) with Contents consisting of but not necessarily limited to: Set Screws, Quick Couplers, Tube Fittings, Pressure Gauges, DURAMETALLIC, DURCO, LABOUR, AND CORKEN Parts, DIXON Fittings and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 307 | 1- LOT- CONTENTS OF SHELVING UNIT- Consisting of but not necessarily limited to: DODGE and SKF Type C Non-Expanding Pillow Block Bearings, 2- Bolt and 4- Bolt Bases, FAFNIR®, DODGE, LINK-BELT®, BROWNING, and TORNINGTON Bearings, Parts, and Supplies. <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |
| 308 | 1- LOT - SHELVING UNIT WITH CONTENTS- Steel, 87 in. high x 36 in. x 12 in. deep WITH CONTENTS OF: Roller Chain Consisting of but not necessarily limited to: 1- Roll of #120; 2- Boxes of #60; 3- Boxes of #50; 1- Length of #70; 1- Box of #3 Yellow Safety Chain; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> |

25 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
309	1- LOT - 2- SHELVING UNITS WITH CONTENTS- Steel, 84 in. high x 36 in. wide x 18 in. deep, WITH CONTENTS OF but not necessarily limited to: Nipples- 3/8 in. x 4 in. 316 Stainless Steel; 1/2 in. x 4 in. 316 Stainless Steel; 3/4 in. x 4 in. 316 Stainless Steel; 3/4 in. x 2 in. 316 Stainless Steel; Unions 3/4 in. Threaded Stainless Steel; 90 ° Ells 3/4 in. Threaded Stainless Steel; Tees 1/2 in. Threaded Stainless Steel; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
310	1- LOT - 2- SHELVING UNITS WITH CONTENTS- 84 in. high x 36 in. wide x 18 in. deep WITH CONTENTS Consisting of but not necessarily limited to: 3 in. Male and Female COMLOCK Adaptor and Couplings, Stainless Steel; 1 in. Alloy 20 Unions, Threaded; 1/2 in. 90° Ells, Tees/Nipples, and Couplings, Alloy 20; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
311	1- LOT - 2- SHELVING UNITS WITH CONTENTS- STEEL, 84 in. high x 36 in. wide x 18 in. deep WITH CONTENTS Consisting of but not necessarily limited to: 1 1/2 in Rego Valve Stem Replacement Kit; 2 in. Globe Rego Valves; Non-Stock Black Iron Fitting; 1/2 in. 316 Stainless Steel Check Valves; 1 in. Safety Relief Valve, 150 WP, Brass; 2 in. to 1 1/2 in. 2 in. to 1 in. 1 1/2 in. to 1/4 in. Reducing Couplings; 1 1/4 in. x 4 1/2 in. and smaller Nipples; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
312	1- LOT - 2- SHELVING UNITS WITH CONTENTS- 84 in. high x 36 in. wide x 18 in. deep WITH CONTENTS Consisting of but not necessarily limited to: 1 1/2 in., 1 1/4 in., 1 in. Unions; 3/4 in., 1/2 in. 3/8 in. Tees, 90 ° Ells; Unions, Reducing Couplings and Bushings, Crosses and Plugs; 2 in. Non-Stock 2 1/2 in. Black Iron Fittings; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
313	1- LOT - SHELVING UNIT WITH CONTENTS- 87 in. high x 36 in. wide x 12 in. deep WITH CONTENTS Consisting of but not necessarily limited to: 1 1/2 in., 1 1/4 in., 1 in. 316 Stainless Steel U - Bolts; 4 1/2 in., 3 1/2 in. U - Bolts; 3 1/2 in., 3 in., 2 1/2 in., 2 in. Pipe Hangers; 3 in. x 3 in. Shims, Stainless Steel, .001 to .125; Roller Chain Links and Cottered Connectors, #180 to #40; CHICAGO RAWHIDE Oil Seals, #39923 to #11209; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
314	1- LOT - ALL THREAD BAR STOCK- Consisting of 13- Bars 1 1/8 in. x 36 in. Zink Finish and Smaller; 1- Tube Containing 5- 3/4 in. - 10 in. x 36 in. Low Carbon, Fully Threaded Rods; (NEW) <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
315	1- LOT - STORAGE SHELF, STEEL, WITH CONTENTS- Multi-Bin, 42 in. high x 34 in. wide x 9 in. deep WITH CONTENTS Consisting of but not necessarily limited to: Hex Cap Screws, 3/4 in. x 4 in. and smaller; Carriage Bolts 3/4 in. x 4 in. and smaller; Flat Head Cap Screws, 5/8 in. x 2 in.; Wire Rope Clamps; Cotter Pins; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
316	1- LOT - STORAGE / DISPENSER BIN SECTION WITH CONTENTS- 49 in. high x 37 in. wide with 1- Shelf 19 in. deep, 3- Shelves 16 in. deep, 3- Shelves 12 in. deep, and 3 Shelves 8 in. deep. Each Row of Shelves contains 8- Bins WITH CONTENTS Containing but not necessarily limited to: Cap Screws 1 in. x 2 in. and smaller; Flat and Lock Washers; Hex Nuts; Toggle Bolts; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
317	1- LOT - STORAGE / DISPENSER BIN SECTION WITH CONTENTS- 49 in. high x 37 in. wide with 1- Shelf 19 in. deep, 3- Shelves 16 in. deep, 3- Shelves 12 in. deep, and 3 Shelves 8 in. deep. Each Row of Shelves contains 8- Bins WITH CONTENTS Containing but not necessarily limited to: Toggle Bolts, Cap Screws; Hex Nuts; Flat and Lock Washers; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
318	1-LOT - STORAGE / DISPENSER BIN SECTION WITH CONTENTS- 49 in. high x 37 in. wide with 1- Shelf 19 in. deep, 3- Shelves 16 in. deep, 3- Shelves 12 in. deep, and 3 Shelves 8 in. deep. Each Row of Shelves contains 8- Bins WITH CONTENTS Containing but not necessarily limited to: Toggle Bolts, Cap Screws; Hex Nuts; Flat and Lock Washers; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
319	1- LOT - STORAGE / DISPENSER BIN SECTION WITH CONTENTS- 49 in. high x 37 in. wide with 1- Shelf 19 in. deep, 3- Shelves 16 in. deep, 3- Shelves 12 in. deep, and 3 Shelves 8 in. deep. Each Row of Shelves contains 8- Bins WITH CONTENTS Containing but not necessarily limited to: Toggle Bolts, Cap Screws; Hex Nuts; Flat and Lock Washers; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
320	1- LOT - CONTENTS OF 2- ROOMS- Consisting of but not limited to: 1- Desk, Fiberglass, Cantilevered; 1- Desk Double Pedestal, Wood, 3 ft. x 6 ft. with 10 in. Front Overhang, Plastic Laminate Wood Grained Finish; 1- Credenza, Wood, 18 in. x 65 in., Plastic Laminate Wood Grained Finish; 1- Desk, Double Pedestal, Metal, 3 ft. x 6 ft. Linoleum Top, 1- Swivel Chair; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
321	1- STORAGE SHELF- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
322	1- BOCHAROCH INSTRUMENTS FYRITE® GAS ANALYZER TEST KIT- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
323	1- NEW ENGLAND MANUFACTURING COMPANY- PILOT TUBE TEST KIT FOR FIRE HYDRANT- Containing but not necessarily limited to: 3- Pressure Gauges, 300, 200, and 60 psi, 2- Pilot Tube Adaptors - 1- 3 in. and 1- 1 7/8 in., with Wood Case; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
324	1- FOXBORO- MAGNETIC FLOW INSTRUMENT CALIBRATOR- Model 8120-6, S/N 3666365 Phase Band E; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
325	1- LOT- 1- B & W TECHNOLOGIES- MULTI- GAS PERSONAL MONITOR- Multi-Max 160, MM-WXH FP-406-30549, In Case; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1- RAYTEK® RAYNGER® ST2™ NON-CONTACT TEMPERATURE MEASURING INSTRUMENT 1-DWEY INSTRUMENTS INC- MAGNEHELIC DIFFERENTIAL PRESSURE GAGE- Cat. No. 2000OAV
326	2- HONEYWELL- SMART FIELD COMMUNICATOR- Models, STS102-031-00036-12, F192 94-0076739004(?) C948, And Smart Field Communicator, s/n n/a; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
327	1- LOT- TRANSMATION INC.- 1- DIGITAL CALIBRATOR- Model 1040 PPS, S/N A50537, In Case; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1-TRANSMATION INC.- MINI-TEMP CALIBRATOR- Model 1062 PPS, S/N A45963 J/K In Case, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>

27 OF 30

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE IS NO WARRANTIES OR GUARANTEES EXPRESSED OR IMPLIED-
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
327	Continued- 1-MSA-OXYGEN INDICATOR- Model 244R, Part No. 458171, And AMETEK Model 964A Strobette Stroboscope, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
328	1-LOT- GRAHAM- DIGITAL TACHOMETER- Model GT-105, S/N 6060850, Hand Held; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1- SONIC TECHNOLOGY PRODUCTS INC- AUDIO TECH PROBE™ SOUND DIAGNOSTIC TOOL, With Ear Phones, Probe, and Case; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1- NEOTRONICS-LOT-1- GAS MONITOR LOT- RELATED TEST ITEMS- Model OTOX 2003 S/N 183, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1-LOT- RELATED TEST ITEMS- To include but not necessarily limited to: Machine/Mechanics Stethoscope, 2-2 kg Weights, Electrical Harness Wiring and Other Items; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
329	1- NEOTRONICS- LOT - 1- TEST GAS KIT- Zero Air, THC Concentration, 1 PPM Mode %, In Plastic Case. <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1- DYNAMATION INCORPORATED- TEST GAS KIT- Zero Air, THC Concentration, 1 PPM Mode %, In Plastic Case. <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 3- TAYLOR- PRESSURE GAUGE KITS- (2- are 18 psig and 1- is 160# inches of water granulation, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
330	1- NORTHERN ILLINOIS GAS COMPANY- LOT - 2- GAS TRAC® INSTRUMENTS AND 1- CALKIT™ CALIBRATION KIT FOR USE WITH BAS TRAC INSTRUMENTS- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
331	1- DRÄGER LOT - 1- GAS DETECTOR PUMP- Model #ARJB-F002, With Case and Carbon Monoxide and Ammonia Tubes. <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i> 1- DRÄGER PUMP KIT WITH MULTI - GAS DETECTOR PUMP- Model 304Dand #TOV 12 Rg G 017, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
332	1- LOT- 2- DYNAMATION INCORPORATED- GAS DETECTORS- Model G750 Polytecor II, S/N 50301, In Belt/Shoulder Carrying Case; With: GIG Universal Charger, No. 98071233; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
332A	1- BECKMAN- PH/ TEMPERATURE/ MV / ISE METER, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
333	<p>1- LOT – MISCELANIOUS</p> <p>1- LOT - LARGE AND SMALL TRASH BAGS- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p> <p>1- LOT - PLASTIC JARS, 6- BOXES- Each box containing 4- Jars, 1- gallon capacity each; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p> <p>1- LOT- TYVEK- LOT- COVERALL SUITS, DISPOSABLE- Large, X-Large, XX-Large, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p> <p>1- LOT- CONTENTS OF 1- SHELF STORAGE UNIT- SAFETY EQUIPMENT- Consisting of but not limited to: ELWOOD SAFETY APPLIANCE COMPANY Knee and Shin Guards; JACKSON Face Shield Cap Adaptors; Grinding Shield Holder; CREWS Safety Glasses; ECON Safety Glasses and Goggle Retainers; FORT JAMES 1-Ply AccuWipe; ENERGIZER Batteries; RAYOVAC No. 1351 Flashlights; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p> <p>1- LOT- CONTENTS OF 1- SHELF STORAGE UNIT- Consisting of but not necessarily limited to: BULLARD 3000 Hard Hats and Suspensions; Clear Grinding Shields; Safety Shower Eye-wash, Ball Valves; Pull Rods; HUBBELL Floor Track Floor Cable Cover, <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p> <p>1- LOT - STORAGE SHELVING, 7- UNITS- Each 84 in. high x 36 in. wide 5- are 24 in. deep, 2-are 18 in. deep, 5- are enclosed on the back and both sides, 2- are open; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p>
334	<p>1- STORAGE CABINET, WOOD- 60 in. high x 48 in. wide x 12 in. deep with 12- Compartments/Bins, With Contents Consisting of but not necessarily limited to: E.A.R. Classic SuperFit 30 Ear Plugs; MAX® 30 Ear Plugs; QB2 Ear Plugs; Acid Gloves; Winter Hard Hat Hood; Leather Driving Gloves, Champion Work Belt System; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p>
335	<p>1- LYON- STORAGE CABINET, HEAVY DUTY STEEL, AND A CANTILEVERED SHELF UNIT- 78 in. high x 36 in. wide x 21 in. deep, with 4- Adjustable Shelves, each with 1300 lbs. capacity, Dual Front Doors with Pad-Locking Handle; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p>
336	<p>1-LOT -2- STORAGE ROOM CAGES, WOVEN WIRE- 1- is 8 ft. high x 8 ft. wide x 7ft. 9 in. long with Enclosed Top and 2- Sides, Hinged Locking Door; 1- is 8 ft. 3 in. high x 8 ft. wide x 16 ft. long with Enclosed Top and 2- Sides, Sliding and Locking Door, 4- Sections of Steel Shelving Units; 1- LOUISVILLE Model SW2407 Safety Ladder 67 in. high, Portable; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p>
337	<p>1- LOT - SHAKER SCREENS- TO FIT TYLER SCREENS- Consisting of but not necessarily limited to: LUDLAW-SAYLOR Svendala: 8- (approximately) .046 2 in. Slat D = .041 and .047 Stainless Steel; 2- .031 x 46% Open D = .025 Stainless Steel; 15- .028 x 42% Open D = .028 Stainless Steel; 6- .026 x 30 Mesh D = .0065 Stainless Steel; (NOTE: EX/NEW); <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i></p>

**PCS PHOSPHATE
KINSTON, NORTH CAROLINA USA**

LOT	DESCRIPTION
338	1- LOT - MECHANICAL GRADE TEFLON, 4- SHELVES WITH 15- ROLLS, PLUS PIECES- Consisting of but not necessarily limited to: 4 ft. x 4 ft. x 1/8 in. and 4 ft. x 4 ft. x 3/16 in. Mechanical Grade Teflon; 1/4 in. x 12 in. x 25 ft. High Temperature Black Neoprene; 2in. X 10 in. x 1/4 in. Black Neoprene Rubber; <i>(NOTE: EX/NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
339	1- KICE/CROS-IBLE, INC.- DUST COLLECTOR/BAG HOUSE SACKS, 26 BOXES- Containing but not limited to: Each Box with 25- Style HAN 1530 SST, Size 9 1/8 in. x 97 1/4 in.; <i>(NOTE: EX/NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
340	1- BHA- LOT - DUST COLLECTOR/BAG HOUSE SACKS-, 3- PALLETS, 45 BOXES- Consisting of but not limited to: Each Box with 15- Bags, 180, AC005, 6.25 x 132, SBBI; <i>(NOTE: NEW); LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
341	1- LOT - ELECTRICAL PARTS- Consisting of but not necessarily limited to: ROBROY INDUSTRIES PBRA 1 and 1 1/2 Right Angle Beam Clamps, 3 Boxes (approx); 1 1/2 Couplings (1-Box); PREYD2 EYD Sealing Fitting; 1- Shovel; 3- Chipping Hoes; 3- Plastic Buckets; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
342	1- LOT -Consisting of but not necessarily limited to: 1- Emergency Gurney Aluminum and Fiberglass with Rubberized Fabric Personnel Protective Cover; 2- Traffic Barrels with Reflective Bands, Orange, I-Traffic Control Cone, Orange; 3- THE ALDON COMPANY Rail Car Movers, Manual; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
343	1- LARGE SAFETY LADDER- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
344	1- SMALL SAFETY LADDER- <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
345	1- NITTO KOHKI CO LTD/SELFER- PORTABLE HYDRAULIC PUNCH- Model A07-1624B, S/N 61 U___ O , Max Thickness 16 mm, Max Diameter 24mm, with Self-Contained Portable Hydraulic Power Unit powered by Electric Induction Motor; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>
346	1- LOT- Consisting of but not necessarily limited to: 3- Boxes ARMSTRONG Contractor Series 2 ft. x 4 ft. Drop-In Ceiling Tile Panels; 7- Boxes MARTIN 12CH3266 Mounting Brackets; <i>LOCATION: BUILDING NO. 4, PARTS WAREHOUSE/RECEIVING</i>