

AUCTION

SURPLUS EQUIPMENT
& INVENTORY
www.maascompanies.com



ARDISAM

ardisam.com



Mori-Seiki CNC Lathe-SL-204SMC (2002)
SMW Space Saver 2104 Bar Feed Attachment

ARDISAM, AN INNOVATIVE DESIGNER AND MANUFACTURER OF OUTDOOR PRODUCTS SINCE 1960, IS CONSOLIDATING MANUFACTURING TO ONE CENTRAL LOCATION. ALL SURPLUS MANUFACTURING & SUPPORT EQUIPMENT WILL BE SOLD!

Late Model CNC Milling Machines, Fanuc Robot Arc Mates with Lincoln Power Waves, 46-500 Ton Presses, Welders, Airplane, Crane, 4-Forklifts: 2-TCM, Cat, Allis Chalmers, Peterbilt Semi Tractors & Trailers, Embroidery Machine & Garment Printer, & Surplus Products! Equipment and Products Offered Piecemeal! Bid in Person or On-Line!

★★★ Thursday, May 20 at 10:00 AM – Cumberland, Wisconsin ★★★



Nationwide Marketing Specialists

MAAS
companies

Commercial and Industrial Assets

EQUIPMENT
CATALOG₂

507.285.1444
maascompanies.com

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

LOCATION: PLANT #6, 1733 INDUSTRIAL BLVD.

- 1 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 2 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 3 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 4 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 5 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 6 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 7 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 8 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 9 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 10 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 11 – ARDISAM SNOW BLOWER – Eskimo 6100
Powered by 3 hp, 4- Stroke, Viper Gasoline Engine, 20 in wide.
- 12 – ARDISAM GENERATOR, 3000 WATT, PORTABLE – DX 3000E
Powered by 6.5 hp Gasoline Engine, Electric Start.
- 13 – ARDISAM GENERATOR, 1000 WATT, PORTABLE – TH100DX
Powered by 2.8 hp Gasoline Engine.
- 14 – ARDISAM GENERATOR, 1000 WATT, PORTABLE – TH100DX
Powered by 2.8 hp Gasoline Engine, New in Box.
- 15 – ARDISAM ROTO TILLER, REAR TINE – EarthQuake® SRT
Powered by Viper 196 cc Gasoline Engine.
- 16 – ARDISAM CENTRIFUGAL PUMP, PORTABLE – WP30X
Powered by Gasoline Engine.

1 of 20

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
“THE LEADER IN CLIENT SATISFACTION”

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
17	ARDISAM	LOG SPLITTER, 27 TON, PORTABLE			– EarthQuake® Powered by 13 hp Gasoline Engine.
18	ARDISAM	LOG SPLITTER, 27 TON, PORTABLE			– EarthQuake® Powered by 13 hp Gasoline Engine.
19	ARDISAM	QUICK-SPLIT 12 LOG SPLITTER, PORTABLE			– EarthQuake® Warrior 196 cc Viper Gasoline Engine, With Auger Attachment.
20	ARDISAM	LOG SPLITTER, PORTABLE			– EarthQuake® W1000 Powered by Electric Motor.
21	ARDISAM	EARTH AUGER, 2- PERSON			– EarthQuake® 9800B Powered by 8.25 hp BRIGGS & STRATTON Gasoline Engine with Auger Attachment.
22	ARDISAM	EDGER, 9 IN BLADE			– EarthQuake® 400028 Powered by VIPER 2.8 hp, 4- Stroke Gasoline Engine.
23	ARDISAM	WALK-BEHIND EDGER, ELECTRIC START			– EarthQuake® WE43E Powered by Viper, 2-cycle 43cc High Performance Gasoline Engine, Blade Size: 9 in Diameter, Cutting Depth: Adjustable from ½ in to 3 in, Wheel Size: 7 in, Weight: 39 lbs, 4-Position Height Adjuster, Clutch-Driven Throttle, Keyed Electric Start, Compact, Lightweight Design.
24	ARDISAM	WALK-BEHIND EDGER, ELECTRIC START			– EarthQuake® WE43E Powered by Viper, 2-cycle 43cc High Performance Gasoline Engine, Blade Size: 9 in Diameter, Cutting Depth: Adjustable from ½ in to 3 in, Wheel Size: 7 in, Weight: 39 lbs, 4-Position Height Adjuster, Clutch-Driven Throttle, Keyed Electric Start, Compact, Lightweight Design.
25	ARDISAM	WALK-BEHIND EDGER, ELECTRIC START			– EarthQuake® WE43E Powered by Viper, 2-cycle 43cc High Performance Gasoline Engine, Blade Size: 9 in Diameter, Cutting Depth: Adjustable from ½ in to 3 in, Wheel Size: 7 in, Weight: 39 lbs, 4-Position Height Adjuster, Clutch-Driven Throttle, Keyed Electric Start, Compact, Lightweight Design.
26	ARDISAM	WALK-BEHIND EDGER, ELECTRIC START			– EarthQuake® WE43E Powered by Viper, 2-cycle 43cc High Performance Gasoline Engine, Blade Size: 9 in Diameter, Cutting Depth: Adjustable from ½ in to 3 in, Wheel Size: 7 in, Weight: 39 lbs, 4-Position Height Adjuster, Clutch-Driven Throttle, Keyed Electric Start, Compact, Lightweight Design.
27	ARDISAM	ICE AUGER			– Eskimo Shark Z51 Features a 51.7cc Viper High Performance Two-Cycle Engine, Protective Muffler Guard, All Ball Bearing Transmission, See Through Gas Tank, Toggle Switch, Blade Protector, Centering Ring, Dual Stainless Steel.

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
28	ARDISAM	ICE FISHING SHELTER – Eskimo Eskape 200			81 in x 60 in x 67 in, 105 lbs, 2-Person Capacity, Dual-pull D-Shaped Zippered Door, Lightweight Aluminum Framing.
29	ARDISAM	ICE FISHING SHELTER – Eskimo QuickFlip 2			65 in x 83 in x 60 in, 87 lb, 2- Person Capacity, Dual-pull D-Shaped Zippered Door, Polyethylene Sleds, Reflective Corners, License Holder, Pull Rope.
30	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
31	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
32	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
33	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
34	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
35	ARDISAM	ATV TRAILER, SINGLE AXLE – Yukon Caribou AV-117			
36	ARDISAM	ATV RAMP, ALUMINUM – TX104			TriFold, 1750 lb Capacity, 50 in x 78 in, 32 lbs, Extra Long.
37	ARDISAM	ATV RAMP, ALUMINUM – TX196			TriFold, 1500 lb Capacity, 50 in x 69 in, 23 lbs.
38	ARDISAM	ATV RAMP, ALUMINUM – TX102			BiFold, 1250 lb Capacity, 48 in x 69 in, 20 lbs.
39	ARDISAM	ATV RAMP, ALUMINUM – TX102			BiFold, 1250 lb Capacity, 48 in x 69 in, 20 lbs.
40	ARDISAM	ATV RAMP, ALUMINUM – TX197			TriFold, 1500 lb Capacity, 50 in x 78 in, 25 lbs, Extra Long.
41	ARDISAM	ATV RAMP, STEEL – TriFold.			
42	ARDISAM	ATV RAMP, STEEL – TriFold.			
43	ARDISAM	ATV RAMP, STEEL – BiFold.			
44	ARDISAM	ATV RAMP, STEEL – BiFold.			
45	ARDISAM	ATV RAMP, STEEL – BiFold.			
46	ARDISAM	CUMBERLAND PELLET/CORN STOVE – MF 3500G			45,000 BTU/HR, 1,200 Sq. Ft. Heating Capacity, 110 Volts, 15 Amp, 60 Hz, 5.7 Watt Power Consumption Controller, 430 Watt Stove (continuous), 62 lbs Fuel Storage Capacity, 3 in Flue, 22 in x 40 in x 22 in, 287 lbs.

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
--------------	---------------------	-------------	--------------	----------------------	--------------------

- 47 – ARDISAM CUMBERLAND PELLET/CORN STOVE – MF 3500G
45,000 BTU/HR, 1,200 Sq. Ft. Heating Capacity, 110 Volts, 15 Amp, 60 Hz, 5.7 Watt Power Consumption Controller, 430 Watt Stove (continuous), 62 lbs Fuel Storage Capacity, 3 in Flue, 22 in x 40 in x 22 in, 287 lbs.
- 48 – ARDISAM CUMBERLAND PELLET/CORN STOVE – MF 3500G
45,000 BTU/HR, 1,200 Sq. Ft. Heating Capacity, 110 Volts, 15 Amp, 60 Hz, 5.7 Watt Power Consumption Controller, 430 Watt Stove (continuous), 62 lbs Fuel Storage Capacity, 3 in Flue, 22 in x 40 in x 22 in, 287 lbs.
- 49 – ARDISAM CUMBERLAND PELLET/CORN STOVE – MF 3500G
45,000 BTU/HR, 1,200 Sq. Ft. Heating Capacity, 110 Volts, 15 Amp, 60 Hz, 5.7 Watt Power Consumption Controller, 430 Watt Stove (continuous), 62 lbs Fuel Storage Capacity, 3 in Flue, 22 in x 40 in x 22 in, 287 lbs.
- 50 – MASTER BLASTER GAS PRESSURE WASHER, Model 8002 – Powered by Viper 196cc Viper EPA & CARB Certified Engine, 2800PSI, 2.65 GPM (Cold Water), Quadra-Cap Spray Selection, Four Nozzles That Have a Different Spray Pattern to Fit Your Every Cleaning Need (0, 15, 40 Degree and Low Pressure), Quick-Release Lance Collars for Effortless Spray Nozzle Changes, Wheeled Design Makes Pressure Washer Easy to Transport, Low Oil Shut Down, Detergent Pick-Up Pipe Mixes in Cleaning Agents Quickly.
- 51 – MASTER BLASTER GAS PRESSURE WASHER, Model 8002 – Powered by Viper 196cc Viper EPA & CARB Certified Engine, 2800PSI, 2.65 GPM (Cold Water), Quadra-Cap Spray Selection, Four Nozzles That Have a Different Spray Pattern to Fit Your Every Cleaning Need (0, 15, 40 Degree and Low Pressure), Quick-Release Lance Collars for Effortless Spray Nozzle Changes, Wheeled Design Makes Pressure Washer Easy to Transport, Low Oil Shut Down, Detergent Pick-Up Pipe Mixes in Cleaning Agents Quickly.

LOTS 52 - 60 UNASSIGNED

TEMPORARY END TO ITEMS LOCATED IN PLANT #6

TRUCKS AND TRAILERS

- 61 – PETERBILT MODEL 379 2005 TRUCK TRACTOR, CONVENTIONAL SLEEPER, TANDEM AXLE, TWIN SCREW – VIN 1XP-5DB9X-6-5N875534 (Mfg 02/2005)
Powered by CAT® C15, 475 hp Twin Turbocharged; Diesel Engine Driving through Fuller® RT2018918B 18- Speed Transmission, DSP40 40,000 lb Rear Axles, 3.36 Ratio, 265 in Wheelbase, Unibuilt 68 in long (mol) Double Bunk Sleeper, NITE APU, Air Bag Suspension, Air Operated Sliding 5th Wheel, Dual Chrome Stacks, Chrome Air Cleaner, Chrome Front Bumper, Rear Axle Hub Caps, Frame Steps and Catwalk, Front Drive Axle 1/2 Mud/Spray Shield, Rear Drive Axle Mud/Spray Flap, ALCOA Aluminum BUDD Wheels, 285/75 R 24.5 Tires, 541,488 Indicated Odometer Miles, Co. No. 506.
(NOTE: This is a Pre-Emissions Standards Truck.)

4 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

- 62 – PETERBILT MODEL 379 2005 TRUCK TRACTOR, CONVENTIONAL SLEEPER, TANDEM AXLE, TWIN SCREW – VIN No.1XP-5DB9X-4-5N841896 (Mfg 4/2004) Powered by CAT® C15, 475 hp Twin Turbocharged Diesel Engine Driving through Fuller® RTL01891B 18- Speed Transmission, DSP40 40,000 lb Rear Axles, 270 in Wheelbase, Unibuilt 68 In long (mol) Double Bunk Sleeper, NITE APU, Air Bag Suspension, Air Operated Sliding 5th Wheel; Dual Chrome Stacks, Chrome Sun Visor, Chrome Air Cleaner, PRO-TECH® '6- Chain' Chain Locker, Frame Steps and Catwalk, Front Drive Axle 1/2 Mud/Spray Shield, Rear Drive Axle, Mud/Spray Flap, 2- 150 gal (est) Saddle Aluminum Fuel Tanks, Chrome Axle Hub Caps and Lug Nut Covers, Frame Steps and Catwalk, Front Axle 1/4 Mud Shield Rear Axle Mud Flaps, Chrome ALCOA Aluminum BUDD Wheels, 285/75 R 24.5 Tires; 122,703 Indicated Odometer Miles, Co. No. 505. (NOTE: This Unit has had its Odometer Changed Out. Total (approx) Mileage is 575, 000 Miles.) (NOTE: This is a Pre-Emissions Standards Truck; the Engine has been Overhauled.)
- 63 – PETERBILT MODEL 379 2003 TRUCK TRACTOR, CONVENTIONAL SLEEPER, TANDEM AXLE, TWIN SCREW – VIN 1XP-5D49X-0-3N592894 (Mfg 05/2002) Powered by CUMMINS ISX 500 hp Turbo Charged Diesel Engine Driving through Fuller® RTL018918 18- Speed Transmission, DSP40 40,000 lbs Rear Axles, 3.55 Ratio, 256 in Wheelbase, Unibuilt 50 in Single Bunk Sleeper, Air Bag Suspension, Air Operated Sliding 5th Wheel; Frame Steps and Catwalk, Front Drive Axle 1/2 Mud/Spray Shield, Rear Drive Axle, Mud/Spray Flap, ALCOA Aluminum BUDD Wheels, 285/75 R 24.5 Tires, 693,804 Indicated Odometer Miles, Co. No. 504. (NOTE: This is a Pre-Emissions Standards Truck; the Engine has been Overhauled.)
- 64 – PETERBILT MODEL 379 2003 TRUCK TRACTOR, CONVENTIONAL SLEEPER, TANDEM AXLE, TWIN SCREW – VIN 1XP-5D49X-9-3N592893 (Mfg 05/2002) Powered by CUMMINS ISX 500 hp Turbocharged Diesel Engine Driving through Fuller® RTL018918B, 18- Speed Transmission, DSP40 40,000 lb Rear Axles, 3.55 Ratio, 256 in Wheelbase, Unibuilt 50 in Single Bunk Sleeper, Air Bag Suspension, Air Operated Sliding 5th Wheel; '6- Chain' Chain Locker; Frame Steps and Catwalk, Front Drive Axle 1/2 Mud/Spray Shield, Rear Drive Axle, Mud/Spray Flap, ALCOA Aluminum BUDD Wheels, 285/75 R 24.5 Tires, 780,531 Indicated Odometer Miles, Co. No. 503. (NOTE: This is a Pre-Emissions Standards Truck.)
- 65 – MANAC TANDEM STRETCH AXLE CURTAIN FLATBED TRAILER – AAF 48 VIN 5MC2226276P006658 (Mfg 11-16-2006) 100,000 lbs GVWR, ROLL-TITE Curtain System Kit, All Aluminum Frame, 50f ft long x 102 in wide, Stretch Air Ride Rear Axles, 2- AERO Stainless Steel Tool Boxes, Aluminum BUDD Wheels, Co. No. 605, WI Tag 533632.

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

- 66 – MANAC TANDEM STRETCH AXLE CURTAIN FLATBED TRAILER – AAF 48 VIN 5MC22262X5P005485 (Mfg 11-22-2004)
 100,000 lbs GVWR, ROLL-TITE Curtain System Kit, All Aluminum Frame, 48 ft long x 108 in wide, Stretch Air Ride Rear Axles, 2- AERO Stainless Steel Tool Boxes, Aluminum BUDD Wheels, Co. No. 603, WI Tag 510096.
- 67 – TRASCRAFT EAGLE® TANDEM STRETCH AXLE CURTAIN FLATBED TRAILER – W2 Super Beam VIN ITT F4820 1 32010687 (Mfg 02/2003)
 48 ft x 102 in x 13 ft 6 in high, 80,000 lbs GVWR, ROLL-TITE Model SBS Kit, AERO Saddle Tool Chest, Co. No. 600 WI Tag No. 482151.

LOCATION: PLANT #3, 1360 1 AVE., EAST SIDE, LOWER YARD

- 68 – GREAT DANE TANDEM AXLE DRY VAN TRAILER – 691 VIN GRAA0620PB026550 (Mfg 09/1992) 102 in wide x 53 ft long (NOTE: This Unit has Current DOT Inspection) Co. No. AASM 244. Contents not Included.
- 69 – DORSEY TANDEM AXLE DRY VAN TRAILER – 1DTV11x28HW025549 (Mfg 08/1986) GVWR 69000 lb, Co. No. Ardisam 105. Contents not Included.
- 70 – TRAILMOBILE TANDEM AXLE DRY VAN TRAILER – VIN 1PT01JAH9N9000217 (Mfg 09/1991) 102 in wide x 48 ft long, Co. No. 55. Contents not Included.
- 71 – WABASH TANDEM AXLE DRY VAN TRAILER – FRP-102 VIN V482MOGL103153 (Mfg 04/19/1986) 102 in x 48 ft, Co. No. 50. Contents not Included.
- 72 – STAUGHTON TANDEM AXLE DRY VAN TRAILER – ASVW-48ST-S-C VIN 1DW1A48210S500806 (Mfg 03/1986)
 102 in x 48 ft, 68,080 lbs GVWR Co. No. 56. Contents not Included.
- 73 – STAUGHTON TANDEM AXLE DRY VAN TRAILER – ASVW-48ST-S-C VIN 1DW1A4820KS05619
 102 in x 48 ft, 68,080 lbs GVWR Co. No. 54. Contents not Included.
- 74 – WABASH TANDEM AXLE DRY VAN TRAILER – FRP-102 Full Floor VIN 1JJV482M4JL114406 (Mfg 11-1987)
 102 in x 48 ft, Co. No. AASM41. Contents not Included.
- 75 – WABASH TANDEM AXLE DRY VAN TRAILER – FRP-102 Full Floor VIN 1JJV482M6X12796 (Mfg 1987)
 102 in x 48 ft, 68,000 lbs GVWR, Co. No. AASM 40. Contents not Included.
- 76 – STAUGHTON TANDEM AXLE DRY VAN TRAILER – ASVW-485-T-S-C VIN 1DW1A4829KS590049 (Mfg 08/88)
 96 in x 48 in, 68,080 lbs GCWR, Co. No. 52. Contents not Included.
- 77 – WABASH TANDEM AXLE DRY VAN TRAILER –
 96 in x 48 in, Co. No. AASM 44. Contents not Included.

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
78	STRAUGHTON	TANDEM AXLE DRY VAN TRAILER – ASVL-485T-S-C VIN 1DW1A482XJ5595518 (Mfg 6/1988) 96 in x 48 in, 68,080 lbs GCWR, Co. No. 59. Contents not Included.			
79	BUDD	TANDEM AXLE DRY VAN TRAILER – GL2E490F62W31 VIN 1BK10WA28DE204499 (Mfg 12/1982) 96 in x 48 in, 68,080 lbs GVWR, Co. No. 580316. Contents not Included.			
80	BUDD	TANDEM AXLE DRY VAN TRAILER – GL2E490F62W31 VIN 1BK10W926CE203094 (Mfg 104/1982) 96 in x 48 in, 68,080 lbs GCWR, Co. No.580217. Contents not Included.			
81	BUDD	TANDEM AXLE DRY VAN TRAILER – GL2E45062W3 VIN 1BK10WA22DE204501 (Mfg 12/82) 96 in x 48 in, 68,080 lbs GCWR, Co. No. 580215. Contents not Included.			
82	WABASH	TANDEM AXLE DRY VAN TRAILER – FRP-102 Full Floor VIN 13JV482M4JL114907 102 in, Co. No. AASM 46. Contents not Included.			
83	MONON	TANDEM AXLE DRY VAN TRAILER – VIN 45210 (Mfg 1980) 96 in x 48 ft, Co. No. A74. Contents not Included.			
84	WABASH NATIONAL CORP	TANDEM AXLE DRY VAN TRAILER – FRP-102 Full Floor VIN 1TJV482M0JL114368 (Mfg 11/1987) 102 in, Length 48 ft, GVWR 68,000 lbs, Co. No. A49. Contents not Included.			
85	GREAT DANE	TANDEM AXLE DRY VAN TRAILER – Full Floor VIN B14177 (Mfg 10/1979) 96 in, GVWR 65,000 lbs, Co. No. A2. Contents not Included.			
86	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER – Full Floor VIN N/A/Illegible 96 in, Length 48 ft, Weight Illegible, Co. No. A76. Contents not Included.			
87	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER – 11A-1CAW, Full Floor VIN T37805 (Mfg 11/30/1978) 96 in, GVWR 63,000, Co. No. A72. Contents not Included.			
88	HOBBS TRAILER	TANDEM AXLE DRY VAN TRAILER – AX9-8001-45 VIN BLV9646-67 (Mfg 03/1979) 48 ft, 68,000 lbs, Co. No. A70. Contents not Included.			
89	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER – 014A-1CAW VIN V95143 48 ft, Co. No. A73. Contents not Included.			
90	FRUEHAUF	TANDEM AXLE DRY VAN TRAILER – FBX F2 45W VIN MEZ598115 (Mfg 01/1979) 48 ft, 68,000 lbs, Co. No. A79, Damage in Front Upper Left Corner. Contents not Included.			
91	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER – 014A-1CAW VIN V35982 48 ft Weight Illegible Co. No. A75. Contents not Included.			
92	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER – 014A-1CAW VIN V95277 Co. No. A78. Contents not Included.			

7 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
93	DORSEY	TANDEM AXLE DRY VAN TRAILER	VIN N/A		"Spoooner Bottling Trailer" 96 in x 48 ft K513 Kufahl Trucking, Wausau, WI, No Co. No. (NOTE: No Data Plate or ID Info on Trailer.) Contents not Included.
94	HOBBS	TRAILER TANDEM AXLE DRY VAN TRAILER	AX9-8001-45	VIN BLV9648-64	(Mfg Date Illegible) GVWR 68,000, Co. No. Ardisam 71. Contents not Included.
95	EVANS	TANDEM AXLE DRY VAN TRAILER	VIN N/A/Illegible		"Eagle Fresh Ideas in Food" 96 in x 48 in Co. No. 10. Contents not Included.
96	FRUEHAUF	TANDEM AXLE DRY VAN TRAILER	VIN N/A/Illegible		96 in x 48 ft, Co. No. A74. Contents not Included.
97	WABASH	TANDEM AXLE DRY VAN TRAILER	FRP-102, Full Floor	VIN 1JJV482MXGL102110	(Mfg 02/20/1986) 102 in x 48 in , GVWR 68,000, Co. No. AASM 42. Contents not Included.
98	WABASH	TANDEM AXLE DRY VAN TRAILER	FRP-102 Full Floor	VIN 1JJV482M0JL114399	(Mfg 11/1987) 102 in x 48 in, Co. No. AASM 43. Contents not Included.
99	STRICK	TANDEM AXLE DRY VAN TRAILER	VIN N/A/Illegible		44 ft, Co. No 2449. Contents not Included.
100	THEURER	TANDEM AXLE DRY VAN TRAILER	ISAC-480A-10-52-26	VIN ITA---KG 213480	102 in x 48 ft, Co. No. 58. Contents not Included.
101	FRUEHAUF	TANDEM AXLE DRY VAN TRAILER	FBX-F2-45 ft 6 in	Wedge HPZ 6102 04	(Mfg 04/1978) 45 ft 6 in long, 68,000 lbs GVWR, Ardisam 77. Contents not Included.
102	FRUEHAUF	TANDEM AXLE DRY VAN TRAILER	FG8-F2-4	VIN MEX4878-41	(Mfg 07/14/1976) 43 ft 6 in, 68,00 lbs GVWR, Co. No. 445. Contents not Included.
103	TRAILMOBILE	TANDEM AXLE DRY VAN TRAILER	AIIAISAH	VIN F62416	(Mfg 11/1969) 40 long, Co. No. 35. Contents not Included.
104	BROWN	TANDEM AXLE DRY VAN TRAILER	40DV4-C-4H2S	VIN M701269	(Mfg 04/1970) 40 long, Co. No. 34. Contents not Included.
105	STRICK	TANDEM AXLE DRY VAN TRAILER	40 ft long,	Co. No. 3.	Contents not Included.

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
--------------	---------------------	-------------	--------------	----------------------	--------------------

LOCATION: NORTH HILL BEHIND PLANT #8, 1690 W. ELM ST.

105A – AMERICAN CRANE, ROUGH TERRAIN, LATTICE BOOM – 2380 20 Ton GS 9031W (Mfg 03/1966) Powered by CUMMINS V8-265 Diesel Engine having Crown and Butt Boom Sections, 3- Sheave Boom Point, Single Sheave Hook Block, Boom Stops, Mounted on STOLPER INDUSTRIES Model A134000 s/n 41887 Carrier, 2- Axle 4-Wheel Drive and Steer Rough Terrain, s/n 41887, Carrier Powered by Diesel Engine, 4-Hydraulically Operated Out-Rigger Arms with Leveling Cylinders and Pads, 10 ft wide Front Dozer Blade, Single Man Operator's Cab. Crane powered by CUMMINS 6 cyl Engine. 121 Total Hours and 368 miles, (Owner informs that Everything Runs and Works) 26.5 x 25 Tires.

LOCATION: PLANT #8, 1690 W. ELM ST.

105B – ALLIS CHALMERS FORK LIFT – ACP 150 DS2PS 133E235 (Shipped Date 10/13/1982) 10,000 lbs Capacity @ 48 in Load Center, Lift Height 148 in, 2- Stage Mast, 6 ft long Forks, Hydraulic Side Shift, Operator ROPS Canopy, Dual Front and Single Steering Wheels.

105C – C & B CUSTOM MODULAR INC OFFICE TRAILER – 00-4133 (Mfg 2000) 60 ft x 12 ft, 2- Axles and 4- Wheels, Shipping Weight 14, 400 lbs; Having 12 ft x 12 ft (approx) Offices located in the Front and Rear, 1- Large Center Office Area, 1- CUMBERLAND Corn/Pellet Stove Located in the Rear Office, 10- Support Stands, 1- Wall-Positioned Work Top, 4- Wire Shelf Sections, Wood Paneling Interior, End Offices are Carpeted, Fluorescent Lighting, Heat/Air Conditioner Externally Mounted on Front Wall, Metal Exterior Wall Covering, 1- 4- Step Stairs with Landing and Safety Railing, Treated Wood, Skirting.

LOCATION: CUMBERLAND AIRPORT

106 – BEECHCRAFT AIRPLANE – A36TC (Mfg 1980)
6- Passenger, CONTINENTAL TS10 520 UB Engine (728.64 Hours) HARTZELL PHC-C3YF-1RF Propeller (1021.28 Hours) Airframe Total Time (3175.49 Hours), INTEGRATED Autopilot, COLLINS Audio/Marker, GARMIN GNS 430, COLLINS Comm VHF 251 TSO, COLLINS Nav VIR 351 TSO, COLLINS Transponder TDR-950 TSO, COLLINS ADF-650A TSO, APOLLO GX55, JPI EDM-700, PM 3000, SHADIN Fuel Flow Indicating System, BERYL D'SHANNON AVIATION SPECIALTIES 15 gal Fiberglass Tip Tanks, Drop-Down Wind-Powered Electric Generator, Engine Block Heater, Long-Range Auxiliary Fuel Tank (not currently installed), Oxygen Cylinder. Always Hangared, No Damage History, Purchased in 2003 from California, have Log Books.

107 – UNASSIGNED

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

LOCATION: PLANT #3, 1360 1ST AVE., EAST SIDE, LOWER YARD

- 108 – LOT 200- (APPROX) MATERIAL BASKETS, WIRE MESH –
30 in x 30 in x 48 in long, (approx) for Fork Lift Use, Collapsed. (NOTE: There are 5-6 (approx) Units to a Bundle, Strapped with Steel Banding.)
- 109 – LOT SALVAGE METAL –
Consisting of but not necessarily limited to: 1- Tandem Axle Bumper Hitch Equipment Trailer (Bill of Sale Only, no Title), With Sheet Metal Contents.
- 110 – LOT 2- SQUIRREL CAGE FAN / BLOWERS –
24 in dia x 30 in wide (approx) with 20 in dia (approx) Multi-groove Drive Sheave.

LOCATION: PLANT #3, 1360 1ST AVE., WEST SIDE

- 111 – LEROI AIR COMPRESSOR – W 40SS
160 cfm, 125 psi, Powered by 40 hp Electric Motor, Stationary, Fully Enclosed in Housing.
- 112 – QUINCY AIR COMPRESSOR, SKIDDED – QS B40ANA22N 96805
- 113 – PNEUMATIC®, INC NON-CYCLING REFRIGERATED AIR DRYER – AD-500 96805
- 114 – MIMAKI ENGINEERING CO LTD. DIRECT TO GARMENT PRINTER – GP-604D
PIEZO-Electric Drop-On Demand, 3- Heads in-Line. With NOBILIS Tower Case
Pentium 4® Computer having NOBILIS Noble View 1554A CRT Monitor, LOGITECH
Keyboard and Mouse, with miscellaneous New & Unused Ink Cartridges.
- 114A – HIX CORPORATION DIGITAL STANDARD CLAM SHELL HEATING PRESS –
HT-400D 431-2855 15 in x 15 in, 1,500 Watts, Material to 1 in thick, Timer Adjustable
to 999 seconds, Adjustable Temperature to 450°.
- 115 – ZSK EMBROIDERY MACHINE, SINGLE HEAD – Sprint 2
11- Embroidery Colors, With 1- Hoop Master and 11- Cap Hoops, Various Sizes; 1-
Work Platform - Detachable (Can be placed at the front of the machine to support
large/heavy work pieces).
- 116 – IOLINE™ EMBROIDERY FABRIC CUTTER – 300 System
Cutting Area - 18 in x 30 in, Fabric to .090 in thick.
- 116A – LOT 6- BOXES IOLINE™ EMBROIDERY FABRIC –
26- (approx) Rolls of Embroidery Fabric.
- 117 – LOT THREAD PYRAMID, WOOD –
6 ft high having 75 Spools (approx) of Various Colors and Types of ISACORD
Embroidery Thread.
- 118 – UNASSIGNED

10 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

LOCATION: PLANT #6, 1733 INDUSTRIAL BLVD.

- 119 – FANUC ROBOT WELDING CELL – Arc Mate 120, Type A058-1208-B201 R95276263
(Mfg 2/1995)
Having LINCOLN Power Wave™ 450 Electric Arc Welder; 1- LINCOLN ProCut60
Plasma Cutting System s/n U1941109615, Plasma Unit Hooks Up to Robot for Cutting
Out Parts; 3- Work Holding Stations.
- 120 – LOT 1- FANUC ROBOTIC WELDING CELL – Arc Mate 100
Consisting of but not necessarily limited to: 1- FANUC ARC MATE 100 I Welding
Robot with FANUC System R-J2 Controls; 1- GENESIS® Work Piece Turntable; 1-
LINCOLN Power Wave® 450 Electric Welder having Robotic Interface; 1-
AUTOMATIC PERIPHERALS Torch Tender. Co. No. 125.
- 121 – LOT 1- FANUC ROBOTIC WELDING CELL – Arc Mate 100
Consisting of but not necessarily limited to: 1- FANUC ARC MATE 100 I Welding
Robot with FANUC System R-J2 Controls; 1- GENESIS® Work Piece Turntable; 1-
LINCOLN Power Wave® 450 Electric Welder having Robotic Interface; 1-
AUTOMATIC PERIPHERALS Torch Tender. Co. No. 126.
- 122 – LOT 1- FANUC ROBOTIC WELDING CELL – Arc Mate 100
Consisting of but not necessarily limited to: 1- FANUC ARC MATE 100 I Welding
Robot with FANUC System R-J2 Controls; 1- GENESIS® Work Piece Turntable; 1-
LINCOLN Power Wave® 450 Electric Welder having Robotic Interface; 1-
AUTOMATIC PERIPHERALS Torch Tender. Co. No. 127.
- 123 – WELDING HOOD, FUME EXHAUST –
42 ft long x 4 ft wide having 2- Axial Flow Exhaust Fans, Powered by Electric Motor.
- 123A – UNITED AIR SPECIALISTS, INC DUST HOG® – FJS-A 60020956
230 v, 60 Hz, 3 ph.
- 123B – UNITED AIR SPECIALISTS, INC SMOG HOG® – Porta-Clean 60024070-0497
115 v, 60 Hz, 1 ph, Portable.
- 124 – SPOT WELD INC PRESS RITE SPOT WELDER – 071598-A
75 KVA @ 50% Duty Cycle, 220 v, 50 Hz Control Voltage, 110 vac, 60 Hz; Having
INTERLOCK INDUSTRIES Model 108B MicroProcessor Control having 300 Weld
Schedules, Water Cooled. Co. Asset No. 132.
- 125 – MILLER CONSTANT POTENTIAL DC WELDING MACHINE – CP-250TS HD671446
Style No. JK-29 Wire Feed Unit, Skidded.
- 126 – MILLER CONSTANT POTENTIAL DC WELDING MACHINE – CP250TS 70-550731
With MILLER Motor 10 A Wire Feed Unit, Mounted in Portable Cart Base.
- 127 – LINCOLN ELECTRIC ARC WELDER, PORTABLE – Power Mig 255
Co. Asset No. 16.

11 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
128	HOBART ELECTRIC	ARC WELDER, PORTABLE	2510		Co. Asset No. 6.
129	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	Co. Asset No. 14.
130	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	Co. Asset No. 4.
131	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	Co. Asset No. 23.
132	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	No Co. Asset No.
133	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	Co. Asset No. 04.
134	HOBART ELECTRIC	ARC WELDER, PORTABLE	2510		Co. Asset No. 22.
135	LINCOLN ELECTRIC	ARC WELDER, PORTABLE	Power Mig	255	Co. Asset No. 2.
136	HOBART ELECTRIC	ARC WELDER – Ultra Flex 350 Pulse With THERMAL ARC® Digital 2000 Wire Feed Unit mounted on Portable Cart			Co. No. 7.
137	HOBART ELECTRIC	ARC WELDER – Ultra Flex 350 Pulse With HOBART Ultra Feed 1000 Wire Feed Controller Mounted on Portable Cart,			Co. Asset No. 13.
138	HOBART ELECTRIC	ARC WELDER, PORTABLE	ProStar Beta Mig®	2510	Co. Asset No. 3.
139	HOBART ELECTRIC	ARC WELDER, PORTABLE	GENEX Beta Mig	250	Co. Asset No. 0.
140	HOBART ELECTRIC	ARC WELDER, PORTABLE	ProStar	2510	Co. Asset No. 1.
141	HOBART ELECTRIC	ARC WELDER, PORTABLE	ProStar	2510	Co. Asset No. 3.
142	HOBART ELECTRIC	ARC WELDER, PORTABLE	ProStar	2510	Co. Asset No. 21.
143	HOBART ELECTRIC	ARC WELDER, PORTABLE	ProStar	2510	Co. Asset No. 15.

12 of 20

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
“THE LEADER IN CLIENT SATISFACTION”

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
144	CRITERION	TUBING BENDER – 26000			84 in long Bed, 2- Bending Heads, Tooling for Many Sizes of Round and Square Tubing, 2 to 4 Pieces at a Time. Co. Asset No. 124.
145	ROUSSELLE	DIE PRESS, 60- TON – No. SS56, 20181			Counterbalance Air Pressure Shunt Height 10 in, 3 in Adjustment, 4 in Stroke, 50 Strokes per Minute, Double Throw, having CONVERTER EQUIPMENT CORP Operator Control Pedestal.
146	ACCURPRESS	PRESS BRAKE, 60 TON – Advantage 7606 9351 (Mfg 3/2007)			6 ft long Bed, having ACCURPRESS Model ETS 3000, Cantilevered and Hinged Operator Controls, 1- Remote Operator Control, Laser Safe Alignment Tool, Front Work Squaring Attachment.
147	CYRIL BATH	PRESS BRAKE – 80-8 5929			10 FT Bed length, 8 ft 6 in between Columns, 2 @ 1/2 in to 8 ft @ 3/16 in, Back Squaring Gauge, Double Throw Autobend® IV Operator's Controls.
148	CLEVELAND	DIE PRESS – 11-I-110			110 tons, 30 in x 39 in bed, 6 in stroke, 19 in shunt height, 40 strokes / min.
149	MINSTER	DIE PRESS, 56- TON – OBI 6 -6993			Slide Stroke 5 in, Slide Adjustment, 3 in.
150	ARCAN	H-FRAME PRESS, 40- TON – CP401			Air/Over, With Electric Motor Powered Hydraulic Package; Co. Asset No. 134.
151	BRIDGEPORT	MILL – J-96481			Having FAIRBANKS MORSE 1 hp Electric Motor. (166339)
152	DELTA	MANUFACTURING GANG DRILL, 6- HEAD –			(NOTE: 1- Column is Removed and 1- Head is Removed.)
153	CRAFTSMAN	DRILL PRESS, 15 1/2 IN, FLOOR PEDESTAL TYPE			
154	JET	DRILLING AND MILLING MACHINE – Jet-16 49912			2 hp, 3 ph, Electric Motor, 1 1/2 in dia Hole Capacity. Mounted on Table/Stand.
155	BELT	SANDER, WET, WITH COOLANT FLUID –			13 in long X 8 in Circulation Reservoir and Pump, Powered by Electric Motor.
156	LOT 2-	UNITOOL C- TYPE PUNCHES – 8HP2			Deep Thread.
157	LOT 10-	UNITOOL C- TYPE PUNCHES – 8H 1 1/2			Deep Thread.
158	LOT 5-	UNITOOL C- TYPE PUNCHES – 4H 1 1/2			
158A	LOT 16-	UNITOOL C- TYPE PUNCHES – 4HP2			

13 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
158B	LOT 17-	UNITOOL C- TYPE PUNCHES – 4HP2			17- are Complete Units, With 7- UNITOOL 4HP2 Punch Frames Only.
158C	LOT 3-	UNITOOL C- TYPE PUNCHES – 4HP2			
159	HARVEL	SURFACE GRINDER –			6 in x 12 in, Having Magnetic Chuck.
160	VAILL ENGINEERING CO	SWEDGING MACHINE – No. 7			3 in (approx) Max dia having VICKERS Hydraulic Power Unit.
160A	CUSTOM DESIGNED AND FABRICATED	UP-ENDER PALLET STACKER –			4 ft x 8 ft (approx) hinged for 90° Operation, Hydraulically Operated with Operator Control Pedestal.
161	YEAR-A-ROUND CORPORATION	CORN BURNER FURNACE – 150,000 BTU			2- Fire Box View Windows.
161A	LIBERTY INDUSTRIES	SHRINK WRAP MACHINE – Series 500			Having 4 ft dia Turntable, 6 ft high (approx) Column, Power Rotate and Elevate.
162	MC CALL	REFRIGERATION CHEST, STAINLESS STEEL – Star			2- Door with Top Compartment.
163	MASTERBUILT	ICE CREAM FREEZER/DISPLAY AND SERVING CHEST			
164	CATERPILLAR	FORKLIFT – T30D 5GB07548 (Mfg 10/8/1990)			2,500 lbs Capacity. 3- Stage Mast, LP Gas Powered Engine, Hydraulic Side Shift Fork Attachment, Operator's ROPS Canopy.
165	TCM	FORKLIFT WAREHOUSE TYPE – FCG 20N6T A48806328 (Mfg - 1989)			4,000 lbs Capacity, 106.3 in Lift, LP Gas Powered, Operator ROPS Canopy, Hydraulic Side Shift Fork Attachment.
166	TCM	FORKLIFT WAREHOUSE TYPE – FCG15T8T A15W01761 (Mfg 7-30-1997)			4,600 lbs Capacity, 189 in Lift, LP Gas Powered, Operator ROPS Canopy, Hydraulic Side Shift Fork Attachment.

END OF PLANT #6

LOCATION: ADJACENT TO PLANT #6, TO THE NORTH

167 – ARDISAM ICE FISHING CAMP, PORTABLE SPECIALLY DESIGNED – Eskimo 8 ft wide x 15 ft long (approx) having 2- Air Lift, Single Wheels, Metal Interior and Exterior, Insulated, Full Opening Side Hinged, Fiberglass Interior and Exterior (NOTE: Room to Haul a 4- Wheeler Inside), CARRIER Air Conditioner, Roof Mounted, 1- 2- Burner Stove Top and Forced Air Heater, Both LPG Fired; Rear and Curb Side Doors, Bumper Hitch.

14 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
-------	--------------	------	-------	---------------	-------------

LOCATION: PLANT #5, 1740 INDUSTRIAL BLVD.

168 – E W BLISS STAMPING PRESS, 500 TON – 1740 Double Throw, 5 ft wide x 7 ft long Bed, 48 in Stroke; With Roll Feed Attachment with TRIAD CONTROLS INC Model T-24-8K-40 Controls; ADVANTAGE Servo Roll Feed Control Pedestal having ELECTRO-CRAFT Digital Input Pad; With 1- FEED LEASE CORPORATION, Uncoiler Model R-16m-12 s/n 4525, 6,000 lbs Capacity; 1- Straightener; and 1- PA INDUSTRIES Model SRF-12 Roll Feed Attachment, s/n 12740599 13 in wide (approx) Capacity.

169 – EXHAUST HOOD –
Having a Metal Frame and Sheet Metal Covering, 5 ft wide x 10 ft long x 40 in high. (est./approx) Divisions, 3- 2- Lamp Fluorescent Light Fixtures, with 90° Duct Elbow, Chain Suspended.

END OF PLANT #5

LOCATION: PLANT #8, 1690 W. ELM ST.

170 – MORI SEIKI LATHE – SL-204SMC CNC SL200BH1638 (Mfg 09/2002)
With MORI SEIKI MSG-805 Operators Controls; 1- KITAGAWA Model BB08A0621, 4,500 rpm Chucks; With TURBO SYSTEMS INCORPORATED, Model 6475-8992 Chip Conveyor, s/n 258957; 2- Portable Vertical Storage Carts, Each Containing 12- (approx) Bar Feed Accessories; Includes some Live Tooling. 5,482 Hours of Operation.

171 – SMW SAMSYS+ SPACE SAVER BAR FEED ATTACHMENT – 2104 175 (Mfg 04/2002) Type MSA 5.80.

172 – DAEWOO CNC VERTICAL MILLING MACHINE – DMV-3020, Diamond Series AV530094 (mfg 09/2002) With FANUC I Series Digital Controls No. C49821061, Cutting Time 1,795 Hours and Operational Hours 3,517 Hours. Co. Asset No. 103.

173 – SMW ACCU-SMART SERVO CONTROL – YS5-60 60030810-10
With 1- Indexer Unit having 8 in Chuck with Centering Device.

173A – HAAS INDEXER, 11 IN –
Having HAAS Servo Controller, s/n 4190.

174 – BROTHER CNC TAPPING CENTER – TC-32A 111759 (Mfg 02/2002)
Having BROTHER Digital Operator Controls Integral Chip Conveyor; 1- YAMAZEN INC Model Vega 1002 Rapid Feed Coolant System, 8 gpm, 1000 psi. 7791 Hours Operating Time.

175 – MITSUBISHI CNC VERTICAL MILLING MACHINE – M-V40A CV3425 (Mfg 09/1992) With MITSUBISHI CNC Digital Controls.

176 – LEES-BRADNER CO GEAR HOBBER – 7VH-1731
Hob Head Ratio 3 to 1, Hob RPM 200, Index worm/Wheel Ratio 3 to 1, Machine Constant 10 (NOTE: Not CNC).

15 of 20

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
177	BARBER COLEMAN	GEAR HOBGING MACHINE – No 3		1855	
178	AMERICAN	BROACHING MACHINE – N-2-30		6122	
179	CINCINNATI	TRAY-TOP CINTILATHE – 12 1/2 in x 18 in, having 1 1/4 in (approx) Spindle Bore, 1-3- Jaw Chuck, 1- 4- Jaw Chuck.			
180	BRIDGEPORT	MILLING MACHINE – 12BR165273 Having Series T 2 hp Head.			
181	NORTHERN™	INDUSTRIAL TOOLS DRILL PRESS, 14 IN – RDM-100F 193214 (Mfg 1999) Floor Pedestal Type.			
182	NORTHERN™	INDUSTRIAL TOOLS DRILL PRESS, 14 IN – RDM-100F 193185 (Mfg 1998) Floor Pedestal Type.			
183	JET	DRILL PRESS, 5/8 IN CHUCK – OR-1758F D2-900425 Floor Pedestal Type.			
184	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
185	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
186	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
187	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
188	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
189	KURT	GENERAL PURPOSE VISE – 675-130370 AngLock® 6 in, Having 7.5 Opening.			
190	KURT	GENERAL PURPOSE VISE – DL 430 4 in.			
191	KURT	GENERAL PURPOSE VISE – DL 430 4 in.			
192	90°	PIPE VISE, 4 IN – Common.			
193	LOT 1-	BOX KENNAMETAL, INC TAPPING HEADS – Containing 5- Cat 40, 1- is 8471CB5.			

16 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
194	LOT 1-	BOX BORING BARS –			Containing 7- Boring Bars of which 1- is EPB Graflex 112222, and 1- is EM 2502 401 2235.
195	LOT 1-	BOX VALENITE QUICK CHANGE CHUCKS – Jacobs			Containing 8- 1-14-3.
196	LOT 1-	BOX KENNAMETAL, INC COLLET CHUCKS –			Containing 7-Collet Chucks With 48 (approx) 180 Double Angle Collets, Various Sizes.
197	LOT 1-	BOX LYNDEX COLLET CHUCKS – C4017-0750			Containing 5- Collet Chucks, with 15- 3/8 in and Smaller Collet Chucks.
198	LOT 1-	BOX VALENITE TOOL HOLDERS – V40CT-E100			Containing 9- 10-T-9 Tool Holders, Most are 1 in (approx).
199	LOT 1-	BOX VALENITE FLY MILLS – V40CT-S150-24			Containing 5- 1-T-5 Fly Mills, 5 1/4 in dia (approx) and Smaller.
200	LOT 1-	BOX VALENITE COLLET – BT40-18DA-100			Containing 1- Collet.
201	LOT 1-	BOX ERICKSON QUICK CHANGE TOOL HOLDERS WITH COLLETS –			40MMTB Containing 26 (approx) Collets.
202	LOT 1-	BOX COLLETS –			Containing 18 (approx) Collets.
203	LOT 1-	KENNAMETAL, INC STORAGE SHELF WITH CONTENTS – S9100TCL 769			58439CDS Consisting of but not necessarily limited to: Collets, Job Specific Chuck Jaws, with 2- Metal Tool Holders, 1- 9 in dia Chuck, Metal Shelving Unit is 6 ft high x 3 ft wide x 30 in deep (approx) with 4- Shelves.
204	LOT 3-	ABBOTT CHUCK JAWS – KTT8S			(New)
204A	LOT 3-	ABBOTT CHUCK JAWS – KTT8S			(New)
204B	LOT 3-	ABBOTT CHUCK JAWS – KTT8S			(New)
204C	LOT 3-	ABBOTT CHUCK JAWS – KTT8S			(New)
204D	LOT 1-	BOX LATHE CHUCK, COLLETS –			Consisting of but not necessarily limited to: Lathe Hub with 13-16 C Collets from 1 1/2 in to 1/2 in.

17 of 20

-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
“THE LEADER IN CLIENT SATISFACTION”

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
204E		TURNING CENTER COLLET HOLDER – For MORI SEIKI SL-204SMC.			
204F		THREAD ROLLER TOOL – No. F3-N-127048 Thread Inserts included are for a 3/4-16 Thread. There is also a New Set of Replacement Inserts.			
204G		LOT TOOL HOLDERS, CHUCKS AND COLLETS – Miscellaneous Bushing for MORI Tool Holder and Drill Chucks for MORI Tool Holders.			
204H		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Short Drill Holder.			
204I		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Drill Holder.			
204J		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Short Drill Holder.			
204K		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Double Drill Holder for Both the Front and Rear Chucks.			
204L		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Double Drill Holder for Both the Front and Rear Chucks.			
204M		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Z Axis Tool Holder for Rear Chuck.			
204N		TURRET ACCESSORY – For MORI SEIKI SL-204SMC X Axis Tool Holder for Front Chuck.			
204O		TURRET ACCESSORY – For MORI SEIKI SL-204SMC X Axis Tool Holder for Front Chuck.			
204P		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Turning Tool Holder.			
204Q		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Turning Tool Holder.			
204R		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Long Drill Holder.			
204S		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Long Drill Holder.			
204T		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Long Drill Holder.			
204U		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Long Drill Holder.			

18 of 20

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"*

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
204V		TURRET ACCESSORY – For MORI SEIKI SL-204SMC.			
204W		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Z Axis Front Chuck.			
204X		TURRET ACCESSORY – Drill Collets ER16s and ER 32s.			
204Y		TURRET ACCESSORIES – For BROTHER HSK Type, 19 (approx).			
204Z		TURRET ACCESSORY – For MORI SEIKI SL-204SMC Z Axis Front Chuck.			
205		SHOP FAN, FLOOR PEDESTAL TYPE – 30 in dia (approx).			
206		SHOP FAN, FLOOR PEDESTAL TYPE – 42 in dia (approx).			
207		SHOP FAN, FLOOR PEDESTAL TYPE – 42 in dia (approx).			
208		SHOP FAN, FLOOR PEDESTAL TYPE – 36 in dia (approx).			
209		SHOP FAN, FLOOR PEDESTAL TYPE – 36 in dia (approx).			
210		SHOP FAN, FLOOR PEDESTAL TYPE – 36 in dia (approx).			
211		SHOP FAN, PORTABLE, BOX TYPE – 42 in dia (approx).			
LOTS 212 - 224 UNASSIGNED					

LOCATION: UPPER AND LOWER YARD, NORTH OF PLANT #8, 1690 W. ELM ST.

- 225 – APPLICATION ENGINEERING® COOLING TOWER – FG-2007 30H0174
Fiberglass Structure with Up-Draft Powered Draft Fan, New.
- 226 – APPLICATION ENGINEERING® COOLING TOWER – FG-2007 30H0175
Fiberglass Structure with Up-Draft Powered Draft Fan, New.
- 227 – LOT 6- TABLES, WORK-IN -PROGRESS STORAGE, STEEL STACKING –
2 ft wide x 3 ft deep (approx). 2- Material Carts, Portable, 4 ft x 4 ft x 6 ft high (approx).
- 228 – LOT 9- BUNDLES MATERIAL HANDLING WORK-IN-PROGRESS BASKETS –
Consisting of 45- (Approx) Baskets, Wire Mesh Type, Collapsible.

19 of 20

ARDISAM, INC.
CUMBERLAND, WISCONSIN USA

LOT #	MANUFACTURER	ITEM	MODEL	SERIAL NUMBER	DESCRIPTION
229	– LOT RAPISTAN AND OTHERS	ROLLER CONVEYOR SECTIONS – Consisting of but not necessarily limited to: Gravity and Powered Roller Conveyor Sections, Straight and Curved.			
230	– UNASSIGNED				
231	– LOT 13- ROLLS (APPROX) CHAIN LINK FENCING –	6 ft high, Galvanized and 1- Pallet Containing Post Top Angled 3- Wire Support.			
232	– SNOW BLADE ATTACHMENT –	11 ft wide (approx) to fit Front End Loader. (NOTE: Blade Set-up for Quick Detach on Farm Tractor.)			
233	– LOT 2- MATERIAL HANDLING CAGES FOR FORK LIFT APPLICATION –	Dual Side, 4ft x 5 ft x 5 ft (approx), Stackable.			
234	– LOT MISCELLANEOUS –	Consisting of but not necessarily limited to: 1- Heating/Cooling Coil Bundle, Building Exterior Skin, Metal, 4- Steel Frames.			