

# COURT ORDERED SEALED BID AUCTION

[www.biodieselpiantauktion.com](http://www.biodieselpiantauktion.com)

WEDNESDAY, JUNE 27 • SEALED BID DEADLINE 4:00 PM

**\$8 Million Dollar / 12 Million Gallon Per Year  
Biodiesel Facility on 5.59± Acres  
Real Estate & Equipment Selling as Entirety**



**2,160 SQ. FT. OFFICE REMODELED IN 2006**



**620,000± GALLONS OF TANK CAPACITY**



**SOUTH ROXANA, ILLINOIS 62087 USA**

*Selling  
as a  
Package*

**MAAS**  
companies inc  
[www.maascompanies.com](http://www.maascompanies.com)

BIODIESEL AUCTION

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**WEST (MAJOR) CONTAINMENT PIT AREA**

- 10 – GENERAL WELDING PRODUCTS INC. FINISHED PRODUCTS STORAGE TANK  
(Mfg. 2014 (approx.)) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated having Exterior Metal Jacket. 1- Top Installed Catwalk Section Installed between Tanks Co. No.'s 3 and 6. Co. No. 3, FP-C.
- 11 – GENERAL WELDING PRODUCTS INC. FINISHED PRODUCTS STORAGE TANK  
(Mfg. 2014 (approx.)) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated having Exterior Metal Jacket. (NOTE: A Welding Incident has caused an Explosion along the Top Plate/Roof/Sidewall Juncture.) Co. No. 2, FP-B.
- 12 – GENERAL WELDING PRODUCTS INC. FINISHED PRODUCTS STORAGE TANK  
(Mfg. 2014 (approx.)) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated having Exterior Metal Jacket. Co. No. 1, FP-A.
- 13 – PRECISION TANK & EQUIPMENT CO. FEEDSTOCK STORAGE TANK  
133936 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No. 4, FS-8.
- 14 – PRECISION TANK & EQUIPMENT CO. FEEDSTOCK STORAGE TANK  
133934 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No. 5, FP-9.
- 15 – PRECISION TANK & EQUIPMENT CO. FINISHED PRODUCT STORAGE TANK  
133932 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, 1- Top Installed Catwalk Section Installed between Tanks Co. No.'s 6 and 9. Co. No. 6, FP-D.
- 16 – PRECISION TANK & EQUIPMENT CO. FINISHED PRODUCT STORAGE TANK  
133930 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, 1- Top Installed Catwalk Section Installed between Tanks Co. No. 9 and 12. Co. No. 9, FP-E.
- 17 – PRECISION TANK & EQUIPMENT CO. GLYCERIN STORAGE TANK  
133933 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No.8, GL10.
- 18 – PRECISION TANK & EQUIPMENT CO. FEEDSTOCK STORAGE TANK  
133935 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No. 7, FS-7.

1 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
19		MID-SOUTH STEEL PRODUCTS, INC.	FEEDSTOCK STORAGE TANK		30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No. 10, FS-6.
20		PRECISION TANK & EQUIPMENT CO.	GLYCERIN STORAGE TANK		133973 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Co. No. 11, CL-11.
21		PRECISION TANK & EQUIPMENT CO.	FINISHED PRODUCT STORAGE TANK		133931 (Mfg. 03/14) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, 1- Top Installed Catwalk Section Installed between Tanks Co. No.'s 12 and 15. Co. No. 12, FP-F.
22		LOT 9 (approx.)- FLOW TEK TANK (INDIVIDUAL)	FILL/DISCHARGE FLOW CONTROL MANIFOLDS		Part No. 93-1274-113A0532 Consisting of but not necessarily limited to: 1- 4 in. -150 Flanged WOB; 1- 4 in. -1000 WOG Stainless Steel Ball Valve; 1-4 in. 150 WOG Check Flanged; 1- 2 in. -150 WCB Ball having FLOWTEK Automator, Remote Power Actuator, Flow Lines Pit Side Wall and Floor Mounted, 4 in. 3 in. and 2 in. OD, Flanged and Threaded, and related Items.
23		PRECISION TANK & EQUIPMENT CO.	FINISHED PRODUCT STORAGE TANK		129996 (Mfg. 08/07) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated with Exterior Metal Jacket, Internal Heating and Cooling Coils, Climbing Ladder having Safety Cage, Co. No. 15, FP-G.
24		PRECISION TANK & EQUIPMENT CO.	FINISHED PRODUCT STORAGE TANK		129987 (Mfg. 08/07) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated with Exterior Metal Jacket, Internal Heating and Cooling Coils, Climbing Ladder having Safety Cage Co. No. 14, GL-12.
25		MID-SOUTH STEEL PRODUCTS, INC.	FEEDSTOCK STORAGE TANK		UL No. 948536, 15,000 gal. Capacity, Vertical, Flat Bottom, Shallow Conical Top, with Inlet, Outlet Vent and Instrumentation Ports, with Internal Hot Water Heating Coils; Climbing Ladder with Safety Cage. Co. No. 19, FS-3.
26		PRECISION TANK & EQUIPMENT CO.	FINISHED PRODUCT STORAGE TANK		129986 (Mfg. 08/07) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated with Exterior Metal Jacket, Internal Heating and Cooling Coils, Climbing Ladder with Safety Cage. Co. No. 18, FP-H.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

<b>LOT #</b>	<b>QUANTITY</b>	<b>MANUFACTURER</b>	<b>MODEL</b>	<b>SERIAL NUMBER</b>	<b>DESCRIPTION</b>
27		PRECISION TANK & EQUIPMENT CO.			COLD SOAK TANK 129988 (Mfg. 08/07) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Insulated with Exterior Metal Jacket, Internal Heating and Cooling Coils, Climbing Ladder having Safety Cage. Co. No. 24, CS-2.
28		MID-SOUTH STEEL PRODUCTS, INC.			FEEDSTOCK STORAGE TANK 15,000 gal. Capacity, Vertical, Flat Bottom, Shallow Conical Top, with Inlet, Outlet Vent and Instrumentation Ports, with Internal Hot Water Heating Coils Climbing Ladder with Safety Cage; Co. No. 22, FS-2.
29		MID-SOUTH STEEL PRODUCTS, INC.			FEEDSTOCK STORAGE TANK UL No. 485362, 15,000 gal. Capacity, Vertical, Flat Bottom, Shallow Conical Top, with Inlet, Outlet Vent and Instrumentation Ports, with Internal Hot Water Heating Coils; Climbing Ladder with Safety Cage. Co. No. 25, FS-1.
30		PRECISION TANK & EQUIPMENT CO.			COLD SOAK TANK 129985 (Mfg. 08/07) 30,000 gal. Capacity, Vertical, Welded Carbon Steel, Flat Bottom, Shallow Conical Top, with Inlet, Outlet, Vent and Instrumentation Ports, Climbing Ladder with Safety Cage. Co. No. 27, CS-1.
31		CONTROLINK PIPING MANIFOLD TO 8-			TANKS, CENTER LOCATED, (THE EAST MOST) Consisting of but not necessarily limited to: 2-2 in. Lines Heat Traced and Insulated with Jacket; 1-4-in. Line, Heat Traced and Insulated with Jacket; 2- 2 in. Lines, Hot Water ; 3- Electrical Wiring Conduits. CONTROLINK Model XAB01200E Remote Valve Actuation Control Units. Each Tank has 1- 3 in. Line having 1- 3 in. Ball, Manual; 1- Stainless Steel 3 in. Ball with Power Actuator; 1- 2 in. Ball with Power Actuator and 1- 2 in. Stainless Steel T with Remote Digital Read-Out and 1- 2 in. Manual Ball Valve, Stainless Steel, and related Items. (NOTE: All Tanks are Electrically Grounded, some with 3- Wire and others with 2- Wire.)

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

**TRUCK RECEIVING / UNLOADING STATION - NORTH WALL**

**32 – GORMAN RUPP CENTRIFUGAL PUMP**

RS3A31-BAR 1353450N 10.75 in. Impeller, powered by MARATHON 15 hp Electric Motor; 3- Explosion Proof Incandescent Lighting Fixtures, Gooseneck, Each independently mounted on Electrical Conduit Poles.

**With COBRA USA, INC. CENTRIFUGAL PUMP**

250 1034 (Mfg. 03/10/2008) Material of Construction: RHM, powered by BALDOR 25 hp Electric Motor.

**With ROPER GEAR TYPE PUMP**

Figure 3722 GHBFRV, Type 3 Powered by TECO WESTINGHOUSE 10 hp Electric Motor driving through a ROPER Reduction Gearbox.

**With LOT 7- ADALET EXPLOSION PROOF DIGITAL READ-OUT METERS**

Cat. No. XGC 52-2926/6556 Stainless Steel, having 5- Program Plus Reset Channels.

**With HANNAY® STATIC LINE STORAGE AND PAY-OUT REEL**

HGR-50-50 Weather-Proof Electrical Junction Box with Terminal Strips and Necessary Wiring; 3- Explosion Proof Incandescent Lighting Fixtures, Gooseneck, Each independently mounted on Electrical Conduit Poles; 3 in. dia. (est.) Hose Rack having 2- Joints of Rubber Hose with QC End Couplings; KROHNE Model UFC 030 Explosion Proof Digital Read-Out.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**TANK FARM CONTAINMENT PIT, SOUTH WALL**

**TRUCK LOAD OUT STATION (SOUTH SIDE)**

**33 – LOT GORMAN RUPP TRUCK LOADING / UNLOADING STATION**

RS3A31-BAR 1353451N 10.5 in., powered by WORLDWIDE 15 hp Electric Motor; HAYWARD 10 in. dia. x 12 in. tall Trap/Filter; 3- Explosion Proof, Incandescent Lighting Fixtures, Gooseneck, Each independently mounted on Electrical Conduit Poles.

**With TRUCK LOAD OUT STATION**

Consisting of but not necessarily limited to: EMCO WHEATON Part No. 672257 Vapor Recovery Fitting with 3 in. dia. Hose; 4- ADALET Explosion Proof Digital Read-Out Meters; 1- ACTARIS NEXGEN Explosion Roof Electrical Junction Box®; Weather Proof Steel Cabinet containing but not necessarily limited to: MID:CON e:Count Power Control Module, Model EPCM-103, MID:CON CAL PRO Read Out HMI Unit, EPSON Ticket Printer.

**With SCULLY JUNCTION BOX, PLUG AND CABLE UNIT**

Sculcon™ SCULLY INTELLITROL Intelligent Dynamic Sensing, Model IC-OG s/n AODF73 (Mfg. 2-14); 1- Static Ground Wire and Reel, HANNAY Model HGR-50 - 50, s/n 1877872 (Mfg. 07/2008).

**With ACTARIS MASS FLOW METER**

M300-8622W AF1001 Material of Construction 316 Stainless Steel.

**With 2 SCULLY SCULCON PLUG AND CABLE ASSEMBLIES**

Type SC-8A, 1- Part No. 27315-S; 1- Part No. 27381-S.

**34 – MID-SOUTH STEEL PRODUCTS, INC. METHANOL STORAGE TANK,**

15,000 gal. Capacity, Vertical, Welded Carbon Steel, Internal Heating and Cooling Coils, Flat Bottom, Shallow Conical Top; With Inlet, Outlet, Vent and Instrumentation Ports; Climbing Ladder with Safety Cage; Placard 1 2 3 0; Co. No. 29, M-2.

**35 – MID-SOUTH STEEL PRODUCTS, INC. METHANOL STORAGE TANK,**

15,000 gal. Capacity, Vertical, Welded Carbon Steel, Internal Heating and Cooling Coils, Flat Bottom, Shallow Conical Top; With Inlet, Outlet, Vent and Instrumentation Ports; Climbing Ladder with Safety Cage; Placard 1 2 3 0 and Corrosive 8; Co. No. 28, M-1.

**36 – HEATEC® GLYCERINE STORAGE TANK**

TA30E H90 067 (Mfg. 05/1990) 30,000 gal. Capacity, Horizontal, Welded Carbon Steel, 11-1/2 in. dia. 50 ft. long (approx.) OAD, Internal Heating/Cooling Coils, Insulated with Exterior Jacket; With Inlet, Outlet Vent and Instrumentation Ports; Skidded. Co. No. 31.

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**37 – LOT GORMAN RUPP CENTRIFUGAL PUMP**

RS2AE1-B 1359894N Powered by SIEMENS 5- hp Electric Motor, mounted on Elevated Channel Steel Base Frame.

**With PIPING MANIFOLD, POWERED PUMP AND INSTRUMENTATION**

Consisting of but not necessarily limited to: GORMAN RUPP Centrifugal Pump powered by Electric Motor; 2- KROHNE Model VN5042D3032100000, Digital Instruments; DRESSER ELECTRIPOWR Model MAR 50-30 Flow Meter having necessary 2 in. OD (approx.) Piping, Valves, and Fittings.

**With ROPER CENTRIFUGAL PUMP**

Figure 3717, MHBFRV Type 3 Powered by 10 hp Electric Motor, mounted on a Channel Steel Base.

**With PIPING, VALVES, FITTINGS AND RELATED**

Consisting of but not necessarily limited to: 2- Runs of 4 in. OD (approx.) having Flanged Fittings; 3- Runs and 1- of 2 in. Galvanized Steel Electrical Conduit; 4- Runs (approx.) of 2 in. Steel Pipe, 2- of which appear to be Heat Traced and Insulated with PVC Jacket, Air Operated 2-1/2 in. dia. (est.) Diaphragm Pump; Product Piping and Control Wiring to connect 3- Liquid Process Tanks.

**EAST CONTAINMENT PIT**

**38 – ACTARIS MASS FLOWMETER**

M300-86222W EG1000 Stainless Steel, 275 psig max Pressure, 100° F, Flanged In Flow / Out Flow.

**39 – TRANTER PHE, INC SUPER CHARGER HEAT EXCHANGER**

GXD-085-L-5 -HP-151 SS813 (Mfg. 2008) Plate Pack 21.91 (min.) 23.77 (max.) Surface Area 1459.48 sq. ft.; Nat. Bd. No. 51133.

**40 – LIQUID/FUEL STORAGE TANK, ELEVATED, GASOLINE LABELED**

200 gal. Capacity, (est.) 32 in. dia. x 4 ft. long (est.) mounted on 5 ft. high (est.) 4-Legged Stand.

**41 – LIQUID/FUEL STORAGE TANK, ELEVATED, DIESEL LABELED**

200 gal. Capacity, (est.) 32 in. dia. x 4 ft. long (est.) mounted on 5 ft. high (est.) 4-Legged Stand having FILL-RITE Model FR701V Electric Powered Pump with Hose and Dispenser Nozzle; FILL RITE Model 800C Totalizing Meter.

LOTS 42 - 44 UNASSIGNED

**PROCESSING BUILDING, INSIDE**

**45 – SETTLING TANK, NO. 1**

7,800 gal. Capacity, Flat Top and Shallow Coned Bottom, Insulated, Stainless Steel, mounted on 4- Legs, 3 ft. high Legs; 9 ft. 4 in. Straight Wall Height, Cone Height 2-1/2 in. High , 12 ft. dia.; with Exterior Metal Jacket.

6 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
46					SETTLING TANK, NO. 2 7,800 gal. Capacity, Flat Top and Shallow Coned Bottom, Insulated, Stainless Steel, mounted on 4- Legs, 3 ft. high Legs, 9 ft.4 in. Straight Wall Height, Cone Height 2-1/2 in. high 12 ft. dia.; with Exterior Metal Jacket.
47					SETTLING TANK, NO. 3 6,500 gal. Capacity, Flat Top and Shallow Coned Bottom, Insulated, Stainless Steel, mounted on 4- Legs, 3 ft. high Legs, 9 ft. 4 in. Straight Wall Height, Cone Height 2-1/2 in. high, 12 ft. dia.; with Exterior Metal Jacket.
48					LOT TRANSFER PIPING MANIFOLD AND PUMPS Consisting of but not necessarily limited to: 1- GOULDS (or similar) 2-1/1 in. Centrifugal Pump powered by 5 hp Electric Motor mounted on Floor; 1- ROPER 2-1/2 in Pump powered by 5 hp Electric Motor, Mounted on Pressed Channel Steel Base Plate; 6- (approx.) 2-1/2 in. Ball Valves, Manually Operated, 2- KROHNE Digital Red Out Flow Meters; 1- Remotely Controlled and Power Actuated Valve; 2- Check Valves.
49					WATER WASH TANK 500 gal. (approx.) 6 ft. 6 in. high x 6 ft. dia., with Side Mounted Agitator powered by Electric Motor, 1-1/2 hp (est.),Stainless Steel; Insulated with Exterior Metal Jacket; ROPER Circulation Pump powered by Electric Motor 10 hp (est.), Plate Type Heat Exchanger; KROHNE Digital Read-Out.
50					WATER SEPARATOR TANK, POLY 1,000 gal. (approx.) Capacity, 87 in. dia. x 4 ft. high (total), Flat Bottom and Domed Top, with Access Clean-Out Port.
51					REACTOR TANK, PROCESS 5,600 gal. Capacity, 9 ft. high straight-wall height x 10 ft. high x 10 ft. dia., Insulated with Exterior Metal Jacket; 2-1/2 ft. Cone Bottom, 3 ft. Legs, Stainless Steel, with Agitator powered by Electric Motor, Top Mounted, and Clean-Out Hatch; with 3- ADALET Explosion Proof Digital Read-Outs.
52					REACTOR TANK, PROCESS 5,500 gal. Capacity, 9 ft. high Straight Wall Height x 10 ft. dia. Non-Insulated, 2-1/2 ft. Cone Bottom, on 4- 3 ft. high Legs, Stainless Steel; With CLEAN-OUT HATCH 20 in. dia., Top Mounted. With 3- ADALET DIGITAL READ-OUTS Explosion Proof. With ROPER PUMP Powered by Electric Motor. With AGITATOR Top mounted powered by Electric Motor.
53					LOT VALVES, FLOW METER AND RELATED With GORMAN RUPP PUMP Powered by 10 hp (est.) Electric Motor. With 3- ADALET DIGITAL READ-OUTS Explosion Proof. With KROHNE DIGITAL READ-OUT.

7 of 29



**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**54 – LOT VALVES, FLOW METER AND RELATED**

With PLATE TYPE HEAT EXCHANGER 5,500 gal.

With 3- ADALET EXPLOSION PROOF DIGITAL READ-OUTS.

**55 – MCM CENTRIFUGAL PUMP**

250X 28154 (Mfg. 11/2011) 5 in. x 6 in. x 14 in. Impeller dia., powered by WEG 100 hp Electric Motor , NEMA Premium Motor; with SPRECHER + SCHUH and ADALET Cat. XCE 122408N4 Explosion Proof Motor Starter, Full Voltage Non-Reversing Enclosure.

**56 – PAUL MULLER CO. REACTOR TANK**

357209-13, Nat. Bd. No 43293, (Mfg. 2007) 2,500 gal. Capacity, MWAP 30 psi @ 600° F MAEWP 15 psi @ 600° F, Internal Jacketed, Domed at Top and Bottom, 9 ft. Straight Wall Height x 8 ft. dia., 4 ft tall Legs, Top Center mounted Agitator powered by Electric Motor.

**57 – PAUL MULLER CO. REACTOR TANK**

357210-13, Nat. Bd. No. 43801 (Mfg. 2007) 2,500 gal. Capacity, MWAP 30 psi @ 600° F MAEWP 15 psi @ 600° F, Internal Jacketed, Domed at Top and Bottom, 9 ft. Straight Wall Height x 8 ft. dia., 4 ft tall Legs, Top Center mounted Agitator powered by Electric Motor.

**58 – METAL EQUIPMENT CO. NITRIC ACID, NITRIC EVAPORATOR, PRETREAT NO. 2**

D-82-5310 (Mfg. 1983 3,100 gal. Capacity, Stainless Steel, Insulated with Metal Jacket, 8-1/2 ft. Straight Wall Height x 8 ft. dia. mounted on 4- Channel Steel Legs, 2-1/2 ft. long; Domed Top and Bottom.

**59 – METHANOL TANK, VERTICAL**

1,800 gal. Capacity, Stainless Steel, Domed at Top and Bottom, 13 ft. high x 6 ft. dia., with Top Clean Out , 3 ft. high Legs, Placard 3 3 1.

**60 – VERTICAL TANK, PRETREAT NO. 1**

3,000 gal. Capacity, Stainless Steel, 8 ft. seam to seam, 3-1/2 in. Pipe Legs, Steam Jacketed for lower 55% of Wall and Full Bottom Jacketed, (non-insulated), Top Center mounted Agitator powered by 7-1/2 hp Electric Motor.

**61 – TANK**

2,000 gal. Capacity, Stainless Steel, 7 ft. high x 6 ft. dia. Domed Bottom and Flat Top, mounted on 3 ft. high Angle Iron Steel Legs.

**62 – TANK, ACID, METHANOL, HORIZONTAL**

Stainless Steel, 6,000 gal Capacity, 8 ft. dia. x 16 ft. long mounted on Fabricated Steel Saddles, with 2 ft. dia. Top Hatch, Vents and Fill Piping; with 'Full' and 'Low' Sight Gauges.

8 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

63 – TANK, ACID STORAGE, VERTICAL

800 gal. capacity, 7 ft. seam to seam high x 6 ft. dia. Stainless Steel, Domed Bottom and Flat Top, 3 ft. Legs with NEPTUNE Model 530AMFA 1007037 Pump powered by 3 hp electric Motor with ACCUDRAW Glass Sight Gauge 500.

64 – TANK, ACID PRODUCTION, VERTICAL

1,900 gal Capacity, 10 ft. seam to seam high x 6 ft. dia. Stainless Steel, Flat Top Domed, mounted on 12 in. Legs with top mounted LIGHTNIN Agitator powered by 5 hp Electric Motor.

65 – TANK, ACID PRODUCTION, VERTICAL

1,900 gal Capacity, 10 ft. seam to seam high x 6 ft. dia. 316 Stainless Steel, Dished Top, 3 in. Sloped Flat Bottom, mounted on 12 in. Legs with Top mounted LIGHTNIN Agitator powered by 2 hp Electric Motor with Shaft and Impeller.

66 – TANK, ACID PRODUCTION, VERTICAL

1,900 gal Capacity, 10 ft. seam to seam high x 6 ft. dia. 316 Stainless Steel, Dished Top, 3 in. Sloped Flat Bottom, mounted on 12 in. Legs with Top mounted LIGHTNIN Agitator powered by 2 hp Electric Motor with Shaft and Impeller.

67 – WATER WASH TANK , VERTICAL, POLYPROPYLENE

2,600 gal Capacity, with 3 ft. tall 60° Conical Bottom, mounted on 4 ft. tall, 6- Leg Base, 8 ft. Wall height x 7 ft. dia.

68 – WATER WASH TANK , VERTICAL, POLYPROPYLENE

2,600 gal Capacity, with 3 ft. tall 60° Conical Bottom, mounted on 4 ft. tall, 6- Leg Base, 8 ft. Wall height x 7 ft. dia.

69 – GLYCERIN WASH TANK, VERTICAL, POLYPROPYLENE

2,600 gal Capacity, with 3 ft. tall, 60° Conical Bottom, mounted on 4 ft. tall, 6- Leg Base, 8 ft. Wall height x 7 ft. dia.

70 – GLYCERIN WASH TANK, VERTICAL, POLYPROPYLENE

2,600 gal capacity, with 3 ft. tall 60° Conical Bottom, mounted on 4 ft. tall, 6- Leg Base, 8 ft. Wall height x 7 ft. dia.

71 – LOT PIPING MANIFOLD

With Pump powered by Electric Motor; Piping Manifold having 9- (approx.) Flanged and Threaded 2 in. and 2-1/2 in. Valves, 2- are with Remote Controlled and Powered Valve Actuators.

72 – LOT 2- TRANTER® PLATE TYPE HEAT EXCHANGERS

Model GLD-013-M-5-HR-46, SuperChanger® 144610 (Mfg. 2012).

73 – ION WASH TANK, VERTICAL

900 gal Capacity, 11 ft. tall OA x 3 ft. dia. With 27-1/2 in. dia. OA Inspector Maintenance Hatch. (NOTE: Empty- Has No ion Wash Beads.)

9 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-*  
*-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-*  
*FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE*  
*WWW.MAASCOMPANIES.COM*  
*“THE LEADER IN CLIENT SATISFACTION”*

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
74					ION WASH TANK, VERTICAL 900 gal Capacity, 11 ft. tall OA x 3 ft. dia. With 27-1/2 in. dia. OA Inspector Maintenance Hatch. (NOTE: Has a full charge of Ion Wash Beads.)
75					ION WASH TANK, VERTICAL 900 gal Capacity, 11 ft. tall OA x 3 ft. dia. With 27-1/2 in. dia. OA Inspector Maintenance Hatch. (Note: Empty -Has No Ion Wash Beads.)
76					ION WASH TANK, VERTICAL 900 gal Capacity, 11 ft. tall OA x 3 ft. dia. With 27-1/2 in. dia. OA Inspector Maintenance Hatch. (Note: Empty-has No Ion Wash Beads.)
77					IONIC RESIN WASH TANKS, VERTICAL 1,200 gal. Capacity.11 ft. tall x 4 ft dia., Insulated and Jacketed; Tank No. 1.
78					IONIC RESIN WASH TANKS, VERTICAL 1,200 gal. Capacity.11 ft. tall x 4 ft dia., (NOTE: Not Insulated, not Jacketed.); Tank No. 2.
79					IONIC RESIN WASH TANKS, VERTICAL 1,200 gal. Capacity.11 ft. tall x 4 ft dia., Insulated and Jacketed; Tank No. 3.
80					PUMP MANIFOLD Consisting of but not necessarily limited to: 2-1/2 in. (est.) Flanged Piping having Ball Valves; Crosses; Manual and Remote Valve Actuator Controls; Data Instrumentation Controls; seam -to-seam Sight Gauge; 1- Pump powered by Electric Motor.
81					VAPOR RECOVERY TANK 600 gal. Capacity, 7 ft. seam to seam x 3 ft. dia. having Hemispherical Top and Bottom, mounted on 4- 19 in. Legs.
82					ALFA LAVAL OIL PURIFIER/SEPARATOR CENTRIFUGE MOPX-209-TGT-24, 60 Hz 4010544 1,780 rpm, 1031-01, 539931-81, 539924-84, 540225-10 powered by WEG Severe Duty 15 hp Electric Motor, with SEPARATORS, INC. Stainless Steel Electrical Control Panel, Wall Mounted. Co. No. C01.
83					ALFA LAVAL OIL PURIFIER/SEPARATOR CENTRIFUGE Type WHPX 510TGD-24-60/881035-01 02 2994064/1980 1700/1800 RPM 1700/1800 RPM35-01-02, 142-150, 2994061 B. 881035-01-02, 540135-80, 536756-83, 540225-10, powered by WEG 15 hp Electric Motor; with SEPARATORS, INC. Stainless Steel Electrical Control Panel, Wall Mounted. Co. No. C02.
84					SEPARATORS, INC. ELECTRICAL CONTROL PANEL Stainless Steel, Wall Mounted (NOTE- is a Spare Panel).
85					LOT 26- items (approx.) BACKBOARD CONTAINING RELATED CENTRIFUGE TOOLS AND PARTS 3- Spanner Wrenches, Bowl Cover Lift Eye and Similar Items.

10 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-*  
*-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-*  
*FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE*  
[WWW.MAASCOMPANIES.COM](http://WWW.MAASCOMPANIES.COM)  
*"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

<b>LOT #</b>	<b>QUANTITY</b>	<b>MANUFACTURER</b>	<b>MODEL</b>	<b>SERIAL NUMBER</b>	<b>DESCRIPTION</b>
86					PATTON AIR CIRCULATOR, INDUSTRIAL HEAVY DUTY FAN Floor Pedestal Mount with a full Fan Guard.
87					CHAIN HOIST, 2- TON, MANUAL HS With CORSO® 1/2 ton Overhead Trolley having 6 ft. Lift.
88					LOT PROCESS PIPING MANIFOLD Consisting of but not necessarily limited to: 25- (approx.) Ball Valves, 2 in. and 3 in., 7- are equipped with FLOW-TEK (or similar) Remote Controlled and Actuated Valve Actuators; 2- ADALET Explosion Proof Digital Read-Outs; 2- KROHNE Digital Read-Outs; Superior Plate Type Heat Exchanger Model GLD-013-M-HI-46.
89					LEEM FILTRATION VERTICAL PRESSURE LEAF FILTER VLD-320-15 S024477 Nat. Bd. No. 5502820 (Mfg. 2014) Hinged Top Cover, 14 in. dia. (est.) Discharge Butterfly Valve having Part No. 92-2550-11351-532 Remote Controlled and Power Valve Actuator mounted in/on 4- Leg U-Type Stand.
90					MASSACHUSETTS ENGINEERING CO. SOLVENT TANK, VERTICAL C-1136 (Mfg. 1992) 1000 gal. Capacity 60 in. dia. x 84 in. seam to seam (approx.), Shell and Head 1/4 in. Carbon Steel, Domed Top.
91					ROPER PUMP, 3 IN. GHBFRV G-817937 Powered by TECO-WESTINGHOUSE 10 hp Electric Motor; with GORMAN RUPP, Reduction Gear Box, s/n 155955010, powered by 10 hp Electric Motor, 3 in. Valve having FLOW-TEK Remote Controlled and Actuated Valve Actuators.
92					TANK, VERTICAL GU7002 250 gal. Capacity, Stainless Steel, 5 ft x 3 ft dia., Domed Top and Bottom, with LIGHTNIN Agitator, Top Mounted Powered by 1/2 hp Electric Motor, Co. No. VR-1695.
93					TANK, VERICAL G06995 250 gal. Capacity, Stainless Steel, 5 ft x 3 ft dia., Domed Top and Bottom, with LIGHTNIN Agitator, Top Mounted Powered by 1/2 hp Electric Motor, Co. No. VR-1691.
94					WATSON-MARLOW CENTIFUGAL PUMP, 2 IN. 72044 Powered by Electric Motor driving through a NORD Drive System Type SK 372.1FN56C Reduction Gear Box.

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**95 – LOT FILTER SYSTEM AND COMPONENTS**

With SO-CLEAN FILTER SYSTEM

MDMT -20 889-4, Nat. Bd. No. 913, (Mfg. 1992) 4- Elements.

With 2- FILTER UNITS, SINGLE ELEMENT 32 in. tall x 11 in. dia. (approx.).

With AIRCON ACTUATOR.

With HEAT EXCHANGER, PLATE TYPE 10 in. x 20 in. tall, (approx.).

**96 – WORK PLATFORM 9 ft. long x 3 ft. wide (approx.), Steel with Hand Safety Railings.**

**97 – LOT 2- Pallets E. P. MINERALS® CELATOM® DIATOMITE**

EP 905 51- 50 lb. Bags (approx.).

**98 – LOT 8 (approx.)- Barrels ION WASH BEADS AND PIPE FLANGES**

55 gal. Barrels, Each Containing Ion Wash Beads, Apparently Unused; Pipe Flange Fittings, 50 (est.) 3 in. to 1 in. dia. (est.).

**99 – LOT ALIGN AND PIG SPILL KIT COMPONENTS**

Consisting of but not necessarily limited to: 2- ALIGN 55 gal. (est.) Containment Barrels having Screw-Down Lids; 1- PIG Kit No. KIT359 Spill Kit. (NOTE: 1- ALIGN Barrel is located outside the East End of this Tank Farm Containment Pit and the 2nd Unit is in the North End of the Process Building.)

**OUTSIDE YARD, NE CORNER OF MAIN BUILDING**

**100 – C & F FABRICATORS & CONSTRUCTION CO. INC. GLYCERINE REACTOR PRESSURE VESSEL, VERTICAL**

6248 Nat. Bd. No. 264 (Mfg. 2008) 12 ft. dia. x 27 ft. tall (est.); Internal Coils for Hot Oil; U, W, RT4 Stamps, 150/FV psi, MAWP @ 400° F., MDMT -20° FC , LIGHTNIN Agitator powered by 15 hp (est.) Electric Motor with Internal Shaft and Impellers, 150/FV psi, Internal Coils to circulate Hot Oil, Dished Top and Bottom, Skirted, Insulated with Spray-on Exterior Insulation, Ladder with Climbing Cage and Top Mounted Perimeter Maintenance Catwalk. (NOTE: Agitator Tank Seal is Inoperable as reported by Plant Personnel; A New Replacement Unit is Lot 174, Located in the Foreman's Office.)

With 2- ELECTRICAL POWER DISTRIBUTION INSTRUMENTATION, CONTROL AND COMMUNICATION CABINETS

Steel, Wall Mounted consisting of but no necessarily limited to: HONEYWELL HMI Module; AUTO FLAME Mini MK.5-EYO System, Part No. MMM5002E HMI and 9- Circuit Control and Status Switches.

**101 – COBRA USA, INC CENTRIFUGAL PUMP**

250 1038 (Mfg. 03/10/2008) 6 in. x 8 in. x 14 in. Impeller, powered by BALDOR 100 hp Electric Motor, Skidded.

12 of 29

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

<b>LOT #</b>	<b>QUANTITY</b>	<b>MANUFACTURER</b>	<b>MODEL</b>	<b>SERIAL NUMBER</b>	<b>DESCRIPTION</b>
102					TANK, STORAGE, VERTICAL 30,000 gal. Capacity, 8 ft. dia. x 30 ft. tall (est.), Insulated, with Spray-on Exterior Insulation.
103					LOT MARLEY COOLING TOWER, NC CLASS 170090-C1 NC9202BM Galvanized Steel, having 1- Up-Draft Circulation Fan.
104					COBRA USA, INC CENTRIFUGAL PUMP 250 1036 (Mfg. 03/10/2008) 6 in. x 8 in. x 14 in. Impeller, powered by BALDOR 100/75 hp Electric Motor, Skidded. With DAVIS WCB FLANGED STRAINER 8 in. -150, 2- 6 in. Butterfly Valves mounted on Flanged Spool.
105					CUSTOM DESIGNED AND FABRICATED TANK, HORIZONTAL, STORAGE 10 ft. high x 12 ft. wide x 40 ft. long (approx.) Flat Bottom and Sides.
106					COBRA USA, INC CENTRIFUGAL PUMP 250 1191 (Mfg. 08/13/2008) 6 in. x 8 in. x 14 in. Impeller, powered by BALDOR 100/75 hp Electric Motor, Skidded.
107					ARIZONA BOILER CO. INC. HOT OIL HEATER WITH HOT OIL EXPANSION TANK 5.4 m BTU 09063 (Mfg. 2011) With Hot Oil Expansion Tank, 60 gal. Capacity (est.) Mounted on 25 ft. high Stand; having LIMPSFIELD Forced Air Burner, Type LCN0P21, s/n 00623 Mfg. 03/16/2010, 647 sq. ft. Heating Surface, 2.5 in. dia. Size of Tubes, 100 psi max w. p. @ 650° F, 7.4 M BTU Burner Size, AZCD Safety Controls, Skidded; with Hot Oil Expansion Tank; Exhaust Stock with Rain Cap.
108					COBRA USA, INC CENTRIFUGAL PUMP 250 1125 (Mfg. 06/05/2008) 2 in. x 3 in. x 13 in. Impeller, powered by BALDOR 100/75 hp Electric Motor, Skidded.
109					TRANE CHILLER, SERIES R PTAC 1554 UHON UAFN LINX 1 TEN NNOE N10N N0EX N U031 02869 460/60/3 RATED VOLTAGE, R134a Refrigerant Skidded. (NOTE: Owner states One Side of the Chiller is Inoperative.)
110					COBRA USA, INC CENTRIFUGAL PUMP 250 1035 (Mfg. 03/10/2008) 3 in. x 4 in. x 13 in. Impeller, powered by BALDOR 25 hp Electric Motor.

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**111 – BIODIESEL / GLYCERINE DRYER COLUMN UNIT**

Consisting of but not necessarily limited to: FLINT STEEL CORPORATION, 3- Biodiesel Falling Film Dryer Columns, 1- is 2 ft. in dia. x 30 ft. tall (approx.), Insulated, Stainless Steel, 1- is 20 in. dia. x 30 ft. tall (approx.), Insulated, Stainless Steel, and 1 is 12 in. dia. at the Bottom and 7 in. dia. at the Top, 35 ft. tall (est.), Insulated with Exterior Jacket; Bottom appears to be Carbon Steel, Top appears to be Stainless Steel. Dryer Column is 18 in. dia. x 30 ft. long (approx.) Carbon Steel; FLINT STEEL CORPORATION 250 gal. water Capacity s/n 48222 (Mfg. 1958) Nat. Bd. No. 48222, with Ladders and Catwalks, some having Safety Railings.

With 2- Liquid Ring Vacuum Pumps, Each powered by 15 hp Electric Motor; 1- ROPER Pump powered by Electric Motor; 3- Tanks: 1- is prior LPG Tank having Domed Ends; 2- are Vertical with Dished Ends.

**112 – LOT 9- ADALET EXPLOSION PROOF DIGITAL READ-OUT METERS**

Cat. No. XGC 52-2926/6556 Stainless Steel.

**INSIDE BLOCK HOUSE CONTROL ROOM**

**113 – PX THERMIFIC® GAS FIRED HEATING BOILER**

N-1500-2 CY18-13-36988, Nat. Bd. No. 95077, (Mfg. 2013) 160 psi max 250°. (NOTE: Tube Bundle is Inoperable and Removed from Unit.).

With WHEELER TANK MFG. INC. TANK, HOLDING, HOT WATER

06767 (Mfg. 2006) Nat. Bd. No. 11756 Vertical, Insulated, 750 gal. (est.)

Capacity, max. allowable WP - 125 psi @ 450° F, min. designed Metal Temp. - 20° F@ 125 psi.

With BELL & GOSSETT ITT TANK, HOLDING, COLD WATER

D180U 159702 (Mfg. 2006) Vertical, 200 gal. (est.) Capacity.

With 4- GOULDS PUMPS, ITT PUMPS, CENTRIFUGAL, CIRCULATING, WATER

3656 2-1/2 in. x 3 in. x 10 in. dia. Impellers; Each independently powered by Electric Motor.

**114 – LOT 11- EATON, ABB AND DANFOSS VARIABLE SPEED DRIVES**

HVX 9000 With 2- ABB Variable Speed Drives; 2- DANFOSS Variable Speed Drives.

**115 – DON JOHNS PLANT PROCESSING MOTOR CONTROL CENTER**

Consisting of but not necessarily limited to: 3- Section Biodiesel System OO-End-01, 02, 03 Cabinets, Each with 7 ft. high x 4 ft. x 2 ft. deep (est.) with Contents as specified but not necessarily limited to: Methanol Control Equipment Computer Software, PLCs and Operating System.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**116 – LUWA THIN FILM EVAPORATOR, VERTICAL UNFIRED**

L850 / 6300 / HT 16114, 16115, and 16116 (Mfg. 1969) ASME s/n 5071-952 (NOTE: OEM s/n 16115 was visually verified.) 36 in. dia. x 30 ft. tall (approx.) Stainless Steel Internal Parts, Conical Top; 4- Sections and Crown and Base, having J-Bolt Clamp; 173 sq. ft. Surface, Heated consisting of Thermal Support (Separator) Rotor; Spider and Top Head Assembly Sections, T-316 and T-316L Stainless Steel.

With CUSTOMED DESIGNED STAND 4- Leg, 6 ft. high x 4 ft. x 4 ft. Fabricated Steel.

**117 – MICROMOTION FLOW METER**

MMICMF 400M 14081517 (Mfg. 03/11/2008) Stainless Steel; NCET Model-95-055A6, Mass Flow Sensor.

**118 – AMANA & HENRED FRUEHAUF AIR CONDITIONING UNIT, CONSOLE, WALL TYPE**

The unit is contained inside a 30 ft. long x 8 ft. 6 in. x 30 ft. long (approx.), Henred Fruehauf, Mfg., Model FI06805 #GB/CX 2803 BV/1994, Modular Shipping Container., (MFG. 1994).

**119 – LOT 2- HOFFMAN ELECTRICAL CABINETS**

Steel, 1- containing 9 ABB VSD Modules; 1- Containing 5- ABB VSD Modules; 1- SYLVANIA; 1- AVG Digital HMI Electrical Control Panel , Part No. EZ-T10 C-RMC s/n R090810109, Wiegmann Cat. No. N412303012C, 2- Direct Logic 205.

With PANATROL CABINET Cat. No. 6734-11 (Mfg. 8/28/2008)With related Contents.

**120 – GRISWOLD PUMP**

8115 gAg55026B 1.5 x 1 x 6, 5.74 in., powered by BALDOR 7.5 hp Electric Motor mounted on Channel Steel Base.

With COBRA USA, INC PUMP

250 1022 (Mfg. 03/10/2008) 6 x 8 x 14, powered by BALDOR 100 hp Electric Motor mounted on Channel Steel Base.

With COBRA USA, INC PUMP

250 1033 (Mfg. 03/10/2008) 3 x 4 x 13, 10.5 in., powered by BALDOR 25 hp Electric Motor.

With COBRA USA, INC PUMP

250 1151 (Mfg. 03/10/2008) 2 x 3 x 13, 10.5 in., powered by SIEMENS XT 100 15 hp Electric Motor.

With NASH/HYTOR LIQUID RING VACUUM PUMP

Size CL 202/SS 79Y1148 Powered by a SIEMENS NEMA Premium Efficiency 15 hp Electric Motor.

With GORMAN RUPP PUMP, VANE TYPE

GHS2GC3-8 1353033 Powered by Siemen 15 hp Electric Motor.



**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**121 – LOT 40- (approx.) FLANGED BALL VALVES**

Consisting of but not necessarily limited to: 1- 6 in. Flanged Tee, 4- (approx.) 4 in. Flanged Tees and Others.

With PIPE Miscellaneous, 7 in. to 2 in. dia. x 15 ft. to 2 ft. long, Various Sizes, Lengths, Some Flanged, Some Galvanized.

With 7- (approx.) BARRELS, 55-GAL

Plastic, Containing Antifreeze Solution (NOTE: Not All Barrels are Full).

With 5- (approx.) BARRELS, 55-GAL Steel (NOTE: Barrels appear to be Empty).

**122 – AC PALLET JACK**

13101436 8/019 (Mfg. 2013) 5,500 lbs. Capacity (est.), manually operated.

**SUPPORT MACHINERY & EQUIPMENT, SW CORNER OF BUILDING**

**123 – INGERSOLL RAND AIR COMPRESSOR**

IRN25H-CC-HV BN0223U07122 3475 rpm Electric Motor, 94 cfm, 150 psi rated, 380-460 V, mounted on 120 gal. Horizontal MANCHESTER TANK, Nat. Bd. No. 765577, State of Illinois Boiler #U129035, s/n 22734404 (Mfg. 2007), 28,362 hours.

**124 – INGERSOLL RAND DRYER, REFRIGERATED TYPE**

TMS0100 TMS0100-0702/0108 (Mfg. 02/2007) CCN: 42529321; with INGERSOLL RAND Air Line Filter.

**125 – INGERSOLL RAND AIR COMPRESSOR**

55RUP6-15-125 65ACFM PX2572U03339 (Mfg. 02/2007) 23, 848 indicated Meter Hours, Super Low Sound Enclosure; State of Illinois Boiler # U253294, No. 241698, 120 gal. MANCHESTER Horizontal Air Receiver Tank, s/n 5470MS powered by 15 hp Electric Motor.

**126 – INGERSOLL RAND AIR COMPRESSOR**

IRA25H-TAS-HV BN1295U09051 3400 rpm, 92 cfm, 150 psi rated, 380-460 V, mounted on a 120 gal. MANCHESTER Horizontal Air Receiver Tank.

**LOTS 127 - 129 UNASSIGNED**

**130 – KOMATSU FORK LIFT, PROPANE**

FG25T-11 454428A 2,310 lbs. capacity @216 in. high, 3- Stage Mast, Hydraulic Side Shift, ROPS Canopy, 4,608.5 indicated Meter Hours.

**131 – CUSTOM DESIGNED AND FABRICATED BOOM EXTENSION ATTACHMENT**

6-1/2 in. to fit Fork Lift.

**132 – CUSTOM DESIGNED AND FABRICATED WORK MAINTENANCE PLATFORM**

42 -1/2 in. wide x 40 in. deep (approx.) to fit Fork Lift.

16 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
133					NORTHSTAR STEAM AND HIGH PRESSURE CLEANER, PORTABLE 157310P Stainless Steel, 3,000 psi, 4 gal/min, 140° F, powered by HONDA Electric Start Engine, mounted on 4- Pneumatic Tires.
134					SHOP · VAC WET/DRY VACUUM CLEANER, PORTABLE.
135					SCHUMACHER SPEED CHARGER, PORTABLE 150, 55, 20 and 2 amps Charge Rate, 12 VDC, for Batteries, Portable.
136					ILLINOIS INDUSTRIAL TOOL PIPE BENDER, 12 TON, HYDRAULIC 36900 Having 6- Bending Radius Fittings; Manual Activation mounted on 55 in. high (est.) Fabricated Angle Iron Frame.
137					RIDGID PIPE THREADER AND CUTTER, PORTABLE 1224 EB251810404 Mounted on Portable Stand.
138					LOT 5- RIDGID TRIPOD MATERIAL WORK SUPPORT STANDS RJ-99, Cat. No. 56672 2,500 lb. capacity, 32 in.-55 in. Vertical Adjustment Range, 2- have Pipe Rollers, 2- have V Support, 1- is Custom Designed and Fabricated with Pipe Rollers.
139					VICTOR AND HARRIS OXY / ACETYLENE TORCH WELDING SET Consisting of but not necessarily limited to: 3- Torches: 1- is VICTOR Model ST900FC, s/n HU98089, Cutting Torch; HARRIS, Model 85, Cutting Torch; and 1- is a VICTOR Model CA2460, s/n HN52172 Cutting Torch; 1- is Heavy Duty on a 2- Wheeled Cart. (NOTE: The Industrial Gas Bottles are NOT Being Sold.)
140					LINCON ARC WELDER, ELECTRIC AC-225 Code 10420 704 225 amps max. with Leads.
141					MILLER MIG/TIG WELDER Millermatic 252 LH401606B, Stock No. 907322. With Leads.
142					MILLER WELDER, TIG / STICK Trailblazer 302 LG075019 302, CC/CV, AC/DC, Welder, 10,500 Watt Generator, Stock No. 907217, powered by SUDBURY 22.0 EH65 Product No EH650DC24157084 s/n 2024868 Gasoline Engine with 2- Pair Welding Gloves, Leather, Head Helmet, Wire Brush, and Leads.
143					LOT 2- WELDING CURTAINS 2- Metal Frames, 6 ft. high x 8 ft. long, with Protective Material.
144					ROPER (OR SIMILAR) PUMP, 4 IN. 489PH8FRV 99031209 Powered by HONDA GX390 Gasoline Engine, both are mounted on 3 ft. x 4 ft. Platform having 4- Castering Wheels.
145					JET BANDSAW, HORIZONTAL / VERTICAL HVBS-7MW 71135535 Mounted on Portable Base, powered by 3/4 hp Electric Motor.

17 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
146					CRAFTSMAN MACHINEST'S TOOL CHEST, PORTABLE With 6 Drawer Base Cabinet and 4- Drawer Tool Box with Hinged Top Lid with Contents of but not necessarily limited to: 1/2 in Impact Wrench, Saws, Squares, Wire Brushes, Hammers, Pliers, Files, Adjustable Wrenches, Deep and Regular Socket Sets with Ratchet Wrenches.
147					PATTON INDUSTRIAL FAN 32 in. dia., Floor Single Pedestal Type.
148					LOT TRAFFIC STAND WITH FLASHING LIGHT With 3- 55 gal. Barrels, (1- is Steel and 2 are Plastic) 1- PIG Spill Containment Pallet.
149					LOT PLATE STEEL, PUMP AND TUB With Pump powered by Electric Motor; the Tub is Heavy Duty.
150					2- TOOL BOARDS, WITH HAND TOOLS Consisting of but not necessarily limited to: 7- C-Clamps; 6 Hammers; Pruning and Hack Saws; Combination Wrench; Set 1-1/2 in. to 1/2 in.; Screw Drivers; 8- Pip Wrenches, 36 in. and smaller; 2- Welder's Hoods; 3- Sledge Hammers, 2- Carpenter's Squares, Link Chains with Hooks, Wire Brushes and related.
151					RAM TOOLS H PRESS, HYDRAULIC, 20- TON 64-1/2 in. tall x 24 in. wide Manually Powered and Height Adjusted.
152					WORKTABLE, HEAVY DUTY STEEL 42 in. high x 4 ft wide x 8 ft. long with WILTON 6 in. Vise; TASK FORCE 10 in. Drill Press, s/n 017941, SONY CD and MP3 Player with Speaker; RIDGID Pipe Vise.
153					WORK TABLE, HEAVY DUTY 38 in. high x 4 ft. x 8 ft. long with Related Contents of Table Top and Shelf.
154					PARTS WASHER CABINET E110 9066918 32 in. high x 24 in. wide x 36 in. long (est.).
155					STIHL WEED EATER, CURVED SHAFT FS 46.
156					RED LION CENTRIFUGAL PUMP 617052 Powered by Air Cooled Gasoline engine. (NOTE: May need Repair.)
157					ALFA LAVAL CENTRIFUGE, MARINE OIL SEARATOR PURIFIER WHPX510TGD-24-60/88135-01-02 2994061/1980 ppm: 1700-1800; 142-150; 2994064; 8810350102; 540135-80; 536756-83; 540225-10. (NOTE: Disassembled- May be Incomplete with Parts Missing.)
158					LOT 2- HAND TRUCKS, MATERIAL HANDLING Single Axle, 500 lbs., capacity each, (est.).
159					RIDGID TRI-STAND PIPE VISE 460 Mounted on a Tripod 1/3 to 6 in. capacity.
160					EAGLE OILY WASTE CAN, 6 GAL. 906 FL.
161					HITACHI ABRASIVE CUT-OFF SAW CC14SF C-570124 14 in. dia. Abrasive Wheel.

18 of 29

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**162 – LOT MAINTENANCE EQUIPMENT**

Consisting of but not necessarily limited to: 15- (approx.) Shovels: Snow; Square; and Round; Point, Long and Short Handle; Rakes and Water Hoses; Push Brooms; 6- Electrical Power Extension Cords; 3- Mop Buckets, Each with Mop Squeegees.

**SUPPLY, STORAGE AND TOOL ROOM, SOUTH SIDE CONTAINER**

**163 – LOT HAND AND POWER TOOLS AND CONSUMABLE SUPPLIES**

Consisting of but not necessarily limited to: 5- Hydraulic Bottle Jacks, 20- ton; Power Band Saw; Circular Saw; Cut Off Saw; DeWalt Hand Power Tools; Welding Rods; Flanges, Ball Valves; Pipe Fittings; Electrical Conduit Fittings, KILLARK Type EYS-3, GRSS-2, GECEAT-2 and other fittings and Junction Boxes, both Metal and PVC; 4 in. Weld Neck Flanged and Threaded, Cast Metal and PVC 90° and Tee Pipe Fittings; Lock-Out Station with Clamps; Gaskets, Assorted Sizes, 15 in. dia. to 3 in. dia. (est.); Bolts, Nuts, Washers and Fasteners; 2- Climbing /High Work Safety Harnesses; 2- Bolt Cutters, ABB Variable Speed Drives, and similar related Items. (NOTE: Store Room Attached to Main Building through a Passage Way.) (NOTE: These Items are Housed in an 8 ft. 6 in. high x 40 ft. long (approx.) Modular Sea/Land Shipping Container Marked MEDITERANEAN SHIPPING CO.)

**LOCKER ROOM**

164 – LOT 19- (approx.) LYON™ ( AND SIMILAR) LOCKERS, CLOTHING, METAL 84 in. high (approx.) with Display Notice Board, 3 ft. x 5 ft. having Aluminum Frame and Glass Front. (NOTE: These Items are housed in an 8 ft. 6 in. x 20 ft. long (approx.) Sea/Land Modular Shipping Container Marked CAPITAL CLHU 2012012.)

**END OF LOCKER ROOM**

**165 – LOT 5- (approx.) SUPER SACKS**

Each containing Cold Soak Beads. (NOTE: Beads are 6-8 years old.)

**166 – LOT WILDEN (OR SIMILAR) DIAPHRAM PUMP AND HOSES**

Consisting of but not necessarily limited to: WILDEN (or Similar) 2-1/2 in. Diaphragm Pump with Suction and Discharge Manifold.

**167 – LOT 2- CARTS HOSE STORAGE RACK CARTS, PORTABLE**

Having 4- Wheels; with A-Frame Rack and Cantilevered Arms; with 1- (est.) Hoses, 2 in. dia. x 15 ft. long (est.); with 6- pieces Manifolds with QC Couplings, 3- Ball Valves, 1- 4 in. Vapor Recovery Coupling with 25 + (est.) Quick Coupling Caps.

**168 – LOT 3- WERNER LADDERS, STEP, FIBERGLASS**

Consisting of but not necessarily limited to: 1- WERNER 12 ft., 1- WERNER, 8 ft., HUSKY 6 ft., AND 1- Portable Barrel Base Ring, Mounted on 4- Caster Wheels.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**EAST WALL OF THE MAIN PRODUCTION BUILDING**

169 – LOT PIPING AND INSTRUMENTATION MANIFOLD

Consisting of but not necessarily limited to: 7- ADALET Explosion Proof Digital Read Out Meters. KROHNE Digital Flow Meter Read-Out Meter..

**UPSTAIRS PRODUCTION MANAGER'S OFFICE**

170 – LOT UNLOTTED CONTENTS OF OFFICE

Consisting of but not necessarily limited to: Double Pedestal Wood Desk with L - Return; 5- Drawer Lateral File Cabinet; 2- Drawer Lateral File Cabinet, Wood; 2- Bookcases, Metal, 6 Shelf, 1- is U-Line.

171 – SPERIAN BACK PACK EMERGENCY BREATHING OXYGEN UNIT

With Head Hood.

172 – THERMO SCIENTIFIC TOXIC VAPOR ANALYZER

TVA-1000B-81020 0818931432 (Mfg. 09/2012) In Heavy Duty Storage Transport Case.

173 – BW TECHNOLOGIES GAS DETECTOR Gas Alert Microchip XT MXL248071D.

174 – FLOW SERVE ROTARY BASE AND RING

DuraMetallic VRA and VRA-C Series With Seal and Gland Rings, Shaft Packing and Inert Mounting.

175 – LOT 4- Units COMPUTER, TOWER CASE STYLE

Having LOGITECH Keyboard, Mouse, LG Monitor; HEWLETT PACKARD LaserJet M1212 nF Multifunction Printer.

With OKI PRINTER, 9- PIN 320 Turbo.

With HEWLETT PACKARD MULTI-FUNCTION MACHINE Laser Jet, M2727nf.

176 – BUCHI GLASS OVEN DRYING TUBE / TITRATOR

Type TO-51, Howard / LTE 1224272.

LOTS 177 - 179 UNASSIGNED

180 – LOT CONFERENCE TABLE, BOAT SHAPED

Wood, 10 ft. long, x 48 in. wide with 6 chairs.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
-------	----------	--------------	-------	---------------	-------------

**LAB EQUIPMENT**

181 – LOT DELL COMPUTERS

With DELL COMPUTER, TOWER CASE STYLE

Precision 3500 With WINDOWS 7, INTEL Core™ 2 Duo Chip, DELL Flat Screen Monitor, Keyboard and Mouse.

With DELL COMPUTER, TOWER CASE STYLE

With Windows XP Pro, DELL Flat Screen Monitor, Keyboard and Mouse with DELL Laser Printer.

With DELL DESK TOP COMPUTER

With WINDOWS VISTA, 20 in. Flat Screen Monitor, Keyboard and Mouse.

With CANON INK JET PRINTER MG 2520.

182 – LOT APPLIANCES

With KENMORE REFRIGERATOR / FREEZER

795.68039.210 305MRUY03982 (Mfg. 05-2013) Household Type.

With HOT POINT DISH WASHER Under Counter.

With EMERSON MICROWAVE OVEN MW8999SB.

With MR. COFFEE COFFEE MAKER, AUTOMATIC Glass and Stainless Steel.

With ELECTRIC HEATER, PORTABLE.

183 – BRUKER FOURIER TRANSFORMED INFRA-RED SPECTROMETER

I 21000, Tensor Type 27 FTIR T27.1384.

184 – CENTRIFUGE, TABLE TOP Low Speed.

185 – 2- MASTERCOOL® INC. ELECTRIC MOTOR VACUUM PUMPS

90062-A 311051 & N/A 3- cfm, powered by 1/4 hp. Electric Motor.

186 – ELMI CENTRIFUGE Skyline, CM-6MT.

187 – MASTERCOOL INC. INFRARED THERMOMETER WITH POCKET THERMOMETER

52224A Having Dual Face, 1- PYREX 1000 with Cone Bottom, 1- VEE GEE 1000 ml Cone Flask.

188 – OAKTON PH METER, PH 5+ Part No. 54X409903 2033488.

With OAKTON PH METER Acorn Series PH/ °C Meter.

With COLE PARMER THERMOCOUPLE THERMOMETER WITH PROBE DIGI-SENSE® DUAL JTEK.

189 – 2- CORNING STIRRER/HOT PLATE PC-620D 013807008659 and 013807008641.

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

LOT #	QUANTITY	MANUFACTURER	MODEL	SERIAL NUMBER	DESCRIPTION
190					ELECTROTHERMAL™ HEATING MANTLE, HEMISPHERICAL GLOBE Cat. No. CMUH1000/EXXI 10672805 600 watt, with PYREX 1000 ml 3- Neck, Angled, Round Bottom Globe, No. 9665A; with BARNSTEAD/ELECTROTHERMAL, Cat. No. MC228X1 Power Regulator, s/n 10650807.
191					SEPARATOR FUNNELS Pear Shaped with Support Rod, Clamps and Ring Holders.
192					FISHER SCIENTIFIC ISO TEMP HOT PLATE/DUAL DRY BATH INCUBATOR HEAT BLOCK 2052FS 164906074744 Cat. No. 11-718-2.
193					LOT SCALES With MY WEIGH SCALES KD-8000. With INTELLIGENT WEIGHING TECHNOLOGY TOP LOADING SCALE PD-3000 150508093 3000 oz. capacity. With HORIZON SCALES Item No. HPS-110. With CHECK WEIGHT, 5 LB.
194					COLUMBIA INTERNATIONAL / COL-INT TECH LABORATORY ROTARY EVAPORATOR RE52CS-2 #021-6490404230; 1370176957; 50-2000 ml capacity Range; Model B-260 Heating Bath; 1000 w; Rotating Unit powered by Electric Motor; 1000 ml Rotary Flask; with 3- Condenser Cooling Coils-2 are 2-1/2 in. dia. x 14 in. long (est.) and 1- is 1 in. dia. x 16 in. long (est.).
195					SRI GAS CHROMATOGRAPH 310C N7423 (Mfg. 04/22/2009).
196					LAUDA BRINKMANN INSTRUMENTS, INC. CHILLER WATER BATH CONTROLLER Eco Line RE106 Y33010 Refrigerated Circulator, 1.35 Kw, with E100 Controller.
197					BENCHMARK MY TEMP MINI DIGITAL INCUBATOR H2200-HC 130101062.
198					BECKMAN CENTRIFUGE TJ-6.
199					ORION KARL FISCHER COULOMETRIC TITRATOR AF7 30063.
200					LOT 34- pieces (approx.) LABORATORY GLASSWARE Consisting of but not necessarily limited to: 7- Kimax® 600 ml Beakers; 3- KIMAX® 1000 ml Beakers; 1- Kimax® 4000 ml Beaker; 3- Flasks; 1- WILMAD PFIZER 1000 ml; 1- PYREX 2,000 ml and 1- BROMEX 4,500; 5- MILLIPORE 1,100 ml Beaker with Stop Side Neck Inlet Port; 2- BROMEX 2,000 ml Beaker, PYREX 2,000 ml Beaker; 1- PYREX 1000 ml with Cone Bottom , 1- VEE GEE 1000 ml Cone Flask; 1- GRANITE Mortar and Pestle, HTSU 500 ml Spherical Flask; and similar.
LOTS 201 - 204					UNASSIGNED

22 of 29

-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**MODULAR SEA/LAND SHIPPING CONTAINERS**

205 – SHENZHEN SOUTHERN ZHONGJI CONTAINER MFG. MODULAR SEA LAND SHIPPING CONTAINER  
GC40/OSA TTNU5525026 (Mfg. 5/2001) 8 ft. 6 in. tall x 42 ft. long (approx.).

206 – LOT CONTENTS OF SHIPPING CONTAINER

Consisting of but not necessarily limited to: ROPER Pump Model 3617 HBFRV s/n G363949; BALDOR 7.5 hp Electric Motor driving through David Brown Model M0422 Gear Reducer; GORMAN RUPP Model GHS2NM, 3- B, s/n 1359407 powered by BALDOR 10 hp Electric Motor; ROPER Pump Model 3717, s/n G-570380 powered by 10 hp Electric Motor driving through SEW-EURODRIVE Reduction Gear Box; GORMAN RUPP Pump Model GHS 20C3-B, s/n 1359507, powered by 1.5 hp Electric Motor.

With LOT 13- (approx.) CENTRIFUGAL PUMPS

6 in. x 8 in. x 14 in. and smaller, are powered with Electric Motors; 4- 3 in. dia. Hoses; 1- HONDA gasoline Engine; 15- (approx.) 55- gal. steel Barrels; 100- (est.) 5- gal. Plastic Buckets, some with Lids; 1- 330 gal. IBC with Fluid Contents.

With LOT 3- GRUNDFOS® PUMPS

CH8-30 (NOTE: Appear to be New/ Unused, still remaining in the OEM Shipping Container.)

207 – SHANGHAI HYUNDAI CONTAINER MFG. CO MODULAR SEA LAND SHIPPING CONTAINER

Type HP 1AA-600R3 SHTT DO-497884 (Mfg. 11/2000 8 ft. 6 in. tall x 40 ft. long (approx.).

**LOTS 208 - 214**

(NOTE: The assets described in the Lots 208 through Lot 214 are stored in Lot 207.)

208 – 3- ALFA LAVAL SEPARATOR CENTRIFUGE

3- ALFA LAVAL Separator, Model MFPX 307 Frame, s/n 408 4029, Bowl s/n 4084029, (MFG. 11/10/2006), Bowl rpm 8,600, powered by MARATHON Electric Motor; Other 2- s/n N/A.

209 – LOT 25- Partial Spools (approx.) BELDEN AND OTHERS UL WIRE, MULTISTRAND, ELECTRICAL, SHIELDED

1075A, E34972+M 5- Conductor and similar.

210 – LOT 2- PRO-JACK JACK STANDS FOR TRAILER KING PIN HITCH.

211 – LOT 15- Boxes (approx.) FILTER SPECIALIST INC. FILTER SOCKS AND SUPER SACKS

Consisting of but not necessarily limited to: 15- Boxes of Filter Specialist, Inc. Bag House Filter Socks and 1- Box of Super Sack Bulk Bags.

23 of 29

*-ACCURACY OF DESCRIPTION NOT GUARANTEED-  
-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIED-  
FOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE  
WWW.MAASCOMPANIES.COM  
"THE LEADER IN CLIENT SATISFACTION"*



**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**212 – LOT PUMPS**

Consisting of but not necessarily limited to: 1- PENTAIR AURORA 2 x 2.5 x 9 Centrifugal Pump powered by RELIANCE 40 hp Electric Motor; CHARLES ROSS & SONS Pump Model HSY s/n 0669 powered by MARATHON 5 HP Electric Motor; 2- ROPER Gear Type Pumps; 1- WILDEN Model M4 1-1/4 in. Stainless Steel Diaphragm Pump; 1- Part No. DF4311, s/n 45A070 Stainless Steel 2 in. Diaphragm and others. With ROPER Model GHS 2 GF3-B s/n 1359506 powered by 1.5 hp Baldor Electric Motor; ROPER GHS 2 GF 3-B s/n 1353029.

**213 – 2- JACK STANDS Material-in- Progress, Support Tripod Stands, Heavy Duty.**

**214 – LOT PUMP, LADDER AND RELATED**

1- Section Ladder, Extension, Aluminum; 4- Spools COXX 2 Bare ECOPTIN Solid, (NOTE: Apparently New/Unused); Centrifugal Pump powered by HONDA GX 160, 5.5 hp Motor.

With LOT 10- Joints (approx.) PVC PIPE AND ELECTRICAL CONDUIT  
8 in. dia. x 20 ft. long (est.).

**215 – JINDO MODULAR SEA LAND SHIPPING CONTAINER**

Type JS-D44KL-B GJ98-1926 (Mfg. 10/1998) 8 ft. 6 in. tall x 42 ft. long ( approx.).

**216 – LOT PIPE, STEEL AND GALVANIZED - CONTENTS OF LOT 215**

Consisting of but not necessarily limited to: 3 in. to 3/4 in., in Various Lengths.

With 20+- Joints (approx.) PIPING INSULATION  
1 x 1 KNAUF PVC #9 and similar.

With 15- (approx.) BRAY FLOWTEK AUTOMATOR PNEUMATIC ACTUATOR VALVE  
Part No. 93-1604-113A0-532 408.

With Valves, Fittings, Vibration Couplers, Access Hatches, Explosion Proof Electrical Insulation.

With THERMO HEAT FORCED AIR HEATER, PORTABLE  
100,000 / 125,000 BTU.

With FSI FILTER ELEMENT  
4- Electrical Wall Mount/Pedestal Maintenance Cabinets, Steel.

With PIPE WITH PACKING  
3 in. dia. x 10 ft. long (approx.), Stainless Steel, with 6 ft. long (est.) Packing inside the Tube.

**217 – CHINA INTERNATIONAL MARINE CONTAINERS MODULAR SEA LAND SHIPPING CONTAINER**

CIMC 12000589, Type GC 40/11 CIMC 12000589 8 ft. 6 in. x 40 ft. (approx.) dimensions.

24 of 29

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

218 – LOT 30- (approx.) FLOW TEK AND OTHERS CONTENTS OF CONTAINER  
Consisting of: 2- FSI Filter Element (1- Large and 1- Small); new Parts for Flow Meter;  
Electrical Conduit Fittings; Electrical Wire; Companion Flanges; Explosion Proof  
Electrical Boxes; 15- Bags (approx.) 25 Kg per bag of 99.5% Potassium Carbonate Fine  
Powder; MAXX AIR Floor Type Fan powered by Electric Motor 24 in. dia. (est.) Fan  
Blades; 6- Flow Meters; and 3- 100 psi Gauges.

219 – UNASSIGNED

220 – LOT 15- (approx.) CATWALK SECTIONS  
Fabricated from 1 in. sq. Carbon Steel Tubing with Expanded Metal Walkway Decking,  
Safety Railings with Toe Boards. (NOTE: To be used as Catwalk on the Top of the Tanks  
of the Tank Farm.) (NOTE: It is reported that there are 6- 6 ft. long Sections, 8- 7 ft.  
Sections and 2- 8 ft. long Sections. 3- of the 7 ft. long Sections are installed on the 30,000  
gal. Vertical Tanks.)  
With LOT 4- DRUMS, 55- GAL. 3- are Steel and 1- is Plastic.

**OUTSIDE YARD, SW CORNER**

**SURPLUS EQUIPMENT / SALVAGE YARD**

221 – CUSTOM DESIGNED AND FABRICATED TANK, STEEL  
6 ft. high x 6 ft. wide x 8 ft. long (approx.) Closed Top, 2-1/2 in. dia. Piping Manifold  
having 2- Stainless Steel Ball Valves, I- Check Valve.

222 – ROLL ON/ROLL OFF TRASH CONTAINER 25 ft. long (approx.) Steel.

223 – LOT 5- TANKS, LPG 1000 Water gal. Capacity.

224 – LOT ELECTRICAL CONDUIT  
2-1/2 in. dia. x 10 ft. long and some are shorter and smaller, some are PVC.

225 – LOT 21- pieces (approx.) PIPE FITTINGS AND FIXTURES  
10 in. to 4 in. dia. (approx.) consisting of but not necessarily limited to: Flanged and  
Weld Neck Pieces, 8 in. and smaller CF8M Butterfly Valves, Mesh Flexible Joints  
having Flanged Ends, 1- Stainless Steel 10 in. dia. x 5 ft. long Pipe Joint, 1- 4 in.  
Stainless Steel Gate Valve and similar.

226 – LOT 3- BLAW-KNOX CO. DISTILLATION COLUMNS, STAINLESS STEEL  
1- is 48 in. dia. x 12 ft. long, Domed, s/n 17222 (Mfg. 1972), and 1- is 36 in. dia. x 12 ft.  
long, s/n 17220 (Mfg. 1972); 1- is 36 in. dia. x 20 ft. long (est.) is a s/n 17218 ( Mfg.  
1972).

227 – LOT 2- STEP-STYLES, STEEL 2- Steps High with Hand Railings.

228 – LOT FORK LIFT FORK EXTENSIONS 1 pair, 10 in. wide x 10 ft. 6 in. (est.) long.

25 of 29

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

<b>LOT #</b>	<b>QUANTITY</b>	<b>MANUFACTURER</b>	<b>MODEL</b>	<b>SERIAL NUMBER</b>	<b>DESCRIPTION</b>
229	–	LOT 9-	TANKS,	VERTICAL	48 in. x 10 ft. tall (est.) Carbon Steel, Domed at/on 1- End; 1- Unit is Salvaged into Plate Sections.
230	–	MARLEY AQUATOWER®,	SIDE DRAFT COOLED	108958R24541M386297	Fiberglass. (NOTE: This Item may no longer be Operable.)
231	–	CARRIER AQUASNAP	CHILLER	30RANO18H - -611CX 0307Q06716	(NOTE: This Item may no longer be Operable.)
232	–	4-	TANKS,	VERTICAL	Plastic, 850 gal. Capacity, Flat Bottom, Domed Top with Filter Port; s/n 110813303, 110813288, N/A.
233	–	TANK,	HORIZONTAL	Steel, 12 ft. dia. x 25 ft. high (est.)	Domed Top and Bottom.
234	–	ELECTRICAL CONTROL	JUNCTION BOX,	EXPLOSION PROOF	UL # AJBEW242410-209.
235	–	TANK,	VERTICAL	Steel, 12 ft. dia. x 20 ft. high (est.)	Flat Top and Bottom.
236	–	GRAHAM CORPORATION	EJECTOR	08-71217-1	10 in. dia., Flanged, 50 psig. With 2- COLUMNS / LOOP 10 in. dia. With Fittings to 1- Pipe at Top and Bottom, Each Side having 6 Ports.
237	–	STAIR STYLE,	STEP OVER	Aluminum, 6- Steps high with 4 ft. Top Landing,	Hand Safety Railings.
238	–	LOT 28-	pieces (approx.)	TIMBER SHORING	6 in. x 6 in. x 6 ft. and smaller.
239	–	LOT FILTERS,	DUMP CART,	PALLET JACK AND SALVAGE STEEL	Consisting of but not necessarily limited to: 3- SO-CLEAN Filters; 1- POWELL 10 in. - 150 Flange Check Valve WCB 8H, 1- Tank, Horizontal, 8 in. dia. Pipe Joints, Some having 90° Fittings, Pieces of Bar Grating and Similar Items.
240	–	EAGLE FLAMMABLE	MATERIALS STORAGE	CABINET	1930 30 gal. Capacity, 19 in. dia. x 34-1/2 in wide x 44 in. tall with contents of Fuel Cans, Plastic, 5 & 2-1/2 gal. capacity.
241	–	LOTS 241 - 244	UNASSIGNED		

**PLANT OFFICE BUILDING**

**ENTRANCE FOYER**

245	–	LOT CHAIRS,	TABLES,	OFFICE,	WOOD	Consisting of but not necessarily limited to: 1- 36 in. tall x 48 in. long (approx.) Curved Leg Table; 2- Bent Leg Side Arm Chairs, and 2- Side Arm, Cloth Upholstered Chairs.
-----	---	-------------	---------	---------	------	--

26 of 29

**St. Louis Biofuels, LLC**  
**South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**BREAK ROOM**

**246 – LOT CHAIRS, TABLE, REFRIGERATOR AND SUPPORT ITEMS**

Consisting of but necessarily limited to: 1- 5 ft. long (approx.) Expanding Leg/ Circular Ends Table; 2- Upholstered, Swivel Chairs; 1- GENERAL ELECTRIC COMPANY Model TF522WPDABS, Side-by-Side Refrigerator, s/n T2267019, having CULLIGAN Ice Maker; HOT POINT 4- Burner Gas Stove; GENERAL ELECTRIC Microwave Oven; AMANA Dishwasher; SIASCON Analog Wall Atomic Clock, 18 in. dia. (est.).

**NORTH WALL OFFICE**

**247 – LOT DESK, CHAIRS, HUTCH AND FILE CABINETS**

Consisting of but not necessarily limited to: 1- 36 in. x 72 in. Single Pedestal, Wood, Desk with Return; 1- 2- Drawer Lateral File with Upper Hutch; 1- 2- Drawer Lateral File Unit; 1- HON 4- Drawer Lateral File Cabinet; 1- 2- Drawer Lateral File Cabinet, Metal; 1- 2- Shelf Bookcase, Wood; 3- Chairs, 1- is Swivel and 2- are Straight, Arm, Side, Wood; 1- Bulletin Board 3 ft. x 4 ft. (approx.).

**248 – LOT MONITORS AND PERIPHERAL EQUIPMENT**

Consisting of but not necessarily limited to: 1- SAMSUNG and 1- DELL Flat Screen Monitors; 1- APC UPS, 1- CASIO FR-2650TM Electric Calculator.

**SUPPLY / MAIL / IT ROOM**

**249 – LOT CONTENTS OF ROOM**

Consisting of but not necessarily limited to: 2- 74 in. tall x 36 in. wide (approx.) Steel Storage Office Supply Cabinets, 1- is SANDUSKY® with Miscellaneous Office Supply Consumables Content and 1- is Empty; 1- 8 ft. long Folding Leg Table.

**NW CORNER OFFICE**

**250 – LOT DESKS, CHAIRS TABLE, FILE CABINETS AND COUCH**

Consisting of but not necessarily limited to: 1- 30 in. x. 60 in. (approx.) Single Pedestal Desk with Return and 2- Drawer Lateral File Cabinet with Extension Arm; 1- 2- Drawer Metal Lateral File Cabinet; 1- 30 in. dia. (approx.) Conference Table having 4- Straight Side Chairs, Metal with Cloth Seats and Backs; 1- 3- Person Couch, Cloth Upholstery.

**251 – LOT COMPUTER PERIPHERAL EQUIPMENT**

Consisting of but not necessarily limited to: 1- HEWLETT PACKARD Model dvd1260, Cooler Master™ Elite Computer, Tower Case Style with LG Flat Screen Monitor, DELL Keyboard and Mouse, HEWLETT PACKARD Model Laser Jet M1217 nfw MFP Multifunction Printer; 1- ATIVA Paper Shredder; 1- MEMOREX AM/FM Radio CD Player.

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

**SW CORNER OFFICE**

**252 – OFFICE CUBICAL, FILE CABINETS AND CHAIRS**

Consisting of but not necessarily limited to: 3- Workstations, each having 3- Panels, 2- Top Clear, Glass Panels; 1-3- Drawer Filing/Stationary Pedestal, and a 90° Work Top and Desk; 1- Swivel Posture Chair; 1- Cantilevered Book Shelf with Hinged Front Cover; 1- Artificial Plant, Basket, 5 ft high (approx.) 4- HON (or Similar to) 4- Drawer - 4 ft. wide Lateral File Cabinets; and CHANEY INSTRUMENTS Analog Wall Clock.

**253 – COMPUTER PERIPHERAL EQUIPMENT**

Consisting of but not necessarily limited to: HEWLETT PACKARD Laser Jet 1160 and 1- HEWLETT PACKARD Laser Jet 1300 printer; 4- Flat Screen Monitors; 1- is V7 and 3- are DELL; 1- BELKIN UPS; 1- DELL Keyboard and 1- Task Light.

**With COMPUTER PERIPHERAL EQUIPMENT**

Consisting of but not necessarily limited to: 1- V7 Flat Screen Monitor; 1- Keyboard and 2- APC UPS Units.

**With COMPUTER PERIPHERAL EQUIPMENT**

Consisting of but not necessarily limited to: 2- DELL Flat Screen Monitors; 1- MICROSOFT Keyboard; 1- DELL Mouse; 2- LOGITECH Speakers, 4- APC 500 UPS Units.

**SE STORAGE AND FILE ROOM**

**254 – LOT 5- (approx.) HON FILE CABINETS, LATERAL, LOCKING 4- Drawer.**

**255 – FILE CABINETS AND SUPPLIES**

Consisting of but not necessarily limited to: 2- LIFETIME Folding Leg Tables, 1- is 5 ft. long and 1- is 4 ft. long (approx.); 1- HOOVER and 1- QUICK-PATH 22.0 amp., Upright, Self Propelled Vacuum Cleaners; 1- Mop Bucket, Portable with Squeegee Attachment and Mops; 1- 3 ft. wide (approx.) Push Dust Broom; 2- Brooms; 1- Dust Pan, 1- Aluminum Safety Ladder; 2- Step Ladders and related Consumable Supplies.

**OPERATIONS CONFERENCE ROOM-SE CORNER**

**256 – OFFICE FURNITURE**

Consisting of but not necessarily limited to: Double Pedestal Wood Desk; 9- Drawer, 42 in. x 74 in. (est.) having Front and Side Overhang; Work Table, Wood, 42 in. x 96 in. (est.); Credenza, Wood; 30 in. wide x 74 in. (est.) having 2- 4- Drawer Pedestals and Center Drawer; 3- Lateral File Cabinets, Wood, each having 2- Drawers; 3- Bookcases, Wood Each having 3- Shelves; 3- Chairs: 1- is Swivel, Posture and 2- are Bent Wood, Arm, with Fabric Upholstery and Ball Type Casters; 1- 42 in. wide x 9 ft. long Boat Shaped Wood Conference Table, having 8- Swivel Chairs.

**257 – DELL COMPUTER, TOWER CASE STYLE**

Optiplex GX 520 1- HEWLETT PACKARD Laser Printer Model 3015, All-in-One, with WORD, XP, Service Tag BFZ1 NB1.

28 of 29

**St. Louis Biofuels, LLC  
South Roxana, Illinois USA**

**LOT #    QUANTITY    MANUFACTURER    MODEL    SERIAL NUMBER    DESCRIPTION**

258 – CHAR-BROIL® GAS GRILL/SMOKER, 4- BURNER

Traditional, (Similar to), Stationary, Stainless Steel Hinged Hood, 4-LPG Fired Burners, Left and Right Side Food Preparation Wings; the Left Side is Equipped with a Recessed Warmer Burner, Center Recessed Dual Door Storage Cabinets.