CELLULOSIC ETHANOL/BIOMASS POWER

ATT CTTT Www.maascompanies.com

TUESDAY, JANUARY 8 • RE & ENTIRETEY SEALED 4:00 PM TUESDAY, JANUARY 15 • ONLINE EQUIPMENT 4:00 PM BIDDING ENDS: 4:00 PM

LIKE NEW \$230 MILLION DOLLAR FACILITY BUILT IN 2011
8± MMGY CELLULOSIC ETHANOL PLANT & 6± MW BIOMASS POWER PRODUCTION
Surplus Real Estate & Equipment Selling Individually or as Entirety







VERO BEACH, FLORIDA 32968 USA



companies inc ethanolplantauction.com

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- **TRACT 1**: 69.23+ Acres Security Fenced Main Plant Site, 8,375 sq. ft. (67'x125') Newer Main Office/Lab Building, 3,893 sq. ft. Original Office Building, 14,630 sq. ft. (70'x209') Former Cold Storage Warehouse, 12,544 sq. ft. (98'x128') Covered Feedstock Loading Area, Climate Controlled MCC Building, Kohler 400KW Backup Generator, Scale House with 2-70' 135 Ton SURVIVOR Truck Scales, CCTV/Fire/Computer/Phone Systems.
- **TRACT 2**: Entirety Purchase of All Equipment Lots Listed in Catalog.
- **TRACT 3**: Entirety Purchase of Tracts 1 & 2.
- **TRACT 4**: 75.41± Acres of Bare Land, South of the Main Plant Site.

The Following Equipment is Considered Part of the Main Plant Site:

2- RICE LAKE LOW PROFILE, FLAT TOP, PITLESS DESIGN MOTOR TRUCK SCALES OTR-7011-ST-100T, SURVIVOR® Series 100-135 ton capacity, 70 ft. long x 11 ft. wide, 3- 23 ft. 4 in. Modular Sections, Diamond checkered Steel Top Plate, having full length Safety Guide Rails, Lightning and Surge Suppression Kit, Inbound and Outbound Kiosks, having 920i Digital Weight Instrument, Custom ARS-2 Kiosk Software, 2- 12 ft. tall Pole mounted, Remote Laser Light Scoreboard and Stop/Go Lights at each End of Scale.

With Transact 5.0 Truck Scale Data Management Software for Windows based PC.

With DELL Studio XPS7100 Desktop Computer, DELL 20 in. Monitor, Keyboard and Mouse, with HEWLETT PACKARD Officejet 6500A, All-in-One Machine.

EATON & OTHERS Main MCC Building and North Electrical Building

All Company Owned Transformers, Switchgear and Related Equipment. Some Equipment is Owned by Florida Power & Light. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

KOHLER Back-Up Generator, Stationary

D-219L EEYOA801553 (Mfg. 12/17/2008) Natural Gas Fired, 400 KW Rating, Enclosed in Sound Attenuated, Weatherproof Enclosure, Part #50000016.

GENERAL ELECTRIC

EST 3 FIRE ALARM Panel with Fire Alarm Booster Power Supply Fireworks Software with Dell 21" Monitor and Dell Desktop.

CCTV Security Cameras and Recording Equipment.

Computer Related Servers and Network Equipment.

Digital Phone System with All Phones.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

EQUIPMENT LOTS:

ROLLING STOCK

- 9 2008 FORD 1/2 TON PICKUP, 4 x 4
 - F150, Super Cab vin 1FTP14V48FBX99942 5.4 L Gasoline Engine, Automatic Transmission with KOBALT Aluminum Cross-Bed Tool Box, Plastic Bedliner, Toyo Spare Tire, FL Tag JUQI03, 66,140 Indicated Miles.
- 10 2007 FREIGHTLINER COLUMBIA DAY CAB TANDEM AXLE TRUCK TRACTOR vin 1FWA6CK07LV28326 2- 100 gal. (est.) Aluminum Saddle Fuel Tanks; Power Hydraulic Pack; FULLER® 10- Speed Transmission Pack, DETROIT DIESEL Series 60 Diesel Engine, Sliding 5th Wheel, 16,924.5 Indicated Meter Hours, 338,331.3 Indicated Odometer Miles, 10- Hole BUDD Steel Wheels, No. FL Tag., Co. No. 522555.
- 11 2006 CAPACITY TRAILER JOCKEY TRACTOR, SINGLE AXLE TJ5000 vin 4LMBB21127L018335 (Mfg. 011-2006) Vista Cab, 116 in. Wheel Base, CUMMINS Diesel Engine, Hydraulic Power Pack, 24,744 Indicated Meter Hours, 10-Hole BUDD Steel Wheels, No FL Tag, Co. No. J-1.
- 12 1994 PETERBUILT DUMPSTER TRUCK, TANDEM AXLE, CAB-OVER 320 vin 1XPZLA0X-7-SE708547 Roll-on/Roll-off, Hydraulic Power Pack with Operator's Controls, 100 gal. (est.) Aluminum Saddle Fuel Tank, FL Tag - N96 86Q, 7200 Indicated Meter Hours; 110,273 Indicated Odometer Miles, 10- Hole BUDD Steel Wheels, Co. No. R-1. (NOTE: The Roll-On /Roll-Off Container is being sold as Lot 96.)
- 13 2013 JOHN DEERE UTILITY VEHICLE

625i-XUV, GatorTM vin 1MO625GSVDM060647 (3/12/2013) 4 x 4, EFI, Gasoline, 14,778 Indicated Odometer Miles.

- 14 UNASSIGNED
- 15 UNASSIGNED
- 16 2012 JOHN DEERE UTILITY VEHICLE

625i-XUV, Gator™ 1MO625GSKCM042756 (Mfg. 6/19/2012) 4 x 4, EFI, Gasoline, 4,333 Indicated Meter Hours. (NOTE: Tailgate is in the Haul Box, NOT Installed.)

17 – TYCO FIRE PROTECTION PRODUCTS FOAM FIRE FIGHTING TRAILER vin 4T91A192XCM066010 (Mfg. 03/2012) Consisting of but not necessarily limited to: ANSUL Protector Pedestal Mounted Station Monitor Foam Dispenser Nozzle, Model TFTZ-477899, 250 psi Maximum Operating Pressure with Aiming Handle and On/Off Lever; 2- SCHULTZ 250 gal. capacity IBC containing Ansulite Low Viscosity 3 x 3 ARC, All unitized and mounted on a Purpose Built 4 ft. x 14 ft. long Load Deck Tandem Axle Trailer having Aluminum Diamond Checkered Plate Deck Covering.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 18 TRAC VAC LAWN, LEAF AND DEBRIS VACUUM SYSTEM, TRAILER MOUNTED 6 ft. x 12 ft. x 6 ft. tall (est.), Single Axle Trailer powered by BRIGGS & STRATTEN, VANGUARD, 23hp, 2- Cycle, V, Gasoline Engine.
- 19 UNASSIGNED

LOCATION: MAINTENANCE FIELD SHOP

- 20 MILLER WELDER, CC, CV, AC-DC
 - Trailblazer 302, Professional Series 907216 MC240192R 11,000 watt Weld Generator, mounted on 4- Wheel, Tongue Steer Trailer with Leads-Rack and Leads.
- 21 SAFECART™ 4- BOTTLE OXYACETYLENE WELDING CART On Single Axle Pneumatic Tires, with Cable Hook Lifting Eye.
- 22 SAFECARTTM 4- BOTTLE OXYACETYLENE WELDING CART On Single Axle Pneumatic Tires, with Cable Hook Lifting Eye, and Oxy/Acetylene Hoses.
- 23 SAFECARTTM 4- BOTTLE OXYACETYLENE WELDING CART On Single Axle Pneumatic Tires, with Cable Hook Lifting Eye, and Oxy/Acetylene Hoses.
- 24 RIDGID BC410P, OR SIMILAR, VISE, CHAIN TYPE Mounted on RIDGID No. 1206 TriStand.
- 25 RIDGID NO. 1452 PIPE THREADER Mounted on RIDGID No. 1206 TriStand.
- 26 LOT WESTWARD AIR HYDRAULIC AXLE JACK 5M459 22/35 ton, on Single Axle with Wheels; with Jack Stands consisting of but not necessarily limited to: 2- WESTWARD® 22- ton with Adjustable Height Pins; 2-GREENLEE Model 687 Screw-Type Reel Stands, 2,500 lb. (est.) Capacity, with 4- Floor Jacks 5- Ton (est.) Hydraulic.
- 27 LOT 5- WELDING TABLES, HEAVY DUTY 5 ft. x 5 ft. (est./approx.), 2- Equipped with Heavy Duty Vises.
- 28 LOT 4- WORK-IN-PROGRESS MATERIAL SUPPORT SAW HORSES Fabricated Steel, 2- Equipped with Rollers.
- 29 WELDING CURTAIN 6 ft. x 6 ft. (approx.) dimensions.
- 30 LOT 3- WORK-IN-PROGRESS MATERIAL SUPPORT TRIPODS Adjustable Height with Angle Iron Piece Holder.
- 31 LOT 8- ITEMS (APPROX.) CHEM · TAINER, INC POLY USED OIL TANK 150 gal. (est.) capacity with Oil Spill Containment Pallet, RUBBER MAID Caution Pylon, 1- 20 gal. (est.) Steel Barrel, 5- gal. Plastic Bucket.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

32 – LOT FRISTAM PALLET RACK SHELVING, TRASH PUMP, RELATED ITEMS AND EQUIPMENT

Consisting of but not necessarily limited to: 2 in. Centrifugal Pump powered by HONDA Model WB20XT Gasoline Engine, Portable, Co. No. 95012612, Box Turnaround Joint, Miscellaneous Test Fittings, Box # 969679; Material Handling Platform, Tongue Guided, mounted on 4- Wheels; 3- Pallets with Boxes having Unknown Contents, All with Section of Pallet Rack Shelving, 9 ft. high x 42 in. deep x 8 ft. wide having Plywood Flooring.

- 33 LOT 2- BOXES PLATTCO CORPORATION AIRLOCK / BRACKETS Model Undetermined.
- 34 LOT 48- (APPROX.) FIRE EXTINQUISHERS Various Sizes; on 2- Pallets.
- 35 LOT 2- MATERIAL HANDLING BARREL TRUCKS
 1- for 55- gal. Drum, with 4- Wheels, 1- for 15 gal. (est.) Drum, 2- Wheel.
- 36 CONDUIT BENDER, HEAVY DUTY
 Mounted on Single Axle Wheel Frame having 2- Wheels.
- 37 TRAILER KING PIN JACK SUPPORT STAND
- 38 LOT STEEL STORAGE CABINETS WITH RELATED CONTENTS

Consisting of but not necessarily limited to: RADNOR Band Saw Blade, Welding Rods, Electric Power Cords, BRUTE Trash Can containing Stainless Steel Piping with Valves (Various and Related, 1- 4 ft. wide x 7 ft. tall 2- Door Steel Storage Cabinet; 1-TENNESCO 7 ft. tall x 36 in. wide Steel Book Storage Case.

39 – JET HORIZONTAL BAND SAW

14086144 Portable, Mounted on 2- Axles, 4- Wheels. (NOTE: Appears to be Missing 1- Wheel.)

- 40 MILLER INVERTER ARC WELDER WITH AUTO- LINK XMT 304 CC/CV With Leads, DC Inverter.
- 41 STEEL WELDING TABLE

42 in. high x 24 in. deep x 10 ft. long (est.) with 6 in. Heavy Duty Vice.

42 - LOT HAND TOOLS

Consisting of but not necessarily limited to: 4- Shovels: 4- Round Points; 2- Yard Rakes; Pick Ax and Related, LPG Bottle.

- 43 LOT 2- PALLETS KEYED FIRE BRICK SHAPES
- 44 LOT 2- PALLETS SUPER SACKS SYLOBEAD MS562E and unknown.
- 45 LOT 6- TELEDYNE ELECTRONIC MODULES FLOW CONTROL 4060 series Gas Chromatograph, Rack mounted; on Pallet.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 46 LOT PVC LIQUIDS TRANSFER SKID
 - Containing 3- Pumps, Tank and Exchanger Modules with Piping Manifold, PVC; on Pallet.
- 47 LOT 3- PALLETS HARBISON WALKER INTERNATIONAL® KEYED FIRE BRICK SHAPES
 - Insblock®- 19 1900° F, Board Insulation, 2 in. x 2 in. x 36 in., 14-55 lb. Buckets of SHAMROCK 885 Plastic.
- 48 LOT 1- PALLET BAGS OF FILTER SAND MATERIAL
 - And 7- (approx.) RED FLINT Sand and Gravel LLC., Filter and Industrial Sand, 50 lb. Bags.
- 49 LOT 30- BAGS (APPROX.) OIL DRI PREMIUM ABSORBENT In 40 lb. Bags; on Pallet.
- 50 LOT SUPER SACKS AND RELATED
 - 2- Super Sacks and 12 (approx.) MORGAN Tri-Mor Monolithics, 1- Super Sack Beads, (NOTE: Sack has Split Open and Beads are on the Floor.) 1- Super Sack BAG CORP Bags (Mfg. 02/2016) 255- Pieces (approx.); on 2- Pallets.
- 51 LOT FAN WHEEL, STAINLESS STEEL
 - 40 in. dia. (est.) with 2- Pieces Auger Flights, Bits and Other; on Pallet.
- 52 LOT 3- TRUCK TIRES
 - 2- BF GOODRICH, 385/65R22.5, 1- LING LONG, F816 11R22.5, 16 Ply, Tubeless. (NOTE: Appear to be NEW/UNUSED.)
- 53 LOT BRICK AND RELATED
 - Consisting of but not necessarily limited to: QIG CR 70 GP, 2- Pallets have 20- pieces of Course 1 Brick, 20- Pieces of Course 2 Brick; on 5- Pallets (approx.).
- 54 2- BOXES CHROMALOX AIR HEATER FOR HAZARDOUS LOCATION USE Cat. No. CVEP-C-36-41-32-42 Part No. 003-304647-900
- 55 LOT 14- (APPROX.) CHEVRON 55 GAL. DRUMS MEROPA® 320, GST® Oil ISO46; ULTRA DUTY Grease EP NLGI 2 and Others; on 4-Pallets.
- 56 LOT 26- (EST.) CHEVRON AND SUPERIOR 5 GAL. PAILS AND 1- 55 GAL. DRUM SW30 Motor Oil, Grease and Related.
- 57 GLOBAL 55 GAL. DRUM LIFT (NOTE: Appears to be unused.)
- 58 DIVERSIFIED HEAT TRANSFER HEAT EXCHANGER 58W52.5X99-11-6-W-F-R Job No. 100-23755 (Mfg.12/01 /2015).

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 59 LOT 2- EDSAL SAFETY STORAGE CABINET FOR FLAMMABLE MATERIALS SC450F With Recycle Bin, Portable; with contents of 2- Air hoses, Hydraulic 'Bottle' Jack, Grease Gun Manual and Related Consumables.
- 60 LOT HAND TOOLS

Consisting of but not necessarily limited to: 5- Rakes: 2- 16 in., 3- 30 in. (est.); 2- Push Brooms, 5- Shovels, Pitch Fork, Floor 'Caution' Pylon and Related.

- 61 SIEMENS INDUCTION MOTOR
 - 3003188788-10 (Mfg. 12/2011) 2500 hp, 3583 rpm, Type CG11, Frame 6811, 4,000 V, 60 Hz.
- 62 LOT 11- BAGS (APPROX.) SAKRETE AND KAOLITE CONCRETE MIX 3- Bags of Sakrete and 9- (approx.) Bags of Kaolite 2200. (NOTE: 2- Opened, Partial Bags.)
- 63 LOT OIL CENTER AND DISPENSING UNIT

Consisting of but not necessarily limited to: 2- JUST RITE® Drum Management System Stock Module, Item No. 28669, 2- JUST RITE® Dispensing Shelf, 2- JUST RITE® Base Modules; with 8- 55 gal. Drums containing but not necessarily limited too CHEVRON Hydraulic Oil AW ISO 68, DELO® 400 LE SAE 15 W-40, SUPERIOR 5 W-30 Motor Oil and Other.

- 64 LOT SPILL PALLET
 - 48 in. x 48 in., Spill Kit, 2- Boxes DUPONT Personal Protection, 3-1/2 gal. (est.) Jug of TRASOR TRAC104.
- 65 LOT DEWALT PRESSURE WASHER, LIFT, LINE STRIPPING MACHINE 3,000 psi, Portable, powered by Gasoline Air Cooled Engine, WESCO Lift, and Line Stripping Machine.
- 66 EMERSON PROCESS MANAGEMENT, DELTAV CONTROL BOX Stainless Steel, Co. No. JB-CIOC-SPARE. (NOTE: Only equipped with Terminal Strip Internals.)
- 67 LOT 2- SECTIONS PALLET RACK SHELVING
 - 2- Sections of Pallet Rack Shelving, 8 ft. high x 48 in. deep x 8 ft. long (approx.), Each Section having 2- Shelves, Wire Shelf Flooring.
- 68 LOT 4- ROLLS HOSES

Consisting of but not necessarily limited to: Series 7373T BLUE THUNDER UHMW Tube Max WP 200 psi 549 having Stainless Steel QC End Fittings.

LOT# **OUANTITY** MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

69 - LOT HOSES AND RELATED PARTS

Consisting of but not necessarily limited to: UNAFLEX Type 536 Steam Hose, Water Pressure 250 psi, 3 in. dia. x 15 ft. long (est.) 1-3 in. and 1-1/12 in; 4815 Steam EPDM WP 200 psi 17.2 Bar Drain After Use and Related, Fire Hose, 2- (approx.) 1 in. dia. (est.) Water Hoses, Pallet having 2- Stainless Steel Flexible Armor Hoses, UNAFLEX Type 636 Steam Hose WP 250 psi and Related. 2-4-1/2 in. dia. (est.), having QC End Fittings, 2-3 in. dia. (est.); 2- Collapsible Fabric Fire Hoses; 6- (est.) 1 in. (est.) Water hoses, Roll of 3/4 in. dia. (est.) Wire Rope, 2- Sight Gauges.

- 70 LOT 4- BARRELS NATIONAL PRIMARY HEAT EXCHANGER COMPONENTS With PVC Hoses, 1-1/4 in. dia. (est.).
- 71 LOT 1- CRATE, 5- BOXES (APPROX.) COLD SHRINK, WOODEN CRATES AND **RELATED**

FLARE PILOT 100 1/16" 270-TE-07427 G, Primary Fuse 5KV 1A Kit, Co. No. 95011459; 3- Boxes 3M Cold Shrink; 1- Wooden Crate- Contents Unknown.

72 - LOT 5- TIRES FOR ATV, RELATED PARTS AND SUPPLIES

5- 15 in. dia. (Overall) (est.) ATV Pneumatic Tires, 4- Appear to be Used; 2- 4 in. dia. (est.) Stainless Steel Screens, 1- Hand Powered Tool and Related; 1- 3/4 in. dia. (est.) Extra Heavy 2- Hose Pipe Manifold for Connection to an Air Compressor. 'Crow's Feet' End Connections.

73 – SPEEDAIRE AIR COMPRESSOR

35WC52 1946656 Powered by WEG 7.5 hp Electric Motor mounted on 90 gal. (est.) Horizontal Air Receiver Tank.

74 – LOT PORTABLE GREASE UNIT

Consisting of but not necessarily limited to: SAMPSON Pump 3 Master Grease Pump, with CHEVRON 20 gal. (est.) Grease Barrel mounted in 2- Wheel Material Handling Hand Truck.

- 75 LOT 2- WERNER STEP LADDERS, FIBERGLASS
 - 10 ft. tall and 8 ft. tall.
- 76 LOT 2- SAF T CARTTM INDUSTRIAL GAS BOTTLE STORAGE CAGE STS-9 900566 (Mfg. 3/2012) 2950 lbs. capacity.

77 – LOT 7- (APPROX.) PUMP / VALVE RELATED SCRAP PARTS

Consisting of but not necessarily limited to: 3- Butterfly Valves, 12 in. dia. (approx.); Centrifugal Pump Housing; 6 in. ID (approx.) Stainless Steel Valve; 2- Valve Closing Gears with Hand Wheels; on 4- Pallets.

78 - LOT 4- TRASH RECEPTICALS

1- 105 gal. (est.), 2- 95 gal. (est.), Mounted on Single Axle Trash Can Dolly and Brute Trash Can.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 79 STEEL FRAME
 - Having 2-8 ft. high Legs, 1-8 ft. long Cross Bar and Support Frame.
- 80 LOT PIPE RACK AND PIPE AND 9- BUNDLES (APPROX.) OF CONDUIT Consisting of but not necessarily limited to: 9- Bundles (approx.) of 1 in. dia. and smaller of Galvanized Pipe/ Conduit, 2- Joints of 6 in. dia. x 20 ft. long (approx.), 2- Joints 3 in. dia. x 20 ft. long (approx.) Stainless Steel Pipe, 15- Joints (approx.) 2-1/2 in. dia. x 20 ft. long (approx.) Stainless Steel Pipe, 11- Joints (approx.) 1 in. dia. (approx.) Carbon Steel Pipe, 4- Joints (approx.) of 2 in. dia. and smaller PVC Pipe and Related.
- 81 LOT 31- SPOOLS (APPROX.) ELECTRICAL POWER DISTRIBUTION CABLE Communication and Instrumentation Wire, Various and Assorted.
- 82 LOT 7- SHEETS (APPROX.) SHEETS OF STEEL, STAINLESS AND CARBON Consisting of but not necessarily limited to: 3- Sheets (approx.) of 1/2 in. thick x 4 ft. x 8 ft. long (est.) Stainless Steel (NOTE: 2- Sheets appear to be Full/Uncut), 3- Sheets of 1/4 in. thick x 4 ft. x 8 ft. (est.) Carbon Steel, 1- Sheet of 3/4 in. thick (est.); on 2- Pallets.
- 83 LOT 25- PIECES (APPROX.) PALLET RACK SHELVING AND COMPONENTS Consisting of but not necessarily limited to: 6- 8 ft. long (est.) Upright Supports, 16 (approx.) Shelf Support Pieces.
- 84 LOT 4- PILES PIPE, CONDUIT AND FABRICATED ITEMS, CARBON STEEL Consisting of but not necessarily limited to: 15- Joints (approx.) 8 in. to 2 in. dia. (est.) x 20 ft. long and shorter; 25- Joints (approx.) 2 in. dia. x 6 ft. long (est.) with Both Ends Plugged; 25 Pieces (est.) Thin Wall Conduit Various Sizes, Shapes and Lengths.
- 85 LOT 4- PILES SALVAGE STAINLESS PIPE AND STEEL SHAPES, GAS BOTTLE STORAGE FRAMES, TIPPERS

 Consisting of but not necessarily limited to: 8 in. and smaller Stainless Steel and Carbon Steel, PVC, Fabricated Pieces, Fittings, and Related, 6- Fabricated Industrial Gas Bottle Storage Frames, 4- (approx.) Tippers/Trash Tubs; with 6- Pallets (approx.) of Butterfly Valves, having 10 + (est.) 16 in. dia. (est.) and Smaller Butterfly Valves.
- 86 UNASSIGNED
- 87 ROTO · DISC FLOW CONTROL VALVE 8 in., Stainless Steel, Flanged.
- 88 LOT PUMP AND PIPING MANIFOLD

Consisting of but not necessarily limited to: 4-3/4 in. (est.) Stainless Steel, Gear Type Pumps, Each Individually powered by BALDOR 1/2 hp (est.) Electric Motors with 1/2 in. (est.) Stainless Steel Piping Manifold having 8- DPRO Stainless Steel Valves and Related Devices. Co. No. P-0710A, P-0710B, and P-0711A, P-0711B. With Lot of 2- ULTRA IBO Spill Pallet Plus 30 in. high x 48 in. x 48 in. (approx.) dimensions, having 2- Section Perforated Top Cover.

89 – LOT 7- ULTRA IBC SPILL PALLET CONTAINER

P4 48 in. x 48 in. (approx.) having 2- Section Perforated Top Cover.

8 of 112

-ACCURACY OF DESCRIPTION NOT GUARANTEED-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIEDFOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 90 LOT 5- ULTRA IBC SPILL PALLET CONTAINER Plus 5 ft. x 5 ft. x 2 ft. deep (approx. dimensions).
- 91 LOT 10- PIECES (APPROX.) ARMORCAST PRODUCTS COMPANY TRAFFIC SAFETY BARRIER COMPONENTS GuardianTM.
- 92 LOT 2- PIECES (APPROX.) K.P. MCNAMARA CO. INTERMEDITATE BULK CONTAINER
 - 250 gal. capacity, Co. No. D-0309 and Co. No. D-0303.
- 93 SEBRIGHT PRODUCTS, INC. ROLL-ON ROLL-OFF TRASH COMPACTOR SC4260-1-6 150911374 Max. Force 56,540 lbs. (NOTE: Appears to be UNUSED.) Co. No. 2.
- 94 SEBRIGHT PRODUCTS, INC. ROLL-ON ROLL-OFF TRASH COMPACTOR SC4260-1-6 150911375 Max. Force 56,540 lbs. (NOTE: Appears to be UNUSED.) Co. No. 3.
- 95 SEBRIGHT PRODUCTS, INC. ROLL-ON ROLL-OFF TRASH COMPACTOR SC4260-1-6 150911373 Max. Force 56,540 lbs. (NOTE: Appears to be UNUSED.) Co. No. 1.
- 96 IRON CONTAINER MANUFACTURING ROLL-ON ROLL-OFF TRASH COMPACTOR 44 in. high x 7 ft. wide x 19 ft. 10 in. long (approx.) having Modified V-Bottom, Flared Sides. (NOTE: This Unit is mounted on, BUT being SOLD SEPARATELY from, LOT 12.)
- 97 LOT 5- IRON CONTAINER MANUFACTURING ROLL-ON ROLL-OFF TRASH COMPACTOR
 44 in. high x 7 ft. wide x 19 ft. 10 in. long (approx.) having Modified V-Bottom, Flared Sides.
- 98 LOT 5- MODERN EQUIPMENT CO, INC. MATERIAL HANDLING BINS, DUMPING, PORTABLE
 - 4 ft. wide x 4 ft. long x 3-1/2 ft. high, mounted on 4- Metal Wheels.
- 99 LOT 10- SPOOLS (APPROX.) MULTI-STAND COPPER ELECTRICAL POWER DISTRIBUTION CABLE

 (NOTE: 6 of the 10 Speeds agreed to Box 10 Consisting of but not accessed.)
 - (NOTE: 6- of the 10 Spools appear to be Partial); Consisting of but not necessarily limited to: OKONITE 4 500 KCMIL Compact CU Okoguard EP PVC Shield 15 KV 133% Ins Level 220 Mils (UL) MV5 SUN Reserve for CT Use FT4 JC or CSA LL 396 FT4 LTGG SR and Similar Types; on 5- Pallets.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 105 FEED STOCK LOADING

RAW FUEL TRAIN #1

100 - KRAUSE MANUFACTURING INC METERING CONVEYOR

11K419601A, #3024981, #3016028 10 ft. 6 in. high x 8 ft. wide x 36 ft. long (approx.), having KRAUSE MANUFACTURING INC. 56 in. wide (approx.) Flat Belt Conveyor Co. No. Z-0101, powered by KRAUSE MANUFACTURING INC. Geared Speed Reduction Unit having Electric Motor.

With CP MANUFACTURING, INC. LEVELING WHEEL UNIT WITH LEVELING CONVEYOR

Powered by Hydraulic Motor Co. No. X-0105; having: KRAUSE MANUFACTURING INC. Leveling Conveyor, 56 in. x 45 ft. (est.) Length, 30° (est.) Incline Flat Belt, Full Top Cover. Co. No. X-0101; With Independent Hydraulic Power Unit having 3- Side and Top Cone Shielding Structure.

101 – TIPPER AND PORTABLE LADDER

Tipper Co. No. 3, 5- Step High Safety Ladder.

102 - WEIGHT BELT CONVEYOR

Powered Flat Belt having Troughing Rollers, 56 in. x 100 ft. long (approx.) Co. No. S-0105; powered by Electric Motor driving through Reduction Gear Box.

FEED STOCK DRYING

103 – CARRIER VIBRATING EQUIPMENT INC, VIBRANETICS DIVISION FLUID BED DRYER

HH1/AD-60905, Posi-FlowTM 27514 (Mfg. 9/26/2011) 68 in. wide x 45 ft. long (approx.) 3/4 in. Stroke, 317 RPM, Powered by TOSHIBA 10 hp Electric Motor.

104 - STEAM HEATING UNIT

10 ft. 6 in. high x 34 in. wide x 10 ft. 6 in. deep (approx.) OD, having Blanket Exterior Insulation, 2- Steam-in/Condensate-Out Zones, with Piping Manifold and Control Valves, Manually Operated; having Fluid Bed Dryer Air Supply Ducting, 5 ft. high x 4 ft. 6 in. wide x 45 in. long (approx.) OD, decreasing to 40 in. high x 24 in. wide (approx.) fully Insulated, All Sides having Fully Corrugated, Aluminum, Exterior Jacket.

105 – CARRIER VIBRATING EQUIPMENT, INC DRYER BAG HOUSE

STU-5114-10 WIP (Mfg. 2011) 43 ft. 6 in. tall x 12 ft. 8 in. wide x 35 ft. long (approx.) OAD, Reverse Pulse Jet Type, 714 Bags, Carbon Steel, Material of Construction, 60,765 acfm Capacity; Fully Insulated, having Corrugated Aluminum Exterior Jacket, V-Hopper Bottom containing a Screw Type Refuse/Fines Discharge Conveyor, powered by Electric Motor driving through Reduction Gear Box. Co. No. F-0101.

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 106 REDLINE DISCHARGE BELT CONVEYOR
 - D-2-18 (Mfg. 01/2013) 16 in. wide x 15 ft. long (approx.) having Steel Tubing Trussed Frame, powered by Electric Motor driving through Reduction Gear Box; Co. No. 105-M-S0113; with MAC Rotary Air Lock powered by BALDOR Electric Motor driving through Reduction Gear Box, Co. No. 105-M-S0113.
- 107 THERMAL TRANSFER PRODUCTS INDEPENDENT HYDRAULIC POWER UNIT For use with Trash/Refuse Roll-On / Roll-Off Compactor Unit., Co. No. T1.
- 108 DUCT WORKS
 - For Bag House to Exhaust Fan, 60 in. dia. x 60 ft. long (est.) OAD having 2- 90° long Sweep Ells, fully Insulated with Corrugated Aluminum Metal Jacket.
- 109 NEW YORK BLOWER RECIRCULATING SUPPLY INDUSTRIAL FAN AF-Forty Fan (Mfg. 2011) Wheel Size and Type: 495AF, Co. No. C- 0101; powered by TOSHIBA 300 hp, 460 V, 1800 rpm, Electric Motor, s/n 091100038.
- 110 CARRIER VIBRATING EQUIPMENT, INC. EXHAUST STACK
 36 in. dia. x 45 ft. high (est.) Fully Insulated Base Section to about 8 ft. tall having
 Corrugated Aluminum Metal Jacket and 16 ft. high (est.) Single Wrap Blanket Insulation,
 Co. No. X-0101.
 - With DUCT WORKS

For Fan to Steam Heater, 7 ft. high x 38 in. wide increasing to 10 ft. 6 in. x 10 ft. 6 in. x 45 ft. long OAD, Fully Insulated having Corrugated Aluminum Metal Jacket.

- 111 PROCESS CONTROL PANEL, STAINLESS STEEL
 - Containing 2- ALLEN BRADLEY Panel View 600 HDMI Units, 1- Each for Co. No. E-0101 and E-0102; with High Voltage Emergency Stop/Reset Cabinet.
- 112 POTTER/TYCO RELEASING PANEL FIRE PROTECTION / SUPPRESSION PFC Series For Fluid Bed Dryer with TYCO Red E Cabinet.
- 113 KRAUSE MANUFACTURING INC DRIED RAW MATERIAL TRANSFER CONVEYOR
 - 1K419605A-3015463 56 in. wide x 105 ft. long (approx.) Drag Flat Belt Conveyor Co. No. Z-0103; having 35 ° (approx.) Inclined Section 56 in. wide x 105 in. long (approx.).
- 114 INCLINE CONVEYOR DISCHARGE TAIL STOCK MCC-2A-7FML With V-Type Roofing Cover.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 110 GASIFIER

115 – CONSUTECH / ADVANCED VESSEL & ALLOY GASIFIER 1 PRIMARY CHAMBER SYSTEM

Consisting of but not necessarily limited to: Package Upper and Lower Chambers; Ash Upper and Lower Chambers; Upper and Lower Burners; Upper and Lower Fans; Air Separator; Compression Tanks; Ash Quench Drag Chain Conveyor powered by Electric Motor driving through Reduction Gear Box with Appropriate Independent Hydraulic Power Packages having Pumps powered by Electric Motor with Control Valves and Hydraulic Reservoir, and Related and Support Components; 3- Lots Hoses, consisting of but not necessarily limited to: 1- 4 in. dia. x 8 ft. long (est.) Flex Armored Stainless Steel, 2- 4 in. dia. x 8 ft. long (est.) Rubber, Each Hose is fitted with End Connectors.

With Having but not necessarily limited to: Flared In-Feed Transition having External Reinforcing Ribs, Each with Bottom Gusset Plates having UNITHERM Electrical Control Panel, Stainless Steel, Co. No. 110-M-C0211; with NEW YORK BLOWER Industrial Fan powered by BALDOR 2- hp Electric Motor with Valves and Controls; Vertical Metering Surge Chamber, with Compression Chamber having Compression Door and Fire Door, Hydraulically Operated, Lower Chamber having Lower Burner, Rams 1 and 2 and 3. (Note: Some of the Components may be Individually Listed and Lotted Elsewhere in this Catalog. The apparent Duplication is for the Purpose of Functional and Nomenclatural Description of the Subject Unit and not for the Purpose of Numerical Accounting of Components.)

With UPPER CHAMBER EXHAUST SYSTEM DUCT WORK

Top Mounted Exhaust System Duct Work, 6 ft. dia. (est.), having pitched Metal Roof with 8- or 16- Sight Gauges (approx.).

With DIGITAL READ-OUT METERS

GT 1000 20- BROOKS GT-1000, Model 1024NPDA2AC5F9CB0001; and 14-ROSEMONT HDMI Instrumentation Units. (NOTE: Number of Units is approx.)

With GASIFIER 1 SYSTEM STATUS AND MANUAL CONTROL PANEL With ALLEN BRADLEY PanelView 600 HDMI Operating Cycle and Auxiliary Systems Status, Natural Gas Fuel Supply Piping and Manifold with Control Valves.

116 - INDEPENDENT HYDRAULIC POWER UNIT

Having 2- Hydraulic Pumps, Each independently powered by CROWN TRION 25 hp Electric Motor, Hydraulic Oil Reservoir, Co. No. TK-0220; Motor Starter Control Boxes.

117 – EXACT EXCHANGER, INC COOLING WATER HEAT EXCHANGER AWG 45-6S 1110344 (Mfg. 11/2011) Co. No. E-0107; Powered by WEG 15 hp Electric Motor.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 118 TRAIN 1 COOLING LOOP CIRCULATING PUMP AND SURGE TANK SKID Having 2- Pumps individually powered by TOSHIBA 7.5 hp (est.) Electric Motor Air Separator. Co. No. TK-0214; Surge Tank, Co. No. TK-0216, with Motor Control Panel, Co. No. 110-M-E-0103; MCC-2A 8FM, with TRAC-104 5 gal. Tank.
- 119 FISHER FLANGED VALVE For Natural Gas, 3 in., WCB/WCC.
- 120 UNASSIGNED
- 121 UNASSIGNED
- 122 ASH SUMP WATER WASH COOLING TANK

12 ft. high x 8 ft. wide x 20 ft. long (est.) having 15 ft. long (approx.) 45° Incline Section with Sink Chain Skimmer Bars of the Ash Quench Conveyor, with Burn-Out Pan and Ash Ram. Co. No. S-0203; Operator's Remote Control Pedestal consisting of but not necessarily limited to: 3- Motor Starter and Circuit Starter Control Boxes; 1- Ash Remover; 1- Ash Sump Injectors and 1- Conveyor containing Switches and Indicator Lights; Pressure Regulator with Gauge; Mounted on Stainless Steel Panel and 3/8 in. (est.) dia. Lines.

123 - INDEPENDENT HYDRAULIC POWER UNIT

Having 2- Hydraulic Pumps, Powered by 2- Electric Motors with Train 1 Main Disconnect Electrical Control Box, Stainless Steel. (NOTE: No Co. No. Located.)

124 – ASH CONVEYOR DISCHARGE UNIT

3 ft. high x 8 ft. wide x 25 ft. long (est.) OAD with Independent Hydraulic Power Package, Co. No. TK-0212; having 2- Hydraulic Pumps, Each Independently powered by Electric Motor, Hydraulic Oil Reservoir Tank, and Controls.

125 - PIPING MANIFOLD

Having FISHER Valve and Actuator, ROSEMONT HDMI Sensor Unit.

126 – TRAIN 1 LOW PRESSURE STEAM, OXYGEN AND NITROGEN SUPPLY AND DISTRIBUTION MANIFOLDS

Consisting of but not necessarily limited to: 4 in. Carbon Steel Piping, 3- FISHER Type 6072 - Size 70 Valves and Actuators. Size 1-1/2 Valves and Actuators; 4 in. Flanged, Stainless Steel Piping, 2- Ball Valves; 1- Check Valves; 1- FLO-TITE 2-1/2 in. Ball Valve having AIR-CON Pneumatic Actuator, Co. No. 110-HV-01352.

- 127 ASH REMOVAL COMMON CONVEYOR Drag Type, Co. No. S-0202.
- 128 UNASSIGNED
- 129 UNASSIGNED

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 110 SYNGAS

TRAIN 1- SYNGAS

130 – OPTIMUS / CHANUTE MANUFACTURING PRIMARY SYNGAS COOLER 11045, Unit 1, Nat. Bd. No. 581 (Mfg. 2012) Co. No. E-0201, Fully Insulated, having Speckled Aluminum Exterior Metal Jacket; 6 ft. dia. x 30 ft. - 50 ft. tall (est.) MAWP 700 psig, 13423 sq. ft. Heating Surface. 22,000 lbs./hr. heating capacity, High Pressure 700 psig @ 550° F, Low Pressure 130 psig @ 450° F having Intake and Discharge Piping/Duct Work, Insulated, (NOTE: Repaired by CMO June 2014, # R-3339).

131 - PROCESS BARRON RECIRCULATING FAN

840/840, RA 13A 52, 417 024554 (Mfg. 7/2011) 16 in. wide x 12 ft. dia. (approx.) size 840/840 External Dimensions, R13A 52,417 @ 55 in. W. G. CFM, SI (115%) SW, 1800 max rpm, powered by SIEMENS Electric Motor, 700 hp Co. No. C-0204; with Intake and Exhaust Duct Transitions.

132 – SAVANNAH TANK & MANUFACTURING INC. SEAL DRUM (Mfg. 2012) Co. No. D-0771, 2900 gal. Capacity, Code: ASME - No Stamp, 1.0 r.g., 480° F Design Temperature;. With ORION INSTRUMENTATION Sight Gauge, Stainless Steel, 4 in. high (approx.).

133 – FISHER VALVE AND ACTUATOR

8 in. Rising Stem Gate Valve; with Weir High Alarm and Low Alarm.

134 – ELECTRICAL CONTROL UNIT

Consisting of but not necessarily limited to: 8- Stainless Steel, Weather Proof Boxes, 4-each for R-1 and T-2 VFDS Eductor System Co. No. SIC-12907 and Co. No. SIC-12911 and SIC-22907 and Co. No.SIC-22911; Co. No. CIOC 110K and Co. No. H3PNL Feed from HVI.

135 – SYNGAS BFW PREHEATER

Co. No. E-0203, Fully Insulated having Speckled Aluminum Exterior Metal Jacket.

136 - CHANUTE MANUFACTURING HIGH PRESSURE STEAM DRUM

Consisting of but not necessarily limited to: 1- Plate and Frame Heat Exchanger, Fully Insulated, 1- 18 in. tall (est.) Sight Gauge, with Piping Manifolds and Control Valves 2- 6 in. Pressure Relief Valves, FISHER Valve and Actuator, Fully Insulated with Crinkled Aluminum Full Metal Jacket, PULSCO Gas Explosion Valve.

137 – PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 2- FISHER Valves with Actuators, 4- 2 in. Manually Actuated Valves, 2- Pressure Relief Valves, 2- PULSCO Gas Explosion Valve.

138 – 6- ROSEMONT DIGITAL INSTRUMENTATION READ-OUT METERS

139 – 2- HARRINGTON HOIST INC 3-TON GEARED CHAIN HOISTS Having Single Sheave Hook / Block with Underslung Trolley.

14 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

140 - CHANUTE MANUFACTURING LP STEAM DRUM

11045A41, Nat. Bd. No. 560 (Mfg. 2011) Co. No. D-0216, Having 2- FISHER Valves and Actuators, 12 + (approx.) Rising Stem Valves, Fully Insulated having Aluminum Exterior Metal Jacket with Piping and Valve Manifold, consisting of but not necessarily limited to: 2- Pressure Relief Valves; 2- ROSEMONT HDMI Units; and 2- Sight Gauges.

141 – LP SYNGAS GENERATOR

Co. No. E-0215, 5 ft. dia. x 30 ft.tall (est.) fully Insulated having Aluminum Metal Exterior Jacket, with In-Take and Out-Put Piping, 30 in. dia. Fully Insulated.

142-149 UNASSIGNED

- 150 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN FOR TRAIN 2
 590/590 R13ASI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 11,333 ACF MC 27.5 in.
 W. G. Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100
 IEEE 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre, Co. No. C-0201A.
- 151 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN FOR TRAIN 2
 590/590 R13ASI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 11,333 ACF M @ 27.5 in.
 W. G. Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100
 IEEE 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre,
 Co. No. C-0201B.
- 152 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN FOR TRAIN 2
 590/590 R13ASI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 11,333 ACFM @ 27.5 W.
 G., Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100 IEEE
 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre, Co.
 No. C-0201C.

153 – LOT SORBENT FEED CYCLONE

Co. No. T-0704A; With Piping, 12 in. dia. (est.) Butterfly Valve and Controls.

With RAYCHEM HEAT TRACING CONTROLLER ASSEMBLY 920 Series, Model 920° E4FWL*SIS302*SSH3202*T45 With DIGI TRACE® Unit and ACT American Controls, Knife Gate, Manually Operated.

154 – SYNGAS BAG HOUSE

Co. No. F-0201 A & B, HAVING 2- PLATTCO Isolation Valve Control Panels and 2- 4-Control Box for Air Control Valves, PLATTCO Vibrator Galvanized Valve and Proxim Switch. (NOTE: A is for Train 1, and B is for Train 2.)

155 – SYNGAS FILTER CONTROL PANEL, STAINLESS STEEL 920° E4FWL*SIS302*SSH3202*T45 Stainless Steel, Electrical, Co. No. MCC-2A-7FMR. 156-199 UNASSIGNED

15 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 105 FEED STOCK LOADING

RAW FUEL TRAIN #2

- 200 LOT KRAUSE MANUFACTURING INC METERING CONVEYOR
 - 11K419601B, #3016928 10 ft. 6 in. high x 8 ft. wide x 36 ft. long (approx.), having KRAUSE MANUFACTURING INC. 56 in. wide (approx.) Flat Belt Conveyor, Co. No. Z-0102; powered by KRAUSE MANUFACTURING INC. Geared Speed Reduction Unit having Electric Motor. Co. No. Z-0102.
 - With CP MANUFACTURING, INC. LEVELING WHEEL UNIT
 Powered by Hydraulic Motor Co. No. K-0106; having KRAUSE
 MANUFACTURING INC. Leveling Conveyor, Co. No. S-0102; Powered by
 KRAUSE MANUFACTURING INC. 56 in. x 45 ft. (est.) Length, 30° (est.) Incline
 Flat Belt, Full Top Cover; With Independent Hydraulic Power Unit having 3- Sided
 and Top Cover Shielding Structure.
- 201 LOT 3- TIPPER AND PORTABLE LADDER Tipper No. 4; 2- Safety Ladders, Portable, 1- 5- Steps High and 1- 3- Steps High.
- 202 KRAUSE MANUFACTURING INC WEIGHT BELT CONVEYOR
 Powered Flat Belt having Troughing Rollers, 56 in. wide x 50 ft. long (approx.), Co. No. S-0106; powered by Electric Motor driving through Reduction Gear Box.

FEED STOCK DRYING

- 203 CARRIER VIBRATING EQUIPMENT INC, VIBRANETICS DIVISION FLUID BED DRYER
 - HH1/AD-6090S, Posi-FlowTM 27515 (Mfg. 9/16/2011) 68 in. wide x 45 ft. long (approx.) 3/4 in. Stroke, 317 RPM.
- 204 STEAM HEATING UNIT
 - 10 ft. 6 in. high x 34 in. wide x 10 ft. 6 in. deep (approx.) OD, having Blanket Exterior Insulation, 2- Steam-in/Condensate-Out Zones, with Piping Manifold and Control Valves, Manually Operated; having Fluid Bed Dryer Air Supply Ducting, 5 ft. high x 4 ft. 6 in. wide x 45 in. long (approx.) OD, decreasing to 40 in. high x 24 in. wide (approx.) fully Insulated, All Sides having Fully Corrugated, Aluminum, Exterior Jacket.
- 205 CARRIER VIBRATING EQUIPMENT INC. DRYER BAG HOUSE STU-5114-10 WIP (Mfg. 2011) 43 ft. 6 in. tall x 12 ft. 8 in. wide x 35 ft. long (approx.) OAD, Reverse Pulse Jet Type, 714 Bags. Carbon Steel, Material of Construction, 60,765 acfm Capacity; Fully Insulated, having Corrugated Aluminum Exterior Jacket, V-Hopper Bottom containing a Screw Type Refuse/Fines Discharge Conveyor powered by Electric Motor driving through Reduction Gear Box. Co. No. F-0102.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 206 REDLINE DISCHARGE BELT CONVEYOR
 - D-2-18 (Mfg. 01/2013) 16 in. wide x 15 ft. long (approx.) having Steel Tubing Trussed Frame, powered by Electric Motor driving through Reduction Gear Box; with MAC Rotary Air Lock powered by Electric Motor driving through Reduction Gear Box; Co. No. 105-M- S0114.
- 207 THERMAL TRANSFER PRODUCTS INDEPENDENT HYDRAULIC POWER UNIT For use with Trash/Refuse Roll-On / Roll-Off Compactor Unit, Co. No. T2.
- 208 DUCT WORKS
 - For Bag House to Exhaust Fan, 60 in. dia. x 60 ft. long (est.) OAD having 2- 90° long Sweep Ells, fully Insulated with Corrugated Aluminum Metal Jacket.
- 209 NEW YORK BLOWER RECIRCULATING SUPPLY INDUSTRIAL FAN AF-Forty Fan (Mfg. 2011) Wheel Size and Type: 495AF, Co. No. C- 0101; powered by TOSHIBA 300 hp, 460 V, 1780 rpm, Electric Motor, s/n 110306066. Co. No. C-0201.
- 210 EXHAUST STACK
 - 36 in. dia. x 45 ft. high (est.) Fully Insulated Base Section to about 8 ft. tall having Corrugated Aluminum Metal Jacket and 16 ft. high (est.) Single Wrap Blanket Insulation. With DUCT WORKS+H183
 - For Fan to Steam Heater, 7 ft. high x 38 in. wide increasing to 10 ft. 6 in. x 10 ft. 6 in. x 45 ft. long OAD, Fully Insulated having Corrugated Aluminum Metal Jacket.
- 211 UNASSIGNED
- 212 POTTER/TYCO RELEASING PANEL FIRE PROTECTION / SUPPRESSION PFC Series For Fluid Bed Dryer with TYCO Red E Cabinet.
- 213 KRAUSE MANUFACTURING INC DRIED RAW MATERIAL TRANSFER CONVEYOR
 - 11K4196675805A-3015175 56 in. wide x 105 ft. long (approx.) Drag Flat Belt Conveyor; having 35° (approx.) Inclined Section 56 in. wide x 105 in. long (approx.), Co. No. S-0104.
- 214 INCLINE CONVEYOR DISCHARGE TAIL STOCK MCC-5A-1RL With V-Type Roofing Cover.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

215 – CONSUTECH / ADVANCED VESSEL & ALLOY GASIFIER 2 PRIMARY CHAMBER SYSTEM

Consisting of but not necessarily limited to: Package Upper and Lower Chambers; Ash Upper and Lower Chambers; Upper and Lower Burners; Upper and Lower Fans; Air Separator; Compression Tanks; Ash Quench Drag Chain Conveyor powered by Electric Motor driving through Reduction Gear Box with Appropriate Independent Hydraulic Power Packages having Pumps powered by Electric Motor with Control Valves and Hydraulic Reservoir, and Related and Support Components; 3- Lots Hoses, consisting of but not necessarily limited to: 1- 4 in. dia. x 8 ft. long (est.) Flex Armored Stainless Steel, 2- 4 in. dia. x 8 ft. long (est.) Rubber, Each Hose is fitted with End Connectors.

With Flared Transition having External Reinforcing Ribs, Each with Bottom Gusset Plates having UNITHERM Electrical Control Panel, Stainless Steel, Co. No. 110-M-C0212; with NEW YORK BLOWER Industrial Fan powered by BALDOR 2- hp Electric Motor with Valves and Controls; Vertical Metering Surge Chamber, with Compression Chamber having Compression Door and Fire Door, Hydraulically Operated, Lower Chamber having Lower Burner, Rams 1 and 2 and 3. (NOTE: Some of the Components may be Individually Listed and Lotted Elsewhere in this Catalog. The Apparent Duplication is for the Purpose of Functional and Nomenclatural Description of the Subject Unit and not the Purpose of Numerical Accounting of Components.)

With UPPER CHAMBER EXHAUST SYSTEM DUCT WORK

Top Mounted Exhaust System Duct Work, 6 ft. dia. (est.), having Pitched Metal Roof with 8- or 16- Sight Gauges (approx.).

With DIGITAL READ-OUT METERS

GT 1000 12- BROOKS GT-1000, Model 1024NPDA2AC5F9CB0001; and 14-ROSEMONT HDMI Instrumentation Units. (NOTE: Number of Units is approx.)

With GASIFIER 2 SYSTEM STATUS AND MANUAL CONTROL PANEL
With ALLEN BRADLEY PanelView 600 HDMI Operating Cycle and Auxiliary
Systems Status, Natural Gas Fuel Supply Piping and Manifold with Control Valves.

216 - INDEPENDENT HYDRAULIC POWER UNIT

Having 2- Hydraulic Pumps, Each independently powered by CROWN TRION 25 hp Electric Motor, Hydraulic Oil Reservoir, Co. No. TK-0210, Motor Starter Control Boxes.

- 217 EXACT EXCHANGER, INC COOLING WATER HEAT EXCHANGER AWG 450-6S 1110345 (Mfg. 11/2011) Co. No. E-0207; Powered by WEG 15 hp Electric Motor.
- 218 TRAIN 2 COOLING LOOP CIRCULATING PUMP AND SURGE TANK SKID Having 2- Pumps individually powered by TOSHIBA 7.5 hp (est.) Electric Motor Air Separator. Co. No. TK-0226; Surge Tank, No. E-0226, with Motor Control Panel, Co. No. 110-M-E-0203; MCC-2A 8FM, with TRAC-104 5 gal. Tank.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 219 FISHER FLANGED VALVE, NATURAL GAS 3 in., WEB/WCC.
- 220 UNASSIGNED
- 221 UNASSIGNED
- 222 ASH SUMP WATER WASH COOLING TANK

12 ft. high x 8 ft. wide x 20 ft. long (est.) having 15 ft. long (approx.) 45° Incline Section with Sink Chain Skimmer Bars, with Burn-Out Pan and Ash Ram, with Ash Sump Pump; Operators Control Pedestal consisting of but not necessarily limited to: 3- Motor Starter Circuit Starter Control Boxes; 1- Ash Remover; 1- Ash Sump Injector and 1- Conveyor containing Switches and Indicator Lights, Pressure Regulator with Gauge; mounted on Stainless Steel Panel and 3/8 in. (est.) dia. Lines; and 2- ROSEMONT HDMI Modules.

- 223 TRAIN 2 ASH RAM PUMP A & B INDEPENDENT HYDRAULIC POWER UNIT Having 2- Hydraulic Pumps, Powered by 2- Electric Motors with Train 1 Main Disconnect Electrical Control Box, Stainless Steel, Co. No. MCC-5A-7RF.
- 224 ASH DISCHARGE CONVEYOR UNIT

3 ft. high x 8 ft. wide x 25 ft. long (est.) OAD with Independent Hydraulic Power Package, Co. No. TK-0222; having 2- Hydraulic Pumps, Each Independently powered by Electric Motor, Hydraulic Oil Reservoir Tank, and Controls.

TRAIN 2 LOW PRESSURE STEAM HEATING UNIT

- 225 SALVATORE ROBUSCHI CONDENSATION RECIRCULATING UNIT Consisting of but not necessarily limited to: SALVATORE ROBUSCHI Model T1PORB 250 35 AR C181 3, Centrifugal Pump, 12 in. x 12 in. (est.), Material 21600A, Co. No. P-0357 powered by ABB 75 kw Electric Motor, s/n 3 GP 12034594, Unitized and Mounted on Fabricated Steel Base.
- 226 PROYSER CALDERERIA, S.A. EVAPORATOR OVERHEAD CONDENSATE COLLECTION TANK AND CELL PURGE PREHEATER, STAINLESS STEEL 2808.3, OC/32484 (Mfg. 2012) 5- 3 in. OD (est.) Tubing Loops, Each Insulated with Corrugated Aluminum Metal Exterior Jacket; (NOTE: 1 ft. (approx.) of each Tube and the 180° Fitting are not Insulated.), Co. No. E-0357, Condensation Tank Co. No. D-0357; with 1313 liter capacity, with Conical Hopper Bottom Fully Insulated having Dimpled Aluminum Exterior Metal Jacket.
- 227 PROYSER CALDERERIA, S.A. HRS HEAT EXCHANGER, STAINLESS STEEL 2808.4 (Mfg. 2012) 5951 Liter Capacity, With Conical Hopper Bottom, Fully Insulated having Dimpled Aluminum Exterior Metal Jacket.
- 228 PROYSER CALDERERIA, S.A. CELL PURGE EVAPORATOR 2808.1 (Mfg. 2012) Co. No. E-0355, 24 in. (approx.) overall dia., fully insulated, with Dimpled Aluminum, Exterior Metal Jacket.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 229 PROYSER CALDERERIA, S.A. OVERHEAD CONDENSOR
 2803.2 (Mfg. 2012) Stainless Steel, Co. No. E-0356; With Overhead Condenser, Stainless
 Steel, Horizontal, 18 in. dia. x 10 ft. long (est.) Uninsulated, Co. No. F-0356; with
 GRUNDFOS, Cooling Booster Pump, Type NK100-160/165A1F2AE-SBAOE, Powered
 by Electric Motor, Co. No. P-0359.
- 230 TRAIN 2 LOW PRESSURE STEAM, OXYGEN AND NITROGEN SUPPLY AND DISTRIBUTION MANIFOLDS
 Consisting of but not necessarily limited to: 4 in. Carbon Steel Piping, 3- FISHER Type 6072- Size 70 Valves and Actuators. Size 1-1/2 Valves and Actuators; 4 in. Flanged, Stainless Steel Piping, 2- Ball Valves; 1- Check Valves; 1- FLO-TITE 2-1/2 in. Ball Valve having AIR-CON Pneumatic Actuator, Co. No. 110-HV-01352.
- 231 CELL PURGE EVAPORATOR ELECTRICAL CONTROL CABINET
 Consisting of but not necessarily limited to: ALLEN BRADLEY PanelView Plus 1000
 HDMI Unit and Other, Co. No. MCC-3B-4FG.
- 232 PIPING AND VALVE MANIFOLD

 Consisting of but not necessarily limited to: FISHER 4 in. Type V150, WCC/1.0619 Valve and Actuator, 2- manual 4 in. Gate Valves, 2- Pressure Gauges.
- 233 WILDEN AIR OPERATED DIAPHRAM PUMP XPS15/AAAAA/ZWS/ WF/WF 0021482305 (Mfg. 02/10/2014) 3 in. (approx.).
- 234 SAIDI RISING STEM VALVE WCB, 6 in. Flanged, DI, Material of Construction. Class 150, Manually Operated.
- 235 PROCESS BARRON RECIRCULATING FAN 840/840, R13A 52,417 024554 071-? 16 in. wide x 12 ft. dia. (approx.) size 840/840 External Dimensions, R13A 52,417 @ 55 in. W. G. CFM, SI (115%) SW, 1800 max rpm, powered by SIEMENS Electric Motor, 700 hp Co. No. C-0206.
- 236 UNASSIGNED
- 237 UNASSIGNED
- 238 UNASSIGNED
- 239 CHANUTE MANUFACTURING HIGH PRESSURE STEAM DRUM With Piping Manifolds and CONSOLIDATED Control Valves 2- 2 in. Pressure Relief Valves, FISHER Valve and Actuator, Fully Insulated with Crinkled Aluminum Full Metal Jacket, PULSCO Gas Explosion Valve.
- 240 OPTIMUS CHANUTE MANUFACTURING TRAIN 2 PRIMARY SYNGAS COOLER 11045 Unit 2, Nat. Bd. No. 582 (Mfg. 2012) Co. No. E-0202; 5 ft. dia. x 35 ft. tall (est.) OAD, Fully Insulated with Aluminum Exterior Metal Jacket, M.A.W.P. 700 psig, 15, 423 sq. ft. Heating Surface, 22,000 Lbs./ Hr. Steam Capacity.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 241 CHANUTE MANUFACTURING LOW PRESSURE STEAM DRUM, TRAIN 2 11045-B41, Nat. Bd. No. 561 (Mfg. 2011) Co. No. D-0218, 3 ft. dia. x 4 ft. long, Fully Insulated having Aluminum Exterior Metal Jacket with Piping and Valve Manifold consisting of but not necessarily limited to: FISHER Valve and Actuator, 9- (approx.) Manually Operated Gate Valves, 2- ROSEMONT HDMI Instrumentation.
- 242 LOW PRESSURE SYNGAS GENERATOR Co. No. 0217.
- 243 LOT SYNGAS BFW PREHEATER
 Co. No. E-0204, With 7 ROSEMONT HDMI, 1- Plate and Fin Type Heat Exchanger.
- 244 PIPING AND VALVE MANIFOLD

 Consisting of but not necessarily limited to: 2- FISHER Valves with Actuators (4- approx.)

 4 in. to 2 in. Manual Valves, 5- ROSEMONT HDMI Instruments and Related.
- 245 SAVANNAH TANK & MANUFACTURING INC. WHR TRAIN 2 WATER SEAL DRUM
 SA516-7 142-11-2 2,900 gal. capacity, 6 ft. dia. x 12 ft. long, Carbon Steel, Material of Construction Co. No. D-0772. With 2- KING 6 ft. tall, Stainless Steel Sight Gauges.
- 246 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN
 590/590 R13ASI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 11,333 ACF MC 27.5 in.
 W. G. Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100
 IEEE 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre,
 Co. No. C-0201A.
- 247 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN
 590/590 R13ASI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 11,333 ACF M @ 27.5 in.
 W. G. Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100
 IEEE 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre,
 Co. No. C-0201B.
- 248 PROCESS BARRON INDUSTRIAL CENTRIFUGAL FAN 840/840 R13A SI (80%) SW 14 in. x 84 in. dia. (approx.) OAD, 52,417 ACFM @ 55 W. G., Insulated with Aluminized Film Exterior, powered by SIEMENS Type SD 100 IEEE 100 hp Electric Motor, with Transition Duct Work, Fully Insulated Industrial Centre, Co. No. C-0201C.
- 249 SORBENT FEED CYCLONE Co. No. T-0704B; With Piping, 12 in. dia. (est.) Butterfly Valve and Controls.

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

250 - CAPERION K-TRON FILTER RECEIVER TOWER

K-Tron FR-8-58, Part No. 5214-164M.009 (Mfg. 2015) Consisting of but not necessarily limited to: 2- FISHER Type V150 Valves and Actuators, Co. NO. PV-12913 and PV-12909; 1- KING 7750 Series Flowmeter, 4- ROSEMONT HDMI Instruments, 2- Valves Co. No. HV-22904A and HV-22904B, 2- Electric Motors, Co. NO. M-0103 and M-0104; Syngas Piping Manifold for Train 1 and 2 consisting of but not necessarily limited to: 2-1/2 in Stainless Steel, having 2- FISHER Type V150 Valves with Actuators, 2- Valves with Actuators, having TOP VIEW, Attachments 2- ROSEMONT HDMI Instruments; AKRON Electrical Hazards Box, HV-1290A, FISHER PV12913, PV12909, with 2-Rotary Air Locks, each independently powered by Electric Motor.

With LOT 2- CAPERION FILTER RECEIVER

K-Tron FR-8-58, Part No. 5214-164M.009 (Mfg. 2015) AKRON Electrical Hazards Box, HV-1290A, FISHER PV12913, PV12909, PV22913, P22909, and PV22913, with 2- Rotary Air Locks, each independently powered by Electric Motor.

- 251 ALL WELD CO SYNGAS SORBENT EDUCTOR FEED ACCUMULATOR 15421, Nat, Bd. No. 1039 (Mfg. 2015) 32 in. dia. X. 102 in. high. Co. No. D-0230, MAG TECH Sight Gauge, Stainless Steel, 2- CENTRAL SOUTHERN Valve Actuators, Co. No. HV-22901 and HV-12901, 2- FISHER Valves and Actuators.
- 252 DRY BULK INGREDIENT UNLOAD, STORAGE AND WEIGHING UNIT Consisting of but not necessarily limited to: Super Sack Unloading Station having Geared Chain Hoist Lift, Attachment, Jig, and Hopper.
- 253 STORAGE TANK, VERTICAL

Carbon Steel, Bolted, Skirted, 10 ft. dia. x 35 ft. high, having 2- Cone Hopper Bottoms, Each with 2 Rotary Air Locks and 2- AIR FLOAT Material Transport for each independently powered by Electric Motor, Tank is mounted on 4- Load Cells, Climbing Ladder and Safety Cage.; Hopper Vibrators.

- 254 UNASSIGNED
- 255 SAVANNAH TANK & MANUFACTURING INC. BLOW DOWN DRUM 069-11, Nat. Bd. No. 771 (Mfg. 2011) Co. No. 250-D-0801, SA 516-70, Material of Construction, Fully Insulated with Pebbled, Aluminum Jacket.
- 256 SAVANNAH TANK & MANUFACTURING INC. BLOW DOWN DRUM 068-11, Nat. Bd. No. /sn 770 (Mfg. 2011) Co. No. D-0802; With 2- FISHER Valves with Actuators, Fully Insulated with Pebbled, Aluminum Jacket.
- 257 UNASSIGNED
- 258 WATER TANK

Molded Plastic, 2,500 gal. capacity, Flat Bottom, Fully Enclosed, Domed Top with Access Hatch.

22 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 259 CONTAINERIZED REVERSE OSMOSIS UNIT

 Consisting of but not necessarily limited to: Systems Pre-filter -N- Cartridge Unit;

 MILTON ROY Metering Pumps; DARD Air Conditioning Unit; 6- Tanks-Sodium

 Hypochlorite; 2- GRUNDFOS PUMPS and ASSOCIATED EQUIPMENT CO., Co. No.

 250-U-0801; Electrical Control Panels; Unitized and Mounted in a MITSUI / SAM KUM
- 260 EATON FILTER PBF-0102-PO10-020N 7.8 gal. capacity Filter.

SA Refrigerated Intermodal Container.

- 261 FISHER KLOSTEMAN® HCN SCRUBBER AND STRIPPER UNIT PBS-950 10-01 03678 Consisting of but not necessarily limited to: Air HCN Scrubber, 8 ft. dia. 25 ft. Tower; Co. No. T-0209, 316L Stainless Steel.
- 262 2- GOULDS CENTRIFUGAL CIRCULATING PUMPS WITH PIPING MANIFOLD Powered by BALDOR 10 hp Electric Motor Co. No. P-0209B and P0209A; With 2-MILTON ROY Metering Pumps; FISHER Type V150 Valve and Actuator, Each with John Crane Actuator; with 3 in. and 4 in. dia. Stainless Steel Piping Manifolds to Connect, Compound and Cross Flow Product, Manual and Remote Controlled Valves and ROSEMONT Instrumentation; 2- GOULDS Centrifugal Circulating Pumps, Each Independently powered by BALDOR 15 hp Electric Motors; 2- LMI Chemical Metering Pumps.
- 263 SCHUTTE & KOERTING HCN STRIPPER PACKED TOWER
 1400321 (Mfg. 07/2014) Fiberglass, 132 in. dia., Packing Material- Polypropylene,
 Material of Construction: FRP DerakaneTM 470, HMI Stripper, Co. No. T-0208.
- 264 LOT 2- GOULDS CENTRIFUGAL CIRCULATING PUMPS
 With Piping and valve Manifold, Each independently powered by TOSHIBA 30 hp
 Electric Motor Co. No.: P-0208A and P0208B; with Piping Stainless Steel and Valve
 Manifold having 2- FISHER V-150 Valves and Actuator and Gauges.
- 265 SCHUTTE & KOERTING / ROSEN SYNGAS HCN SCRUBBER PACKED TOWER 1400321 (Mfg. 07/2014), Rosen s/n14028, Certified by Rosen Mfg. Co, Inc., Nat. Bd. No. 10475 72 in. dia. x 48 ft. Tall, 316 L Stainless Steel Material, Co. No. T-0207, having MAGNATECH Stainless Steel Sight Gauge.
- 266 LOT 2- GOULDS PUMPS, PIPING AND VALVES Powered by BALDOR 10 hp Electric Motor Co. No. P-0207A; With 2- MILTON ROY Metering Pumps; FISHER Type V150 Valve and Actuator, Each with JOHN CRANE Actuator; with 3 in. and 4 in. dia. Stainless Steel Piping Manifolds to Connect, Compound and Cross Flow Product, Manual and Remote Controlled Valves and ROSEMONT Instrumentation.
- 267 TWIN CITIES FAN AND BLOWER HCN STRIPPER BOWER INDUSTRIAL FAN 490 Powered by TOSHIBA 300 hp Electric Motor, Co. No. C-0208, having a 30 in. dia. Intake Duct Work with Rain Cap and 30 in. Butterfly Valve Air Damper.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 268 ADVANCED VESSEL & ALLOY TREATED BOILER WATER STORAGE TANK 11015H (Mfg. 2011) API Standard 650, 11th Edition Appendix, S, J, F and V, 23,828 gal. nominal capacity 14 ft. dia. x 20 ft. tall (approx.), Carbon Steel, Co. No. TK-0814, with ORION INSTRUMENTATION 20 ft. Sight Gauge.
- 269 2- GOULDS RO WATER CENTRIFUGAL PUMPS iFrame, Each Individually powered by TECO WESTINGHOUSE Max-E2/841TM 10 hp Electric Motor, Co. No. P0814A and P-0814B.
- 270 PIPING AND VALVE COMPOUNDING MANIFOLD
 Consisting of but not necessarily limited to: 5- 4 in. 150 Series Stainless Steel Gate Valves,
 2- 3 in. 150 Series Stainless Steel Gate Valves, 2- ASHCROFT Pressure Gauges; with FISHER Valve and Actuator, Stainless Steel, with VELAN 3 in.
- 271 FISHER VALVE AND ACTUATOR
 6 in. dia.; 1-6 in. Rising Stem Gate Valve, manually operated; 1- Vertical Surge Tank, 15
 gal. (est.) capacity; CROSBY Pressure Relief Valve and Exhaust Pipe.
- 272 INDUSTRIAL GAS INPUT STATION
 With Piping Manifold, Pressure Gauges, Control Valves, Fork Lift Gas Cylinder Rack.
- 273 TRANTER® SUPERCHARGER® PLATE AND FIN TYPE HEAT EXCHANGER GCP-051-M-6-UP-104 SV 1030 (Mfg. 2011) Co. No. E-0205.
- 274 QUENCH WATER IN AND OUT PIPING AND VALVE MANIFOLD

 Consisting of but not necessarily limited to: 6 in. and 4 in. Stainless Steel having CRANE
 6 in. WCB Gate, Stainless Steel, 4 in. Butterfly, 3- FISHER Valves and Actuators; Co. No.

 CWS-110-1082 and CWR-110-1055; and Related Items.
- 275 2- GOULDS QUENCH WATER CENTRIFUGAL CIRCULATING PUMPS
 Each independently powered by TECO WESTINGHOUSE 20 hp Electric Motors, Co. No. P-0201A and P-0201B.
- 276 QUENCH WATER CONNECTING MANIFOLD 8 in. dia., Stainless Steel, having 2- SUREFLOW EQUIPMENT, INC. 8 in. Stainless Steel Strainers, 2- POWELL 8 in. 150 CF8M Gate Valves, 7- 1 in. and 2- 1/2 in. Ball Valves, Stainless Steel, and Related Items.
- 277 2- ROSEDALE PRODUCTS INC FILTER UNITS
 24306F15-5-C, 24306F15-5-C RD-15045, Nat. Bd. No. 5121; RD-15306, Nat. Bd. No. 5191 (Mfg. 2015) With ASHCROFT AND ORANGE RESEARCH Pressure Gauges.
- 278 SCHUTTE & KOERTING QUENCH TOWER
 Nat. Bd. No. 069 (Mfg. 2011) 6 ft. dia. x 27 ft. 4 in. Tall, 316 L, Material of Construction;
 Stainless Steel; U, W and RT 4 Stamped, Co. No. T-0201, having ORION 4 ft. 6 in. Sight Gauge, Stainless Steel.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 279 LOT 3- ITEMS SEALED DRAIN AND 2- PUMPS
 - Consisting of but not necessarily limited to: WATSON MCDANIEL Pressure Material Steam Pump, Snap Assure, s/n 4022, Date Code AA1, WILDEN or similar, 3/4 in. Stainless Steel Diaphragm Pump, Pressure Regulator and Valve, 17 in. Dia. x 35 ft. long. (est.), Stainless Steel, Sealed, Drain Piping.
- 280 GASIFIER DUCTWORK AND PIPING
 L-Shaped Elevated Platform having FISHER Stainless Steel Valve and Actuation and Related Valves and Controls.
- $281-\mathsf{SAVANNAH}$ TANK & MANUFACTURING INC. CONDENSATE SUCTION KNOCKOUT DRUM
 - 063-11, Nat. Bd. No. 765 (Mfg.2011) 316L Stainless Steel, Material of Construction, Fully Insulated having Aluminum Metal Exterior Jacket, Co. No. D-0202, having ORION 10 ft. tall Sight Gauge, SA240-316L Stainless Steel, Material of Construction.
- 282 ENERVAC CORPORATION SYNGAS TO FLARE FILTER UNIT 15004A, Nat. Bd. No. 229 Consisting of but not necessarily limited to: 2- ENERVAC Part No. E11957, Stainless Steel Filter, Nat. Bd. No. 229 and 230, for Tower No. 1 and 2, Co. No. D-0206A and Co. No. D-0206B, with 2-HEADLINE 55 Filters, Co. No. F-0202 and Co. No. F-0204, 4- Valves having Remote Activation. Co. No. HV-02901, HV-02902, HV-02903 and HV-02904.
- 283 SERVICE AIR AND WATER STATION
 Having Piping, Control Valves and Hoses and 2- DURA Stainless Steel Hose Racks.
- 284 ATLAS COPCO CENTRIFUGAL INTEGRAL GEAR, SYNGAS COMPRESSOR GT040T4D1 TBT1030130 10,974 CFM, Water Cooled powered by SIEMENS, Model 3004860947-60, 2500 hp, Electric Motor, s/n 3004860947-60, with Stainless Steel, Operator's Control and Instrumentation Control Cabinet powered by Electric Motor, Co. No. C-0203, VFD-SG04, Unitized and Mounted on a 27 ft. long (approx.) Twin I-Beam Skid; With 1st, 2nd, and 3rd Stage Knock-Out Drums.
 - With OHMSTEDE LTD. / AUROS INDUSTRIAL MACHINING 3- STAGE SHELL AND TUBE HEAT EXCHANGER
 436119 (Mfg. 2014) Nat. Bd. No. 4028/4435 Having 1st, 2nd, and 3rd Stage Knock-Out Drums, Unitized and Mounted on a Fabricated Square Tube Steel Base.
- 285 SAVANNAH TANK & MANUFACTURING INC. KNOCK-OUT DRUM 064-11, Nat, Bd. No. 736 (Mfg. 2011) Stainless Steel, Co. No. D-0204, with ORION 3 ft. 8 in. Sight Gauge, Stainless Steel; FISHER Valve with Actuators.
- 286 COMPRESSOR COOLING TOWER
 2- Fans, Up Draft, Horizontally Mounted on 4- Elevated Legs, Co. No. C-0206A.
- 287 GOULDS INDUCTION AGITATOR WATER BOOSTER CENTRIFUGAL PUMP Powered by Electric Motor, Co. No. P-0333.

25 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 288 LOT 6- (APPROX.) FISHER PIPING AND VALVE MANIFOLD
 12 in. and 6 in. dia., fully insulated with Blankets having 1- Each FISHER Type 2052
 Valves and Actuators, Co. No. TV-3040 and N/A; Manually Operated 4 in. Butterfly
 Valve.
- 289 LOT 2- (APPROX.) FISHER VALVES AND ACTUATORS
 With Piping Manifold, 4 In. OD having 2- FISHER Valves with Actuators, 10- 1 in.
 Valves; Piping Insulation having Aluminum Metal Exterior Jacket; With 8- ROSEMONT Instrumentation Read-Outs.
- 290 TRANTER® SUPERCHARGER® PLATE AND FIN TYPE HEAT EXCHANGER SXD-085-L-5-485 SV 031 (Mfg. 2011) Stainless Steel, Co. No. E-0301.
- 291 GOULDS / TECO WESTINGHOUSE CENTRIFUGAL FERMENATION COOLER PUMP i-Frame, 3180 BZ71C566-1 Co. No. P-0301A, Independently powered by TECO WESTINGHOUSE Max-E2/841 100 hp Electric Motor.
- 292 GOULDS / TECO WESTINGHOUSE CENTRIFUGAL FERMENATION COOLER PUMP i-Frame, 3180 BZ71C566-2 Co. No. P-0301B, Independently powered by TECO WESTINGHOUSE Max-E2/841 100 hp Electric Motor.
- 293 LOT 2- FLOW SOLUTIONS, INTERNATIONAL AND OTHERS PIPING AND VALVE COMPOUNDING MANIFOLD FOR CULTURE FERMENTATION FTI TV1R B44 and FTI TWB-144 56407A 16 in. OD (approx.), Stainless Steel, Flanged Tee, (NOTE: 1- for each Pump.) 2- Butterfly Valves and Related Items.
- 294 TRANTER® SUPERCHARGER® PLATE AND FIN TYPE HEAT EXCHANGER GCP-051-M-6-UP-40 SV 032 (Mfg. 2011) Second Growth Fermenter Cooler, Stainless Steel, Co. No. E-0341.
- 295 GOULDS 2ND GROWTH SUCTION PUMP AND PIPING MANIFOLD Powered by TECO WESTINGHOUSE 5 hp Electric Motor, Co, No, P-0341, with Piping Manifold, 4 in. Stainless Steel having Butterfly Valve; with Check Valve.
- 296 LOT PIPING AND VALVE MANIFOLD

 Consisting of but not necessarily limited to: 2- PENTAIR Sudmo, with NORIT IntellIITop
 2.0 Dolas, having 2- FISHER Valves and Actuators, and 1- CAMERON Butterfly Valve,
 1- 4 in. and 1- 1 in. Piping; with 2- ROSEMONT HDMI Units.
- 297 SERVICE AIR AND WATER STATION
 Having 4- DURA-LOOP Stainless Steel Hose Racks and 2- Hoses. (NOTE: 1- Apparently Unused-still in OEM Shrink Wrapping).

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

298 – NITROGEN SUPPLY GAS CYLINDER MANIFOLD (GROUND LEVEL)
Consisting of 2- 2 in. (approx.) x125 ft. long (approx.) having Valves with AIR-CON
Actuator manifold Lines with SWEDGELOCK Valves with Gauges, Stainless Steel, 6- on
Train 2 Line, 7- on Train 1 Line. 2- CROSBY NCB/WCC Pressure Relief Valves; 6Concrete Traffic Barriers.

299 - UNASSIGNED

300 – SHANGHAI MORIMATSU PRESSURE VESSEL CO. LTD. PRODUCTION FERMENTER

SA11-5-1101 125,119 gal. capacity, 22 ft. dia. x 66 ft. TT, 316L Stainless Steel, Material of Construction, Domed Top and Bottom, CHEMINEER Agitator, powered by Electric Motor, Knock-Out Drum, Process and Utility Piping and Valve Manifold, Instrumentation and Contacts, Circumferential Stairways having Maintenance Stations and Related, Co. No. R-0301.

301 – LOT SHANGHAI MORIMATSU PRESSURE VESSEL CO. LTD. 2ND GROWTH FERMENTER

SM11-5-1100, Nat. Bd. No. 135 (Mfg. 2011) 5,865 gal. capacity, 8 ft. dia. x 24 ft. tall, 316 L Stainless Steel, Material of Construction. Co. No. R-0340; Domed Top with Skirted Bottom, CHEMINEER Agitator powered by Electric Motor mounted on Top.

With INSTRUMENTS AND VALVES

Consisting of but not necessarily limited to: ROSEMONT Sensor Unit and Digital Read-Out Unit and FISHER Valve and Actuator Unit and ROSEMONT Model SQP10062-LQD with ROSEMONT Model 1056 HDMI Co. No. AE-03816.

- 302 SEED FERMENTER CHEMICAL STORAGE, METERING AND INJECTION SKID Consisting of but not necessarily limited to: 2- NSF 35 gal. (approx.) capacity and 3- USF 25 gal. (approx.) capacity Plastic Tanks, Co. No. A1, A2, A3 and MILTON ROY Sulfide Injection Pump, Seed Fermenter Tank, Stainless Steel, Co. No. R-0302; Seed Fermentation PLC Control Cabinet, Stainless Steel, having ALLEN BRADLEY PanelView Plus with 1500 ADMI; with Piping Manifold having 501 Valves, 2-1/2 in. to 1 in. (approx.) in Size, All Unitized and Mounted on a 8 ft. wide x 25 ft. long (est.) I-Beam Base; With Storage Locker for Non-Flammable Materials, Co. No. R-0320.
- 303 T&C STAINLESS 1ST GROWTH FERMENTER VESSEL, ON SKID TC7472 316 L Stainless Steel, Material of Construction, 366 gal. capacity, 3 ft. dia. x 9 ft. 10 in. tall (approx.) Co. No. R-0330, with 4- ENDRESS & HOUSER Liquiline M CM42, Co. No. AT-2717A and AT-3717B and AT 3718A and AT3718B, MULLER First Growth Fermentation, RIO Control Cabinet, Stainless Steel, 2- FISHER Valves with Actuators, 3-ROSEMONT Instrument Digital Read-Outs, Top Mounted Agitator, 2-1/2 in. OD to 1/2 in. Piping Manifold, Stainless Steel, having 33 (approx.) Valves, All but 3- are Manually Operated, 2- KING Sight Gauges, All Unitized and Mounted on an I-Beam Base with Square Tubing, Vertical Support Frame.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 304 STILLAGE TO PRODUCTION FERMENTER PIPING AND VALVE MANIFOLD Consisting of but not necessarily limited to: 7 in. and 3 in. dia. Stainless Steel Lines having 2- FISHER Valves and Actuators; 2- OD Stainless Steel Lines having FISHER Valve and Actuator; 1- KING and 1- BROOKS Sight Gauges; Digital Instrument Read-Out.
- 305 2ND GROWTH PIPING AND VALVE MANIFOLD
 - 1- Manifold for Seed, 1st Growth, and 2nd Growth Sight Gauge Panel, Consisting of but not necessarily limited to: 3- BROOKS Sight Gauges, Co. No.'s FI-03828A and FI-0328B and FI-03289, with 11 Valves; 1- Manifold Containing MICRO-MOTION Coriolis Flow Meter, FISHER Valve and Actuator.

AREA 270 FLARE

306 – CALLIDUS TECHNOLOGIES BY HONEYWELL SYNGAS TOTALLY ENCLOSED GROUND FLARE

(Mfg. 03/2012) Co. No. CE-0102, Low Pressure Gasifier Relief Burner Section, 17 ft. 6 in. OD x 36 ft. OAH; A 36 Carbon Steel, Material of Construction, Co. No. Z-0203, with Blow Dry Pots, Co. No. D-01-01; and D--01-02; Condensate Pots, Co. No. D-01-08 and C. No.D-01-09; Liquid Seal Co. No. D-02-07; Control Panel, Co. No. CE-01-00; having Piping and Valve Manifold consisting of but not necessarily limited to: 16 in. dia. to 2 in. with Instrumentation; Having but not necessarily limited to: Train 1 and 2 Flare Condensate Pots, Blow Dry Pots, Stage 2 Condensate Pots, Each with Related Piping, Valves manifolds and Control Panels.

- 307 UNASSIGNED
- 308 GOULDS PUMP

iFrame, powered by TOSHIBA 3- HP Electric Motor, with Piping Manifold having 4-Valves, and ROSEMONT Instrument Transmitter, Co. No. LT-2200.

- 309 SERVICE AIR AND WATER STATION Having 2- DURA-LOOP Hose Hangers with Hoses.
- 310 SAVANNAH TANK & MANUFACTURING INC. VERTICAL RECEIVER TANK (Mfg. 2011) 3 ft. dia. x 8 ft. Stainless Steel, Co. No. D 0316. 370 gal. capacity, having ORION INSTRUMENTS 5 ft. 6 in. tall Sight Gauge.
- 311 GOULDS CENTRIFUGAL CIRULATING PUMP Powered by Electric Motor, Co. No. P-0316.
- 312 UNASSIGNED
- 313 UNASSIGNED
- 314 LOT PIPING AND VALVE MANIFOLD

MicroMotion Controller with 2- FISHER Valve and Actuator; with 3- ROSEMONT Digital Instrumentation Read-out Meters.

28 of 112

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

315 – ADVANCED VESSEL AND ALLOY CELL PURGE EVAPORATOR FEED TANK, VERTICAL

49494 12017 (Mfg. 2012) 15,000 gal. capacity, 13 ft. dia. x 15 ft. high, 316L, Material of Construction, Skirted, Co. No. TK-0319; ORION INSTRUMENTS 15 ft. tall Stainless Steel Sight Gauge.

316 - GRUNDFOS CENTRIFUGAL PUMP

Stainless Steel, 2-1/2 in. x 2 in. (est.) powered by LEESON 3.0 hp Electric Motor, Co. No. P-0360.

- 317 ANTI-FOAM MANIFOLD AND TANK
 - With Pressure Gauges, Valves and Anti-Foaming Agent Tank.
- 318 SCHUTTE & KOERTING TANK, VERTICAL
 - 11-183-2, Nat. Bd. No. 070 (Mfg. 2011) Stainless Steel, with Vent Flare, 10 in. (approx.), 3-FISHER Valves with Actuators, and 3-Manual Valves.
- 319 GOULDS CENTRIFUGAL PUMP Powered by TECO-WESTINGHOUSE, 10 HP Electric Motor, Co. No. P-0401.
- 320 PIPING MANIFOLD

Consisting of but not necessarily limited to: ORION INSTRUMENTS 2 ft. 3 in. Sight Gauge, Stainless Steel, Flanged Gate Valves, 2- ROSEMONT Instrument Read-Outs; FISHER Valve and Actuator, 2- Pressure Gauges, 11- (approx.) 1 in. and 2 in. Valves.

321 - TRANTER® SUPERCHARGER®

GCP-051-M-6-UP-90 SV 033(Mfg. 2011) Having Stillage Plate and Fin Heat Exchanger, Co. No. E-0401, with Piping Manifold, Stainless Steel and Carbon Steel, having 4-6 in. Gate Valves.

- 322 LOT PIPING AND VALVE MANIFOLD
 - Consisting of but not necessarily limited to: 2- Stillage Cooler Outlet 8 in. dia. (est.), Stainless Steel Piping with 8 in. Stainless Steel Butterfly Valve, Uninsulated, 2- Cooler Inlet, 8 in. (est.) Stainless Steel Piping, 1- Fully Insulated with Aluminum External Metal Jacket, 1- 2 in. (est.) Piping Manifold having 5- Valves, Fully Insulated with Aluminum Metal Exterior Jacket, 1- Instrumentation Group consisting of but not limited to: 1-FISHER Valve and Actuator, ROSEMONT Digital HDMI Unit.
- 323 SAVANNAH TANK & MANUFACTURING INC. STORAGE DRUM, VERTICAL 067-11 (Mfg. 2011) Nat. Bd. No. 769 Co. No. D-0810, Fully Insulated with Aluminum Exterior Metal Jacket, ORION INSTRUMENTS Stainless Steel, 12 ft. tall (est.) Sight Gauge.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

324 - PUMP COMPOUNDING MANIFOLD

Consisting of but not necessarily limited to: 6-1/2 in. OD Stainless Steel Piping, 4- WKM CF8M Butterfly Valves, 2- VELAN Size 6-150 Stainless Steel Valves, 8-1/2in. Stainless Steel Ball Valves.

With 2- GOULDS CENTRIFUGAL CONDENSATE PUMPS

iFrame, Condensate Centrifugal Pumps, Each Independently powered by TECO WESTINGHOUSE, 3 hp Electric Motor, Co. No. P-0810A and P-0810B, Each with FLOW SERVE Model FS0500ER Heat Exchanger, s/n 25613A and s/n 25613B.

325 - WINBCO / VOGELBUSCH USA, INC RECTIFIER COLUMN, VERTICAL

10530 Nat. Bd. No. 731 (Mfg. 2011) 7.5 mm GPY Nominal Capacity, 7 ft. Top to Bottom Constant Diameter x 88 ft. 8 in. T Seam-to-Seam, 105 ft. 6 in. (approx.) OAH, Valve Type Trays, 15 in. Tray Spacing, Single Pass, 25,965 gal. Capacity. 59- Trays, i.e. 20 in Bottom, 20 in Mid and 19 in Top Sections. Designed to ASME Sect. VIII, Div. I and Uniform Building Code conditions: Hydrostatic Pressure Test: 65 psig Tower Top Pressure @50 mph wind. Design Pressure: Tower Top 50 psig @300° F, BTM 55 psig @300° F. Design Vacuum: Tower Top 14 psi External, BTM 14 psi. Normal Operating: Tower Top 10.3 psig @198° F, BTM 16.8 psig @253° F., 304L, Material of Construction, Stainless Steel for Shell, Heads, Flanges, Internals, Clips, Piping, Insulation Supports; 316L Stainless Steel Trays. Galvanized Steel for Davit / Hinges, Platforms and Ladders. Connection Schedule: 2- 24 in. dia., 1- each 18 in. and 16 in., 2- each 8 in., 3- each 6 in., 1- each 4 in. and others. OSHA Approved Ladders: 100 linear ft. (approx.) with Cage, Clips and accessories, 10- total (approx.) Segmented including 3- (approx.) 225 ft. and 1- 6 ft. x 6 in. x 6 ft. x 6 in. Platform, Crown positioned Work / Maintenance. Skirted Bottom, Fully Insulated with Aluminum Metal Exterior Jacket. Co. No. T-0511.

326 – REBOILER DRUM

Consisting of but not necessarily limited to: Vessel, vertical, 5 ft. dia. x 25 ft. tall (est.) fully Insulated, having Aluminum Exterior Metal covering, the Mid 75% of the Vessel with Full Blanket Insulation Covering Top and Bottom Portions, Top and Bottom Tie-Ins to Rectifier Column; with Piping and Valve Manifold consisting of but not limited to: 6 in. and 3 in. (est.) dia. Piping, 3-6 in. Gate Valves and 1-6 in. Check Valve, 1-3 in. Gate Valve; 1- Heat Exchanger, Fully Insulated having Aluminum Exterior Metal Jacketing and Blanket Insulation covering the Valves.

- 327 ADVANCED VESSEL & ALLOY DISTILLATION FEED TANK, VERTICAL 11015C (Mfg. 2011) API Standard 650, Appendix S, J, M, F 7 V, 11th Edition, 15,865 gal. nominal capacity, 13 ft. 0 in. dia. x 16 ft. .03125 in. Co. No. TK-0501.
- 328 2- GOULDS CENTRIFUGAL RECTIFIER FEED PUMPS
 Each Independently powered by a BALDOR 30 hp Electric Motor, Co. No. P-0511A and P-0511B.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

329 - PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 8 in. and 4 in. dia. (est.) Stainless Steel Piping having 2- 8 in. Butterfly Valves and 2- 8 in. Check Valves, 2- 4 in. Butterfly Valves, 2- Pressure Gauges and Related.

330 – LOT 2- GOULDS CENTRIFUGAL PRODUCT PUMPS

Each Independently powered by BALDOR 7.5 hp Electric Motors, Co. No. P-0506A and P-0506B.

331 - PUMP COMPOUNDING MANIFOLD

2-1/2 in. Piping Fully Insulated with Aluminum Metal Exterior Jacket. 2- JOHN CRANE LEMCO Accumulator, 2- Pressure Gauges.

332 – 2- GOULDS CENTRIFUGAL MSU REGEN PUMPS

Each individually powered by BALDOR 75 hp Electric Motors, Co. No. P-0508A and P-0508B.

333 – PIPING MANIFOLD AND VALVE

Having 2-1/2 in. dia. Piping. Insulated with Aluminum Metal Exterior Jackets, 2- JOHN CRANE LEMCO Accumulator, 2- Pressure Gauges.

334 – LOT 2- GOULDS RC REFLEX CENTRIFUGAL PUMPS

Each Individually Powered by BALDOR 10 hp Electric Motor, Co. No. P-0512A and P-0512B.

335 – PIPING AND VALVE MANIFOLD

3 in. and 1 in. Stainless Steel Piping Valves, Insulated with Aluminum Metal Exterior Jacket.

336 – LOT 2- FLOWSERVE CENTRIFUGAL CIRCULATING PUMPS

Each individually powered by BALDOR 7.5 hp Electric Motors, Co. No. P-0513A and P-0513B.

337 – PIPING AND VALVE MANIFOLD

Having 6 in. dia. Pipe with Valves and Pressure Gauges, Insulated with Blankets and some Aluminum Metal Exterior Jackets.

AREA 250 VENT GAS BOILER

338 – VOGELBUSCH / HEAT TRANSFER SYSTEMS, INC. MSU REGEN HEATER SKID 12138 (Mfg. 2011) Nat. Bd. No. 2082 With Manifold Piping, Valves-Manually and Remotely Controlled and Power Actuated, All Piping Fully Insulated with All-Metal Exterior Jacket, Unitized and Mounted on a 8 ft. wide x 20 ft. long (approx.) I-Beam Skid having Full Bar Grating Deck, Co. No. E-0552.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

339 – WINBCO MSU MOL SIEVE BED A

1053A 2844 gal. capacity, 5 ft. 6 in. dia. x 16 ft. high (est.), Skirted, Carbon Steel, Material of Construction, the Upper 10 ft. (est.) is Fully Insulated with Aluminum Exterior Jacket, Co. No. D-0505A.

340 - WINBCO MSU MOL SIEVE BED B

1053B 2844 gal. capacity, 5 ft. 6 in. dia. x 16 ft. high (est.), Skirted, Carbon Steel, Material of Construction, the Upper 10 ft. (est.) is Fully Insulated with Aluminum Exterior Jacket, Co. No. D-0505B.

341 – OPTIMUS ENGINEERED PRODUCTS SYNGAS COOLER, PRIMARY (SPARE ON GROUND)

Consisting of but not necessarily limited to: 54 ft. 1-3/4 in. tall x 6 ft. 8 in. dia., 14-344-1-5, SA 516-70N, J74485, 14026 A30, 38A, 331C231. TA TA, CMC, 14026; 386-2-1/2 in. dia. x 140 min. Wall Tubes, SA213T22, Material of Construction.

342 - FABRICATED PIPE AND ACCESS HATCH PLUG

Consisting of but not necessarily limited to: Stainless Steel, 19 in. ID (approx.) having 3-90° Ells, 1-4 in. Stainless Steel Gate Valve, 1-I in. Outlet Instrumentation Leads, Fully Insulated with Aluminum Metal Exterior Jacket; 1-Stainless Steel 45-1/2 in. ID Flanged Plug. (Both Items appear to have been Installed and later Removed from Service.)

343 – LOT 4- ITEMS STEAM, WATER AND NITROGEN SERVICE STATION Having 4- Dura Loop Stainless Steel Hose Hangers with 4- Hoses; 1- Steam, Air, Nitrogen and Water Hose.

344 – VOGELBUSCH / HEAT TRANSFER SYSTEMS, INC. PIPING AND VALVE MANIFOLD SKID

5 ft. 6 in. dia. x 16 ft. high (est.), Skirted, Carbon Steel, Material of Construction, the Upper 10 ft. (est.) is Fully Insulated with Aluminum Exterior Jacket, Co. No. ETHF-140-1274 and ETHF-140-1275; 3.33 MM BTU/Hr., Shell is 304L Stainless Steel, Tubes are Carbon Steel, Material of Construction.

345 - WINBCO REFLUX DRUM

10534, Nat. Bd. No. 723 (Mfg. 2011) 800 gal. capacity, Co. No. D-0513, 4 ft. dia. x 8 ft. high, 304 Stainless Steel, Material of Construction; Fully Insulated with Aluminum Metal Exterior Jacket.

346 – MSU VAPORIZER HEATER

4 ft. dia. x 15 ft. long (est.) Fully Insulated with Aluminum Metal Exterior Jacket, Co. No. E-0506 with PRO MAG 2 ft. Sight Gauge, Stainless Steel, with Piping and Valve manifold having 2- FISHER Valves Each with Actuators, 2 in., 4 in. and 6 in. dia. (est.) Piping.

347 – GEA PLATE AND FIN TYPE HEAT EXCHANGER, RECTIFIER FEED HEATER NT100XBYF-150 ENA-122/50076 (Mfg. 2011), Nat. Bd. No. 773 Co. No. E-0511.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 348 STILLAGE FEED-IN /FEED-OUT PIPING MANIFOLD 6 in. OD (approx.) Pipe with valves, Fully Insulated with Aluminum Exterior Jacket, Co. No. 140-1017, 140-1010 and 140-1245.
- 349 GEA PHE SYSTEMS PLATE AND FIN TYPE HEAT EXCHANGER PRODUCT COOLER
 NT50X CYFS-150 ENA-112/50098 (Mfg. 2011) Co. No. E-0510.
- 350 CONNECTING AND COMPOUNDING PIPING AND VALVE MANIFOLD Consisting of but not necessarily limited to: 2 in. to 1/2 in. Stainless Steel Piping and Valves, Stainless Steel Strainer Trap, Fully Insulated with Aluminum Metal Exterior Jacket. Co. No. 140-1010, 140-1289, 140-1254, 140-1286, 140-1202, 140-1283, et al.
- 351 GEA PHE SYSTEMS PLATE AND FIN TYPE HEAT EXCHANGER NT50X CYFS-150 ENA-112/50099 (Mfg. 2011), Nat. Bd. No. 775 Co. No. E-0557.
- 352 PIPE AND VALVE COMPOUNDING MANIFOLD

 Consisting of but not necessarily limited to: 2- 6 in. Check Valves, 4- 6 in. Butterfly Valves, 2- ASHCROFT Gauges, Co. No. 290-1020, 290-1023, 290-1022.
- 353 WINBCO PRODUCT SURGE DRUM 10531, Nat. Bd. No. 724; 243 gal, capacity, Stainless Steel, Fully Blanketed Insulation. Co. No. D-0510.
- 354 PIPING AND VALVE MANIFOLD
 4 in. OD (approx.) having 2- 4 in. Gate Valves and 2- 3/4 in. Valves, 1- FISHER Valve and Actuator, Fully Insulated with Blanket and Aluminum Metal Exterior Jacket, Co. No. FV-05215. ROSEMONT HDMT.
- 355 SIHI PUMPS LTD. VACUUM SKID/LIQUID RING VACUUM PUMP LPHW 3708 AB ADB4B4 CA16224092-01 (Mfg. 08/2011) Stainless Steel, Co. No. P-0504, powered by WEG 7.5 hp Electric Motor; SCHMIDT Plate Heat Exchanger; Surge Tank with Piping Manifold; SURESIGHT, Stainless Steel Sight Gauge, Co. No. D-0504.
- 356 WINBCO PURGE DRUM, DISTILLATION VENT SCRUBBER
 10533 (Mfg. 03/2011) 50 gal. capacity, 18 in. dia. x 4 ft. tall, Seam to Seam, Stainless
 Steel, Vertical, with FISHER Valve and Actuator, Piping Manifold with Valves and
 ROSEMONT Digital Read-Out, Co. No. D-0508. 2- FISHER Valves with Actuator having
 Valve Top, Co. No. HV-0502 and N/A.
 With CONSOLIDATED PRESSURE RELIEF VALVE Co. No. 140-1274.
- 357 ALCOHOL VAPOR FEED EXCHANGER
 Shell and Tube, Fully Insulated with Aluminum Metal Exterior Jacket, Co. No. E-0505; with Piping Manifold, having FISHER Valve and Actuator, MICRO-MOTION Digital Read-Out, Fully Insulated.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 358 VOGELBUSCH / HEAT TRANSFER SYSTEMS, INC. MSL REGEN PURGE CONDENSOR
 - 13138-4, Nat. Bd. No. 2080 (Mfg.2011) Stainless Steel, with Carbon Steel End Cap, Co. No. E-0508.
- 359 HEAT TRANSFER SYSTEMS, INC. MSU FEED SUPER HEATER
 13138-3, Nat. Bd. No. 2079 (Mfg. 2011) Stainless Steel, Co. No. E-0507, Fully Insulated with Aluminum Metal Exterior Jacket.
- 360 HEAT TRANSFER SYSTEMS, INC. REFLUX DRUM VENT CONDENSER HEAT EXCHANGER
 13138-6, Nat. Bd. No. 2081 (Mfg. 2011) Stainless Steel, Fully Insulated Aluminum Metal Exterior Jacket, Co. No. E-0516, With Piping and valve manifold having Flow Serve Valve and Actuator.
- 361 PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 2- FISHER Valves and Actuators, 1- 4 in. Stainless Steel Gate Valve and 1- 4 in. Butterfly Valve, Insulated with Aluminum Metal Exterior Jacket, Co. No. FV-05270, 1- ROSEMONT Digital Read-Out, Micro-Motion HDMI Unit.

- 362 CENTRIFUGAL INDUSTRIAL FAN Powered by WEG 7.5 hp Electric Motor, Co. No. C-0508.
- 363 PIPING AND VALVE MANIFOLD 4 in. (approx.) Stainless Steel, having 2- FISHER Valves and Actuators, GROTH Positive Pressure Relief Valve.
- 364 SMITHCO 3- FAN UPDRAFT, HORIZONTAL AIR COOLED HEAT EXCHANGER F-44-152-3 10B504 Galvanized Steel, Material of Construction, Aluminum Louvers mounted on Top, powered with 3- Electric Motors, Co. No. E-0513 A, B, and C.
- 365 WINBCO DISTRIBUTION VENT SCRUBBER
 140-S-0508 10535, Nat. Bd. No. 727 (Mfg. 2011) Co. No. S-0508, 85 gal. capacity, 304 L
 Stainless Steel, Material of Construction, with Piping and Vale Manifold; ORION
 INSTRUMENTS 2 ft. 9 in. Stainless Steel Sight Gauge.
- 366 PIPE AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 3- WM POWELL Rising Stem Gate Valves, 2- 16 in. dia. (approx.) and 1- 10 in. dia. (approx.), 1- FISHER 10 in. dia. (approx.), with Actuator having Full Insulation with Blankets and Aluminum Metal Exterior Jacket.

367 – LOT 2- 7- STAGE CENTRIFUGAL BOILER FEEDWATER PUMPS 228 gpm, Each Independently powered by a TOSHIBA 250 hp Electric Motor, Co. No. P-0812A and P-0812B.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 368 PIPING VALVE AND INSTRUMENTATION MANIFOLD

 Consisting of but not necessarily limited to: 6- 6 in. Rising Stem Valves, 2- ASHCROFT

 Gauges, 2- ROSEMONT Digital Readout Gauges.
- 369 LOT 3- ULTRA TECH STORAGE CABINETS

 Ultra Hard Top P2 Plus Plastic, having 'Roll-Top' Side and Double Hinged Doors at the
 Bottom; 1- Marked 1700, 1- Marked 1820, and 1- Marked Caustic 22310.

NORTH CENTRAL TANK FARM-LOCATION

- 370 ADVANCED VESSEL & ALLOY FERMENTATION WATER TANK
 API Standard 650, 11th Edition Appendix, S, J, F and V, 15,639 gal. nominal capacity 11
 ft. dia. x 22 ft. high, Stainless Steel, Co. No. TK-0312 with ORION
 INSTRUMENTATION 20 ft. Sight Gauge.
- 371 GOULDS CENTRIFUGAL PUMP, PIPE AND VALVE MANIFOLD Consisting of but not necessarily limited to: GOULDS Centrifugal Pump powered by TECO WESTINGHOUSE Max-E2/841TM 10 hp Electric Motor, Piping Manifold; 8-(approx.) 2-1/2 in OD 1 in. Stainless Steel Valves; FISHER Valve with Actuator, 2-Stainless Steel Ball Valves, JOHN CRANE Accumulator, FISHER 4-1/2 in. dia. Stainless Steel Valve with Actuator, Co. No. P-0312.

AREA 210 NUTRIENT TANK FARM

- 372 AUGUSTA FIBERGLASS SODIUM HYDROSULFIDE SOLUTION TANK AFC Job No. 71531 (Mfg. 10/2011) Fiberglass, 7,000 gal. nominal capacity, Co. No. D-0311, With ORION INSTRUMENTATION 10 ft. Sight Gauge, Stainless Steel.
- 373 GOULDS CENTRIFUGAL CIRCULATING PUMP
 Co. No. P-0305, Powered by TECO WESTINGHOUSE Max-E2/284TM 2 hp Electric Motor with JOHN CRANE LEMCO Accumulator, Stainless Steel, 3 in. and 4-1/2 in. Stainless Steel Piping, 3- Stainless Steel Valves (2- Butterfly and 1- Check).
- 374 GEAR TYPE STAINLESS STEEL PUMP
 Consisting of but not necessarily limited to: P-0311, powered by BALDOR .5 hp Electric Motor, Piping and Instrumentation Manifold; 3- ASHCROST Pressure Gauges, 4- 2 in.; And 11- 1/2 in. Stainless Steel Valves; 2- FISHER Valves with Actuators and FIELDVIEW Indicators; 2- CORIOLIS Flow Meters and MICRO-MOTION Transmitter Instruments.
- 375 AUGUSTA FIBERGLASS SODIUM HYDROSULFIDE SOLUTION TANK, NUTRIENT A2
 AFC Job No. 71581 (Mfg. 10/2011) Fiberglass, 7,000 gal. nominal capacity, Co. No. D-0304A2, With ORION INSTRUMENTATION 10 ft. Sight Gauge, Stainless Steel.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 376 GOULDS CENTRIFUGAL PUMP, PIPE AND VALVE MANIFOLD Powered by TECO WESTINGHOUSE 2- hp Electric Motor with JOHN CRANE LEMCO Actuator with 4 in. Stainless Steel Piping Manifold, 3- Valves (2- Butterfly, 1- Check) Co. No. P-0300.
- 377 GEAR TYPE STAINLESS STEEL PUMP, PIPE AND VALVE MANIFOLD Consisting of but not necessarily limited to: Co. No. P-0303, powered by BALDOR .5 hp Electric Motor, Piping and Instrumentation Valve Manifold; 3- ASHCROST Pressure Gauges, 4- 2 in. And 11- 1/2 in. Stainless Steel Valves; 2- FISHER Valves with Actuators and FIELDVIEW Indicators, 2- CORIOLIS Flow Meters and MICRO-MOTION Transmitter Instruments.
- 378 AUGUSTA FIBERGLASS SODIUM HYDROSULFIDE SOLUTION TANK, NUTRIENT A1 PREPARATION
 AFC Job. No. 71581 (Mfg. 10/2011) Fiberglass, 7,000 gal. nominal capacity, Co. No. D-0300A1, With ORION INSTRUMENTATION 10 ft. Sight Gauge, Stainless Steel, having a Free-Standing, 4 ft. wide x 12 ft. long (est.) Top Mounted Work Platform with Bar Grating Decking, and Ladder, Both with OSHA Compliant Safety Railings.
- 379 GOULDS CENTRIFUGAL PUMP Powered by TECO WESTINGHOUSE 2- hp Electric Motor with JOHN CRANE LEMCO Actuator, Co. No. P-0307.
- 380 SANDPIPER® IDEX DUAL ACTING DIAPHRAM PUMP, AIR ACTUATED Part No. S15B3P1PPAS 1986530 (Mfg. 12/16/11).
- 381 GEAR TYPE STAINLESS STEEL PUMP, PIPE AND VALVE MANIFOLD Consisting of but not necessarily limited to: Co. No. P-0321, powered by BALDOR .5 hp Electric Motor, Piping and Instrumentation Manifold; 3- ASHCROFT Pressure Gauges, 4-2 in. And 11-1/2 in. Stainless Steel Valves; 2- FISHER Valves with Actuators and FIELDVIEW Indicators, 2- CORIOLIS Flow Meters and MICRO-MOTION Transmitter Instruments.
- 382 AUGUSTA FIBERGLASS CAUSTIC SODA TANK AFC Job No. 71561 (Mfg. 10/2011) Fiberglass, 7,000 gal. nominal capacity, Co. No. D-0305, With ORION INSTRUMENTATION 10 ft. Sight Gauge, Stainless Steel.
- 383 GOULDS PRODUCT UNLOADING PUMP Powered by TECO WESTINGHOUSE 2- hp Electric Motor with JOHN CRANE LEMCO Actuator with 4 in. Stainless Steel Piping Manifold, 3- Valves (2- Butterfly, 1- Check) Co. No. P-0310.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 384 GEAR TYPE STAINLESS STEEL PUMP, PIPE AND VALVE MANIFOLD Consisting of but not necessarily limited to: Co. No. P-0321, powered by BALDOR .5 hp Electric Motor, Piping and Valve Instrumentation Manifold;3- ASHCROST Pressure Gauges, 4- 2 in. And 11- 1/2 in. Stainless Steel Valves; 2- FISHER Valves with Actuators and FIELDVIEW Indicators, 2- CORIOLIS Flow Meters and MICRO-MOTION Transmitter Instruments and MILTON ROY Metering Pump powered by Electric Motor.
- 385 ADVANCED VESSEL & ALLOY AQUEOUS AMMONIA TANK, VERTICAL 11015A (Mfg. 2011) Stainless Steel, ASME Section VIII, Division 1, 2007 Edition, AS Guide, Un-Stamped, Skirted, with ORION INSTRUMENTATION 14 ft. Sight Gauge, Stainless Steel, Co. No. TK-0306.

386 - PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 2- 4-1/2 in Stainless Steel, 2- 3 in. Stainless Steel, and 1 4 in. Stainless Steel PVC Lines, 1-3 in. Line having FISHER Valve and Actuator; Lines are dedicated to Aqueous Ammonia, Ammonia Vent, Caustic Soda, A1 and A2.

387 - GEAR TYPE STAINLESS STEEL PUMP

Consisting of but not necessarily limited to: Co. No. P-0306, powered by BALDOR .5 hp Electric Motor, Piping and Valve Instrumentation Manifold; 3- ASHCROST Pressure Gauges, 4- 2 in. And 11- 1/2 in. Stainless Steel Valves; 2- FISHER Valves with Actuators and FIELDVIEW Indicators, 2- Coriolis Flow Meters and MICRO-MOTION Transmitter Instruments and MILTON ROY Metering Pump powered by Electric Motor.

388 - SERVICE AIR AND WATER STATION

Having 2- DURA-LOOP Stainless Steel Hose Hangers with Hoses.

389 - LOT FABRICATED PIPING AND FITTINGS

Consisting of but not necessarily limited to: 5- Pieces Stainless Steel, 10 in. dia. having Various Lengths, Shapes and Designs; 12- Pieces (approx.) Stainless Steel, 4 in. dia. and Smaller, having Various Lengths, Shapes and Designs; 4- Pieces of Carbon Steel 16 in. and 10 in. dia. having Various Lengths, Shapes and Designs; 1-4 in. dia. x 6 ft. long (approx.) Stainless Steel, Woven Armored Flanged End Hose; 1- Pallet containing 4- Weld Neck Flanges, Carbon Steel, 1- 16-1/8 in. ID, 1- 13 in. ID and 2-are 10 in. ID.

FINISHED PRODUCT & TANK FARM

390 - ADVANCED VESSEL & ALLOY ETHANOL SHIFT TANK A

11015D (Mfg. 2011) 23,828 gal. nominal capacity, 13 ft. 0 in. dia. x 24 ft. 0.25 in. TTAPI Standard 650 Appendix J, F, & V, 11th Edition, Revision E, All Shell Covers are 0.250 in., SA-36 Carbon Steel, Co. No. TK-0601A.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

391 - PIPING AND VALVE MANIFOLD

5 in. (approx.) having 23- (approx.) Valves consisting of but not necessarily limited to: 5 FISHER Valves with Actuators, 2- POWELL 6 in. Flanged Check Valves, 12- (approx.) 3/4 in. Valves, Co. No. ETHC-205-1026.

392 – ADVANCED VESSEL & ALLOY ETHANOL SHIFT TANK B

11015E (Mfg. 2011) 23,828 gal. nominal capacity, 13 ft. 0 in. dia. x 24 ft. 0.25 in. TT; API Standard 650 Appendix J, F, & V, 11th Edition, Revision E, All Shell Covers are 0.250 in., SA-36 Carbon Steel, Co. No. TK-0601B.

393 - ADVANCED VESSEL & ALLOY ETHANOL RERUN TANKS

11015F (Mfg. 2011) 23,828 gal. nominal capacity, API Standard 650 Appendix J, F, & V, 11th Edition, Revision E, All Shell Covers are 0.250 in., SA-36 Carbon Steel, Co. No. TK-0602.

394 – PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: FISHER Valve and Actuator, 5- 1-3/4 in. and 1 in. Valves, WILDEN (or similar) 1 in. (est.) Air Operated Diaphragm Pump, PVC, Material of Construction.

395 – ADVANCED VESSEL & ALLOY GASOLINE TANK

11015G, Mfg. 2011 23,828 gal. nominal capacity, API Standard 650 Appendix J, F, & V, 11th Edition, Revision E, 13 ft. 0 in. dia. x 24 ft. 0 .250 in. TT; All Shell Covers are 0.250 in., SA-36 Carbon Steel, Co. No. TK-0604.

396 - NITROGEN AND AIR SERVICE STATION

Having 2- DURA LOOP Stainless Steel Hose Hangers with Hoses.

397 – FISHER TANK COMPANY ETHANOL TANK

82405 (Mfg. 2011) 106,500 gal. nominal capacity, API Standard 650, 11th Edition, Revision 2, 24 ft. dia. x 32 ft. tall, Co. No. TK-0603.

398 – LOT PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: FISHER Valve and Actuator, 2-3 in. Butterfly Valves, Stainless Steel Ball Valve, 1-6 in. Butterfly Valve.

399 - GOULDS TANK FARM TRANSFER PUMP

Consisting of but not necessarily limited to: GOULD'S i-Frame Centrifugal Pump Independently powered by TECO WESTINGHOUSE Max-E2/841TM, 5 hp Electric Motor, Each with JOHN CRANE LEMCO Accumulator, Co. No. P-0601.

400 - GOULDS TANK FARM TRANSFER PUMP

Consisting of but not necessarily limited to: GOULD'S i-Frame Centrifugal Pump, Independently powered by TECO WESTINGHOUSE Max-E2/841TM, 5 hp Electric Motor, Each with JOHN CRANE LEMCO Accumulator, Co. No. P-0602.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

401 - GOULDS TANK FARM TRANSFER PUMP

Consisting of but not necessarily limited to: GOULD'S i-Frame Centrifugal Pump Independently powered by TECO WESTINGHOUSE Max-E2/841TM, 5 hp Electric Motor, Each with JOHN CRANE LEMCO Accumulator, Co. No. P-0604.

402 - LOT PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 5 in., 4 in., 2 in., and 1 in., 25- (approx.) Valves, 3- Pressure Gauges, MIRCO-MOTION Coriolis Mass Flow Meter, FISHER, Valve having Actuator; CROSBY Style 3L4 JVS-E-15-J, Pressure Relief Valve, Co. No. PSV-07246.

403 – LOT ETHANOL/GASOLINE LOAD-OUT STATION

Consisting of but not necessarily limited to: 2- GARDENER DENVER EMCO WHEATON 4 in. Chiksan® Joint Load Out Arms, Counter Balanced, Each having Flexible Hose with Vapor Recovery End Fittings, 6- SMITH METER INC. Metering Unit, Filter Trap and Valves, having RCS Sure Power Valve Actuary Load Out Control Panel Containing ACCULOAD III.net HDMI LIBERTYTM Model 8360 Explosion Proof Control Box, Unitized and Mounted on 5 ft. wide x 12 ft. long (est.) H-Beam Skid.

With CORROSION INHIBTOR PANEL

With 2- Viking Gear Type Pumps powered by 1 hp (est.) Electric Motor Co. No. Z-0605.

With KNAACK JOBMASTER CHEST® 36.

404 – CALLIDUS TECHNOLOGIES VAPOR COMBUSTOR, TOTALLY ENCLOSED GROUND FLARE

23 ft. dia. x 20 ft. OAH, Co. No. Z-0204; with AKRON ELECTRIC INC Control Box, Co. No. CE-0101.

With CALLIDUS TECHNOLOGIES COMBUSTION PILOT PANEL

Stainless Steel, with ALLEN BRADLEY PanelView Plus 400 HDMI, and CYCLOPS Z-Purge Indicator, with Piping Manifold, Valves and Gauges.

With ENARDO DETONATION ARRESTOR

DFA-803/D D6068 (Mfg. 10/13/2014 Co. No. DA-0101.

405 – GOULDS CENTRIFUGAL PUMP AND PIPING VALVE MANIFOLD

i-Frame, powered by TECO WESTINGHOUSE Max-E2, 15 hp Electric Motor having JOHN CRANE Service Accumulator, 1-8 in. Check Valve and 1- POWELL WCB 4 in. Check Valve; Co. No. P-0603.

AREA 220 COOLING TOWERS

406 – EVAPCO UPDRAFT COOLING TOWER

16,000 gpm, 100° F In / 87° F Out, 13 ft. 6 in. wide x 55 ft. long x 25 ft. tall (approx.) OAD, Galvanized Steel, Material of Construction, Co. No. C0720A&B.

39 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 407 EVAPCO UPDRAFT COOLING TOWER
 05-22303B1 16,000 gpm, 100° F In / 87° F Out, 13 ft. 6 in. wide x 55 ft. long x 25 ft. tall
 (approx.) OAD, Galvanized Steel, Material of Construction, Co. No. C0720E&F.
- 408 EVAPCO UPDRAFT COOLING TOWER
 16,000 gpm, 100° F In / 87° F Out, 13 ft. 6 in. wide x 55 ft. long x 25 ft. tall (approx.)
 OAD, Galvanized Steel, Material of Construction, Co. No. C0720C&D.
- 409 EVAPCO UPDRAFT COOLING TOWER
 16,000 gpm, 100° F I / 87° F Out, 13 ft. 6 in. wide x 55 ft. long x 25 ft. tall (approx.) OAD,
 Galvanized Steel, Material of Construction, Co. No. C0720G&H.
- 410 GOULDS CENTRIFUGAL CIRCULATING PUMP
 3180 B270C187-2 iFrame,12 in. x 14 in. -22 in., AI / 316 Stainless Steel, Material of Construction, powered by TECO WESTINGHOUSE Max E2/841TM 450 hp Electric Motor, Co. No. P-0725A.
- 411 GOULDS CENTRIFUGAL CIRCULATING PUMP
 3180 B270C187-1 iFrame,12 in. x 14 in. -22 in., AI / 316 Stainless Steel, Material of
 Construction, powered by TECO WESTINGHOUSE Max E2/841TM 450 hp Electric
 Motor, Co. No. P-0725B.
- 412 GOULDS CENTRIFUGAL CIRCULATING PUMP
 3180 B270C201 iFrame,12 in. x 14 in. -22 in., AI / 316 Stainless Steel, Material of
 Construction, powered by TECO WESTINGHOUSE Max E2/841TM 450 hp Electric
 Motor, Co. No. P-0725C.
- 413 COOLING TOWER WATER SUPPLY AND RETURN MANIFOLD

 Consisting of but not necessarily limited to: 29 in., 24 in., and 13 in. dia. Piping with 20 + (approx.) Manually Operated Butterfly Valves and Related.
- 414 AUGUSTA FIBERGLASS COOLING TOWER WATER MAKEUP TANK AFC No, 71581 (Mfg. 12/2011) Co. No. TK-0802. 6,000 gal. capacity, Fiberglass.
- 415 GOULDS COOLING WATER MAKEUP CIRCULATING PUMP i-Frame, powered by TECO WESTINGHOUSE Max-E2, 15 hp Electric Motor, Co. No. P-0802.
- 416 PIPING AND VALVE MANIFOLD

 Consisting of but not necessarily limited to: KECKLY 8 in. Stainless Steel Check Valve,
 2- FISHER, Type 150 Series B, 6 in. Valves with Controllers.
- 417 BLOW DOWN TO WW PIPING AND VALVE MANIFOLD
 4- FISHER Valves, Each Having Actuators, 3- 4-1/2 in., 1- 2-1/2 in., 3- 4-1/2 in Gate
 Valves, 3- ROSEMONT Flow Meter, Co. No. 220-1051; with 3- Stainless Steel, Electrical,
 Weatherproof Control Panels, Co. No. GW-210-1004 and Co. No. WW-210-1081.

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

418 – LOT 3- ULTRA TECH STORAGE CABINETS

Ultra Hard Top P2 Plus Plastic, having 'Roll-Top' Side and Double Hinged Doors at the Bottom, 1- RUBBERMAID 6 ft. tall x 2 ft. deep x 3 ft. wide, Storage Shed Having Double Hinged Front Doors; 1- Marked Acid, 1- Marked 3DT184, and 1- Marked Chlorine.

419 - BOILER PIPING, CONTROL AND INSTRUMENTATION SKID

Consisting of but not necessarily limited to: 8 in. dia. Stainless Steel Piping with 5- Valves: 1- FISHER, all are Remotely Power Actuated; ENARDO Flame Arrester, Stainless Steel; 3 in. Carbon Steel Piping having 6 Valves: 1- FISHER and 2- Remotely Power Actuated; MICRO MOTION Coriolis Flow Meter, Stainless Steel; 1 in. Carbon Steel Line, 5- Valves: 3- Remotely Power Actuated, 1- Pressure Regulator, Unitized and Mounted on a Square Tubing Frame Base, With COEN® Control Panel, Stainless Steel, Co. No. X-0810.

AREA 260, STEAM TURBINE AND GENERATOR

420 - LOT SHIN NIPPON MACHINERY CO LTD. STEAM TURBINE

Type 5 C-9R-ER 22288 (Mfg. 2011) Rated Output -6360 Kw, Speed (Turbine/Generator) 7490/1800 rpm, 600 psig Inlet Steam Pressure, 653° F Inlet Steam Pressure. Co. No. ST-0801. (NOTE: Owner states this Unit has incurred less than 1,000 Hours Run Time; Has been continuously Maintained even during Facility Shut-Down.)

With SHIN NIPPON MACHINERY CO LTD. TURBINE CONTROL PANEL

Consisting of but not necessarily limited to: 3- Steel Electrical Control Cabinets, 7 ft. tall x 32 in. wide x 15 in. deep (est.), WOODWARD 505 Turbine Control HDMI Unit, YOKOWAWA UM33A Turbine Speed Control Unit, with Related Circuit and Machine Status Indicator Lights and Switches and Similar.

With 2- FLOW SERVE CONDENSATE HOT WELL CENTRIFUGAL PUMP D824-3x1-5x1.3F 10305930HP001B and N/A Powered by WEG 15 hp Electric Motor, with Pipe and Valve Compounding Manifold having 5- Valves and 1 Pressure Gauge. Unitized and Mounted on Box Beam Steel Base, Co. No. P-0811A; with Condensate Hot Well Centrifugal Pump powered by WEG 15 hp Electric Motor, with Pipe and Valve Compounding Manifold having 5- Valves and 1- Pressure Gauge Unitized and Mounted on Box Beam Steel Base, Co. No. P0811B.

421 – SEISA GEAR LTD. GEAR DRIVE

NDM4248T Working No. 10-KADA46 (Mfg. 07/2011) Normal Power Rating 6360 Kw, Input Speed 7490 rpm, Output Speed 1800 rpm, Co. No. ST-0802.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

422 – LOT HYUNDAI IDEAL ELECTRIC CO BRUSHLESS AC GENERATOR
1010075 01 (Mfg. 07/2011) Frame 21320-40, Type SAB, 6350 KW, 7950KVA, 13,800
volts, 1800 rpm, Continuous Duty; with Brushless Exciter Frame BE-13-3, Type FRBA,
25 Kw Output, 180 CD volts; Permanent Magnet Alternator, Frame PM-13-3, s/n 1010075
01, 24 KVA, Co. No. E-0812; 2- Pumps powered by Electric Motor, Co. No. P0814A and
P-0814B, having Stainless Steel Motor Starter Control Boxes, Individually Skidded.

With GENERATOR INSTRUMENT PANEL HYUNDAI IDEAL

101007 · 03 Consisting of but not necessarily limited to: Steel Cabinet, 7 ft. tall x 48 in. wide x 22 in. deep (est.), 14- 3 in. dia. 'Dial Face' Analog Instruments; 12-Switches, 7- Multi-Step Rotating; Switch; DSECS-200N Negative Force Digital Excitation Control System, Multi-Bin G60 Generator Protective System, GENERAL ELECTRIC PSS-100 Power System, Stabilizer and Related.

- 423 LUBE-POWER INC TURBINE, GEAR BOX AND GENERATOR LUBRICATION SKID LP-2340 (Mfg.08/2011) Consisting of but not necessarily limited to: 4- Oil Pumps, Each independently powered by WEG Electric Motors, Co. No. P-0801A, P-0801B, P-0802A, P-0802B; Reservoir Tank to hold ISO VG46 Turbine Oil; 2- Filters, Stainless Steel, Co. No. F0808A and F-0808B; Auxiliary Turbine Lubrication Oil Pump for Co. No. P-0801A and Emergency Turbine Lubrication Oil Pump for P-0801B. LUBE POWER INC. Pump Control Panel, Stainless Steel, s/n LP-2340 (Mfg. 08/2011), Containing but not necessarily limited to 5- ASHCROFT Pressure Gauges.
- 424 STERLING DEAERATOR CO. DEAERATOR
 6022 1369 (Mfg. 2011), Nat. Bd. No. 014 5 ft. ID x 6 ft. tall (Top), 7 ft. dia. x 12 ft. tall
 [Bottom], Carbon Steel Certified by PRO ENERGY[©], Co. No. D-0811; With Sight Gauge
 and Valve Manifold consisting of but not limited to: 3- FISHER Valves with Actuators, 3(approx.) 2 in. dia. Stainless Steel Valves, Manual, 2- 4 in. dia. Gate Valves and 1- 4 in.
 dia. Check Valve, 1- Pressure Relief Valve, and Related.
- 425 UNION INSTRUMENTS BTU ANALIZER
 CWD 2005 Plus Combustion Calorimeter Having Free-Standing Control Pedestal with 3Regulators, Each with 2- Pressure Gauges, 3- Carrier Gas-In, Combustion-Gas-In and
 Sample Gas-In.
- 426 PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 2- FISHER 8 in. Valves, Each having Actuators, Co. No. FV-04015; 7- (approx.) 8 in. Stainless Steel Rising Stem Valves, 2- 6 in. Stainless Steel Rising Stem Valves, 3- Stainless Steel Pipe Line, 1- Carbon Steel, 4-1/2 in. Pipe Line. 3- Manual Plug Valves and 1- FISHER Valve with Actuator; 2- ROSEMONT HDMI Instruments, Pressure Gauge.

427 – FISHER TANK COMPANY SERVICE WATER TANK, VERTICAL 82425 (Mfg. 2011) API Standard 650, Appendix E & F, 64,800 gal. nominal capacity, 22 ft. dia. x 24 ft. tall, Co. No. TK-0801.

42 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 428 LOT 2- GOULDS CENTRIFUGAL PUMPS, SERVICE WATER CIRCULATING iFrame, Each Independently powered by TECO WESTINGHOUSE, Max E2/841TM, 50 hp Electric Motor, P-0801A and P-0801B.
- 429 PIPING AND VALVE COMPOUNDING MANIFOLD

 Consisting of but not necessarily limited to: 8 in. and 6 in. dia. Pipe, 2- KECKLE 8 in.

 Check Valves, 3- POWELL 6 in. Check Valves, 2- FISHER Valves with Actuators, 5-

Butterfly Valves, 2- ASHCOFT Pressure Gauges, and 2- ROSEMONT[®] Magnetic Flow Tubes, 2- ROSEMONT[®] Output Hart Meters.

- 430 RENTECH BOILER SERVICE / COEN BOILER
 - 2010-106, Nat. Bd. No. 582, R #4934 (Mfg. 1/9/2013) 725 psi @ 600° F, 700- Tubes; 55,250 lbs./hr. max. Steaming capacity, 5343 sq. ft. Heating Surface, COEN® TODD® With Vari-Flame Burner Filter Control Panels, P.O. No. 91112120, s/n 1103-239, (Mfg. 2011), Stainless Steel having 1- each ALLEN BRADLEY PanelView Plus 1250 HDMI Unit, Co. No. G-0801 and Co. No. F-0806.
- 431 LOT PIPING AND VALVE MANIFOLD
 - High Pressure Steam to Distribution Header. Consisting of but not necessarily limited to: 8 in. to 1/2 in. dia. Piping, 3- FISHER Valves Each with Actuators, 3- ROSEMONT Digital Readout Meters, 26 + Valves and Gauges (approx.).
- 432 LOT SHELTER ONE CEMS TRAILER
 - LS9131021065 21065-01 1170 cu. ft., Trace Continuous Emissions Monitoring System mounted in MIMS Rack with DURAG D-R290AW, ALLEN BRADLEY PANEL VIEW PLUS 600 4-CAI 600 Series Modules for NOX/O₂, CO Outlet, SO₂ Inlet and Function not Stated; 1- CYBER-POWER Module, having Baird Air Conditioning Unit.
 - With Exact Firebox Analyzer, 1- Flow Panel having Monitors, Flow Sight Gauges for SO₂ Inlet, Inlet Cal. Gas Inlet Sample Bypass, 2- UNIVERSAL ANALYZERS, INC., 1-Model 3020 and 1- Model 3080 and Related Piping, Valves and Controls, SERVOMEX Model 2700 ServoTough, Fluegas Exact Firebox Analyzer, DELL T3500 Tower Case Computer with Monitor, Keyboard and Mouse; HEWLETT PACKARD Laser Jet P/1/02 with Printer, 2- Chairs, 1- Cal Check Test Instrument with Related Consumable Items.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

433 – LOT BOILER BAG HOUSE DISCHARGE CONVEYOR AND GAS BOTTLE RACK Consisting of but not necessarily limited to: 12 in. dia. x 10 ft. along (approx.) U-Trough Single Auger Conveyor with TYCO Stainless Steel 8 in. Knife Gate, powered by Electric Motor driving through a Reduction Gear box, with Heat Trace Cable, 2- Industrial Gas Bottle Storage/Transportable Racks, with Forklift Pockets.

With BAG HOUSE ASH COLLECTOR BIN

Boiler Ash Collector Bin consisting of but not necessarily limited to: 20 ft. high OA x 8 ft. wide x 15 ft. long (est.) 10 ft. Straight Wall height, with 10 ft. high (est.) V-Type Hopper Bottom (est.). (Note: The Discharge Conveyor is Disassembled from the Unit and is lying on the Pad below the Unit.)

434 – BOILER BICARBONATE STORAGE SILO

10 ft. dia. x 30 ft. tall (est.), Conical Hopper Bottom, Skirted, Co. No. T-0805; with Equipment Room consisting of but not necessarily limited to: Feed Hopper, Co. No. Z-0805; Fan Powered by Electric Motor, Co. No. C-0805, Rotary Air Lock; Silo mounted on 4- Load Cells. Co. No. T-0805.

435 – EXHAUST STACK

Consisting of but not necessarily limited to: 80 ft. tall (est.) having a 60 in. dia. x 35 ft. tall (est.) Base Section, a 42 in. dia. x 35 ft. tall (est.) Mid Section and a 16 in. dia. x 10 ft. tall (est.) Top Section; 360 Maintenance Platform mounted 2/3 of the way Up, Climbing Ladder with Safety Cage.

436 - LOT PIPING AND VALVE MANIFOLD

Consisting of but not necessarily limited to: 10 in. dia. Piping; 2- 10 in. Gate Valves; 1-FISHER 4 in. Valve and Actuator, 10 - (approx.) 2 in. and 1 in. Valves; 3- ROSEMONT Instruments; Piping is fully Insulated with all Metal Exterior Jacket.

437 - UNASSIGNED

438 – LOT 5- SKIDS MEMBRANE SPECIALISTS LTD / STAR MANUFACTURING ULTRA FILTRATION REVERSE OSMOSIS UNIT

P7018 (Mfg. 2011) Consisting of but not necessarily limited to: Skid 1: CTP and Pumps, Production Process, Co. No. U-0301, and Second Growth Process, Co. No. U-0340, having 4- Stainless Steel Centrifugal Pumps, 3- powered by BALDOR 60 hp Electric Motor and 1- powered by BALDOR 20 hp Electric Motor, Co. No. P-0302A, P-0302B and P-0302C; Skid No. 2: 16- Membrane Units; Skid No. 3: 16- Membrane Units.

With Skid No. 4: Seed Process, Co. No. P-7018, Co. No. U-0302, and First Growth Process Co. No. U-0330; Skid 5 of 5: Having 3- Diaphragm Pumps with Stainless Steel Accumulator Cylinders, Co. No. LIT-03164, LIT-03167, and LIT-03168.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 439 LOT FABRICATED STAINLESS STEEL PIPING VALVES AND ACTUATORS
 Consisting of but not necessarily limited to: 8- Pieces total: 2- 8 in. dia. With ENDRESS &
 HAUSER with Power Valve Actuator with Transmitter, 2- 6 in. dia. With ENDRESS &
 HAUSER Power Valve Actuator with Transmitter; 1- 8 in. Stainless Steel Fabricated Tee,
 Stainless Steel, with 2- Flanged Check Valves.
 - With 1-10-1/4 in. ID Stainless Steel Flapper Valve and 1-6 in. Stainless Steel, Valve having JAMESBURY Power Actuator; 2- ARMORCAST Products Company Guardian Traffic Safety Barriers.
- 440 LOT 3- SKIDS SMART FLOW TECHNOLOGIES, INC. CLEAN IN PLACE SKID Gemini 6567 (Mfg. 10/2011) Consisting of but not necessarily limited to: Skid is Stainless Steel consisting of 2- Stainless Steel Centrifugal Pumps, Each including and powered by BALDOR Super E 40 hp Electric Motor necessary Plumbing, Valves and Controls with Remote Control Panel: Skid 1 Co. No. P-0332A and P-0332B; Skid 2 Co. No. P-0332C and P-0332D; Skid 3 Co. No. P-0332E and P-0332F; with PANEL TEK INC. System Control Panel, CUSTOM FABRICATING AND REPAIR INC. 240 gal. 316 L Stainless Steel Jacketed Vessel, and Others, Co. No. P-0332A and P-0332H 1- Lot of Stainless Steel Piping, 2-1/2 in. dia. and smaller, Various Lengths and Shapes.

441-449 UNASSIGNED

LOCATION- MAIN WAREHOUSE-NORTH CENTRAL DOOR

- 450 FLOOR FAN
- 451 LOT 2- ROSEMONT INSTRUMENTS
 Each having 2- Instruments, Pedestal mounted with Cross Bar.
- 452 HEVI-DUTY TRANSFORMER
- 453 LOT 4- TRAFFIC CONTROL SIGNS Each Individually mounted on Mounting Poles.
- 454 AIR FLOW CONTROL BOARD Stainless Steel, having 3- ALICT Control Modules.
- 455 LOT SPILL KIT COMPONENTS

 Consisting of but not necessarily limited to: 4- Barrels, 3- 55 gal. capacity, (approx.), 3- Bags of Absorbent Rolls/ Snakes; 1- Plastic Tub with Contents.
- 456 LOT 2- NOVA CONTROL MODULES

 Each Pallet contains 1 NOVA Control Module, 1- for each Train, both Model 976AS,
 Train 1 s/n 9326; and Train 2 s/n 9373; on 2- Pallets.
- 457 UNASSIGNED
- 458 UNASSIGNED

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 459 LOT CLOTHES LOCKERS, STEEL

 Consisting of but not necessarily limited to: 4- Sections, Each containing 3- Lockers, Steel
 7 ft. tall; Lot Folding Table and Chairs 4- LIFE-TIME, 6 ft. long, 6 Chairs, 4- Steel
 Folding.
- 460 LOT 2- TELEDYNE ANALYTICAL INSTRUMENTS GAS ANALYZER SYSTEM 4030/4060 TCD 295705 and 295704 Co. No. 120-AIT-03011 and Co. No. 120-AIT-0310.
- 461 LOT GAS CONTROL PANELS
 1- Free Standing Gas Control Panel; 2- AIR GAS Gas Control Panel; 1- PEPPERL & FUCHS.
- 462 LOT 2- PROCESS BARRON CENTRIFUGAL FAN WHEELS 2- 67 in. dia. x 5 in wide.
- 463 LOT 4- PROCESS BARRON CENTRIFUGAL FAN WHEELS 4- 60 in. dia. x 5 in. wide.
- 464 LOT 3- EMERGENCY EYE WASH STATIONS Portable having 10 gal. (est.) Capacity Stainless Steel Keg Base.
- 465 STEPS AND TRAFFIC CONES 1- Steps and 4- Traffic Cones.
- 466 LOT 28- (APPROX.) TRASH BARRELS, TRASH CANS AND BUCKETS
 Consisting of but not necessarily limited to: 15- (approx.) RUBBERMAID Brute[®] Trash
 Cans, Barrels, and Buckets, 1- IGLOO Water Can, 4 in. dia. Hose, and Related.
- 467 JAMCO PRODUCTS FLAMMABLE MATERIALS STORAGE CABINET FS 90 90 gal. capacity, with Contents.
- 468 SECURALL® FLAMMABLE MATERIALS STORAGE CABINET A360 60 gal. capacity, with Contents.
- 469 EAGLE FLAMMABLE MATERIALS STORAGE CABINET 1926 55 gal. capacity, with Contents.
- 470 JUSTRITE® FLAMMABLE MATERIALS STORAGE CABINET 892200 22 gal. capacity.
- 471 SECURALL® FLAMMABLE MATERIALS STORAGE CABINET A360 60 gal. capacity, with Contents.
- 472 LOT 21- (APPROX.) FIRE EXTINGUISHERS ABC Bottles, Various Capacities.
- 473 LOT 15- ITEMS (APPROX.) INFORMATION ITEMS / SIGNS
 Consisting of but not necessarily limited to: 4- GLOBAL Yellow Plastic Floor Bollards, 4RUBBERMAID Yellow Plastic 'Caution' Pyramids, 12- Yellow Plastic Spill Kits, Trash
 Can Lids/ Tops, 1- Bucket of Clear-GlideTM.
- 474 LOT WORK BENCH, STEEL 28 in. deep x 8 ft. long (est.) with Back Board.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

475 – LOT GREASE, GREASE GUNS, AND PACKING

Consisting of but not necessarily limited to: 2- Boxes of CHEVRON Grease in Tubes; 5- Grease Guns, Manual; 7- Boxes and 4- Rolls (approx.) of Packing.

476 – LOT EATON SWITCH GEAR BREAKER, VALVES AND RELATED 270VCP-W22 131000786 New in the Box Switchgear Breaker, Style Number 3777A92G02, 7- (approx.) Butterfly Valves, Each with Power Actuation, 4- Boxes, (NOTE: Contents Unknown).

477 – LOT 6- PALLETS ELECTRIC MOTORS, PUMPS

Consisting of but not necessarily limited to: 1- CRI 15-9-20 hp, 1- CRN15-3-3P, powered by 7.53 hp Electric Motor; BALDOR RELIANCE, 10 hp Electric Motor (New/ Unused); MARATHON 20 HP ELECTRIC Motor (New/Unused); FRISTRAM Stainless Steel Pump powered by BALDOR-RELIANCE Electric Motor; GOULDS iFrame Centrifugal Pump powered by TECO WESTINGHOUSE 3- hp Electric Motor.

478 - LOT 3- PALLETS ELECTRIC MOTORS, PUMPS

Consisting of but not necessarily limited to: 2- DAYTON 1- hp Electric Motor, (New/Unused); BALDOR 1 hp Electric Motor (New/Unused); CRI5-10-3P powered by 3 hp Electric Motor (New/Unused); 2- Pumps powered by BALDOR RELIANCE .5 HP Electric Motor; FRISTRAM Positive Placement Pump, GRUNDFOS® FPX17321102182 powered by Electric Motor, (New/Unused), and Related.

479 – NORD DRIVE SYSTEMS REDUCTION GEARMOTOR

Type - SK 9072.1AZBH N210TC 200858667-200 (Mfg.2012) Powered by Electric Motor (New/Unused).

480 – LOT 2- BALDOR-RELIANCE ELECTRIC MOTORS 30 hp, (New/Unused).

481 – LOT 8- (APPROX.) ELECTRIC MOTORS

Consisting of but not necessarily limited to: 5- BALDOR-RELIANCE .5 hp (New/Unused); .33 hp (New/Unused); 1- LEESON 1 hp. Electric Motor1- SEW Eurodrive (New/Unused).

482 - LOT 4- ELECTRIC MOTORS

Consisting of but not necessarily limited to: 1- TECO WESTINGHOUSE 10 hp Electric Motor, (Used); 1- MARATHON 10 hp Electric Motor (New/Unused); 1- TOSHIBA 10 hp Electric Motor, (Used); 1- Electric Motor 1 hp (est.) (Used).

483 – LOT 2- GOULDS CENTRIFUGAL PUMPS

Consisting of but not necessarily limited to: iFrame, 1- powered by TECO WESTINGHOUSE 2 hp Electric Motor, and 1- powered by TECO WESTINGHOUSE 5 hp Electric Motor.

484 – LOT SIHI PUMPS LTD. LIQUID RING VACUUM PUMP

Consisting of but not necessarily limited to: (NOTE: Pump Only, Power not attached; on 3- Pallets and in 1- Crate.

47 of 112

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 485 PUMP WITH CONTROLS AND SHELTER
 - 1- Stainless Steel Centrifugal Pump powered by BALDOR RELIANCE 10 hp Electric Motor, Co. No. P-0340H.
- 486 GLOBAL HEAT TRANSFER WYOMING, INC. LAND FILL COOLER #100102.
- 487 BEECH DESIGN & MANUFACTURING LIFT TRUCK, NARROW AISLE, MANUALLY OPERATED 1000 lbs. capacity 19 in. Load Center, 104 in. lift, (New/Unused).
- 488 FLEX CONNECTION FOR STOCK FAN

30 in. dia. x 10 in. wide (approx.); 300 Flex Connection Stock Fan Expansion Joint, Co. No. 95011523.

489 – LOT GOULDS AND GRISWOLD CENTRIFUGAL PUMP, PUMP AND EXPANSION JOINT PARTS

40000283 (Mfg. 06/2016) Consisting of but not necessarily limited to: iFrame Pump (Note: No Power), (NOTE: No Motor Housing, No Impeller), 1- GRISWOLD Size S/3X 1.5-6/SOID/S0606/SE/SNB, s/n 5375 (New/Unused); and 1- Metal Expansion Joint Assembly with Nuts Gasket, Co. No. 95014962; on 2- Pallets.

- 490 LOT 1- SECTION PALLET RACK SHELVING
- 491 LOT CONTENTS OF PALLET RACK SHELVING

Consisting of but not necessarily limited to: 9- (approx.) Cardboard boxes containing Miscellaneous Parts; electrical Control Panel, Metal, 3- 1/2 in. Poly/Nylon Diaphragm Pumps, 9- Rolls of Flexible Tubing, 1- Spool of PARKER Tubing, and 3M Fire Pillow.

- 492 LOT 3- SECTIONS PALLET RACK SHELVING
- 493 BALDOR-RELIANCE ELECTRIC MOTOR Cat. No. ECP44304T-4 1311112025 300 hp, 1785, 60 Hz, 460 V 334 amps. (New/Unused)
- 494 MARATHON ELECTRIC ELECTRIC MOTOR 444TSTFC6001 125 hp, 3600 rpm, 3 ph, 60 Hz, 460 V, Crate # GT1048, KL617, 450063598-107-63; Shelf Location- AF-0401.
- 495 LOT CENTRIFUGAL PUMPS

Stainless Steel, powered by Electric Motor, 3- Stainless Steel Centrifugal Pumps; 1- RIO Stainless Steel Pump, powered by Electric Motor; Plastic PNC Reverse Osmosis Rectifier Pump powered by 1/2 hp Electric Motor; Shelf Location - AF-0402.

496 - LOT CENTRIFUGAL PUMPS

Consisting of but not necessarily limited to: In Wood Crate and Panel from AMEC in Wood Crate; Shelf Location - AF-03-02, AF-0301; 1- Pallet with 2- GOULDS Pumps Powered by TECO WESTINGHOUSE 2- hp Electric Motors; on 2- Pallets.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

497 – LOT SMART FLOW FRISTOM CELL CONCENTRATION MEMBRANE SKID, ELECTRIC MOTORS

Consisting of but not necessarily limited to: 4- BALDOR-RELIANCE .5 hp Electric Motors (New/Unused), Co. No. 95011205 and Co. No. 95012063; Shelf Location AF-03-02, AF-03-01, on 2- Pallets.

498 - LOT 3- ELECTRIC MOTORS

Consisting of but not necessarily limited to: TOSHIBA 250 hp Model B250GFLG38SHJL, s/n 110808627, 3580 rpm, 60 Hz, 460 V; TECO WESTINGHOUSE 75 hp Electric Motor; BALDOR - RELIANCE 3 hp Electric Motor; Shelf Location AF-0201.

499 – LOT 7- (APPROX.) ELECTRIC MOTORS

Consisting of but not necessarily limited to: 3- WEG 3 to 10 hp (est.) (New/Unused), BALDOR - RELIANCE Electric Motor, (New/Unused); Shelf Location AF-0202.

500 - LOT 3- BALDOR · RELIANCE NEW ELECTRIC MOTORS

2-15 HP, 1800 RPM, 254T, 3, EPFC1-15/10 hp Co. No. 95012235, Co. No. 95014440 and 1- not ID'd; Shelf Location AF-01-01, AF -01-02.

501 – SUPPLY CABINET Double Hinged Front Doors, 7 ft. tall, Metal.

502 – LOT CONTENTS OF SUPPLY CABINET-LOT 501

Consisting of but not necessarily limited to:1- Box PANDUIT Fittings and Pressure Regulators; Bags of Assorted Zip Ties, 1/2 in. Brass Ball Valves, 4- Boxes (approx.) Cush-A-Clamps, CRC Lectra Clean.

503 - LOT PARTS

Crouse-Hines & Topaz Electrical, Consisting of but not necessarily limited to: POLARIS Tops, Condulets, Gaskets, and Covers, U- Bolts, Extra Hardware, Conduit Fittings, PANDUIT Fittings and Related Parts.

504 – SUPPLY CABINET Double Hinged Front Doors, 7 ft. tall, Metal.

505 - CONTENTS OF SUPPLY CABINET-LOT 504

Consisting of but not necessarily limited to: Wire Nuts and Compression Splices, Multicolored Tape and Related.

506 - LOT PARTS CABINET WITH CONTENTS

Consisting of but not necessarily limited to: 1-20 Bin and 1-40 Bin Parts Cabinet containing Various Electrical Conduit and Related Fittings.

507 – SNAP-ON® AIR COMPRESSOR

BRA7180VEM JAC12059-020 Powered by BALDOR · RELIANCE Electric Motor mounted on 90 gal. (est.) Vertical Air Receiver Tank.

508 - UNASSIGNED

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

509 - LOT WORKBENCH WITH CONTENTS

Consisting of but not necessarily limited to: 42 in. x 8 ft. Steel Workbench having 2- Vises, 1-6 in. and 1- WILTON; Back Board with Electrical Modules; 2- Surveillance Camera Modules with Mounting Brackets; 5- Boxes of Related Parts.

510 – MASTERFLEX PHILLIPS AND OTHERS INSTRUMENTATION, CONTROL WORK BENCH BOXES AND RELATED

Small Wire, MASTERFLEX PHILLIPS and Others is Support ROSEMONT Instrumentation FISHER Control Boxes having Flexible Stainless Steel Wiring; Work Bench, Steel, 32 in. deep x 60 in. (est.) long having Heaving Duty Vise.

With WORK BENCH

40 in. x 6 ft. (Approx.) Metal with Vise and Related Contents of Instrumentation; 31- COOPER BUSSMANN'S Fuse Tron and Fuses; Multi-Bin Parts Cabinet with Related Parts.

511 - LOT PALLET RACK SHELVING

3- Sections, 2- 15 ft. high x 42 in. x 8 ft. long and 1- 10 ft. high x 42 in. deep x 8 ft. long.

512 - LOT CONTENTS OF PALLET RACK SHELVING LOT 511

Consisting of but not necessarily limited to: Box of Phillips; 20 + Rolls of Small Electrical Wire; 4- (approx.) Boxes of Multi-Conductor Instrumentation Wire; 45 + (est.) ROSEMONT HDMI Units, and Related Items; Fisher® Valves with Actuators, Pressure Regulators and Related Items.

513 – LOT CISCO G-BIC MODULES

Out-Door Site Phone having Metal Casing; 5- GAI -Tronics Model 263 Isolation Barrier Units and Related; on Pallet.

514 – LOT 2- ITEMS TERMINAL BOX

For Compressor or Recirculating Fan, in Case; on Pallet.

515 – LOT 15- BOXES (APPROX.) POTTER RELEASING PANEL FOR WATER AND AGENT EXTINGUISHING SYSTEMS PFC Series On Pallet.

516 – LOT 2- PENTAIR ACTUATOR

LKV NC DN 100-150 ID No. 2161181 1- DN 3 in./PN10/1.404 Valve, Stainless Steel.

517 - LOT HURRICANE SUPPLIES

Consisting of but not necessarily limited to: 5- COLEMAN Queen Grand Elite SupportrestTM, 7- (approx.) Plush Pillows, 4- HUSKY 20 ft. x 100 ft. 4- mil Clear Polyethylene Sheeting, COLEMAN Quick Pump; on Pallet.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

518 - LOT SUPPORT ITEMS

Consisting of but not necessarily limited to: 4- Boxes of CLEAR CHOICE Can Liners; 1-Box of Intertape Tape[®], 1- Pack Gloves; KASHIN Trash Pump powered by Gasoline Engine; 1- Bundle of ROCK RIVER 20 ft. x 30 ft. Blue Tarp and Related; 4 ft.x 100 ft. Construction Fencing; on Pallet.

- 519 LOT 3- MATERIAL HANDLING SINGLE AXLE HAND TRUCKS
- 520 MATERIAL HANDLING VERTICAL

For horizontal Truck, Single Axle with 2- Castering Wheels.

- 521 BLUE HAWK[®] MATERIAL HANDLING 4- WHEEL TRAILER, 2 ft. wide x 45 in. long Deck 10 in. high Side, Tongue Steer, Wire Mesh Bottom and 4-Drop Down Sides, Pneumatic Tires.
- 522 BLUE HAWK[®] MATERIAL HANDLING 4- WHEEL TRAILER, 2 ft. wide x 45 in. long Deck 10 in. high Side, Tongue Steer, Wire Mesh Bottom and 4-Drop Down Sides, Pneumatic Tires.
- 523 BLUE HAWK[®] MATERIAL HANDLING 4- WHEEL TRAILER, 2 ft. wide x 45 in. long Deck 10 in. high Side, Tongue Steer, Wire Mesh Bottom and 4-Drop Down Sides, Pneumatic Tires.
- 524 BLUE HAWK[®] MATERIAL HANDLING 4- WHEEL TRAILER, 2 ft. wide x 45 in. long Deck 10 in. high Side, Tongue Steer, Wire Mesh Bottom and 4-Drop Down Sides, Pneumatic Tires.
- 525 WAREHOUSE / DOCK PLATFORM TRUCK 30 in. wide x 60 in. long, Wood Deck.
- 526 WESCO PLATFORM TRUCK 23 in. x 34 in., 600 lb. capacity Folding Back Stop/Push Bar.
- 527 JET PALLET JACK
- 528 STARTECH.COM STAR ROCK ELECTRONIC COMPONENTS CABINET
- 529 FREE STANDING METAL STORAGE CABINET 7 ft. high x 38 in. wide x 16 in. deep (est.).
- 530 ENERPAC PORTA POWER UNIT
- 531 SKF BEARING ALIGNMENT DEVICE
- 532 GRACO UNIT In Case.
- 533 INGERSOLL RAND NEEDLE SCALER
 With 3- Jaw Gear Puller; 2- RIDGID Tools with Die Set.
- 534 STORAGE SHELVING UNIT Steel, Light Duty, 72 in. high x 32 in. wide x 12 in. deep (est.).
- 535 MILLER WELDING ATTACHMENT Radnor Pro 4000. 51 of 112

-ACCURACY OF DESCRIPTION NOT GUARANTEED-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIEDFOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:
WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

536 - GREENLEE SPLITTER SET FOR 2 IN. CONDUIT

Having Model 767 Hand Pump; GREENLEE Splitter Set for 2 in. Conduit having Model 767 Hand Pump.

With PUNCH-LOK® LOCKING TOOL P-1000TM.

537 – LOT 6- (APPROX.) HAND POWER TOOLS

Consisting of but not necessarily limited to: CHICAGO PNEUMATIC and INGERSOLL RAND Air Impact Wrenches, GREENLEE Splitter Set for 2 in. Conduit having Model 767 Hand Pump. And MILWAUKEE Power Tools.

- 538 LOT 6- (APPROX.) MILWAUKEE AND BLACK & DECKER POWER HAND TOOLS Consisting of but not necessarily limited to: Drills, Grinders and Reciprocating Saw; 120 Volt, AC Powered.
- 539 LOT 3- FISH TAPES
- 540 LOT 3- SNAP-ON® CHARGING BASES M18 With 1- Battery.
- 541 WOOD TABLE
- 542 FASTENAL PARTS CABINET WITH CONTENTS 4- Drawer.
- 543 LOT TOOL DISPAY BOARD

8 ft. high x 10 ft. long (approx.) with Tool Contents of Combination Wrenches 2-3/8 in. to 1-3/8 in.; Hammer Wrenches; Hex Nut Sockets 2-1/2 in (est.) to 1-1/8 in.; 7- Chain/Cable Clevises; RIDGID Pipe Wrenches Carpenter Levels; Bolt Cutters; Brooms and Related.

544 – SWAGELOK BENCH TOP TUBE BENDER

MS-BTB-M 4869 With Accessory Kit/Tool Box containing Specialized Dedicated Hand Tools.

- 545 UNASSIGNED
- 546 LOT ASHAI TOOL BOX WITH CONTENTS

Containing ASAHI Specialized Box End, Combination End, Hammer Wrenches and Similar.

547 - ALLEGRO AXIAL FLOW BLOWER

9515 219302 With ALLEGRO Compact Blower.

548 - LOT 2- TRANSFER PUMPS

Hand Operated for 55 gal. Drums.

549 – LOT 5- HARRINGTON AND OTHERS CHAIN HOISTS

Consisting of but not necessarily limited to: 1- 3-ton, 1- 1-1/2 ton, 2- 1-ton and 1- 3/4 ton.

With LOT CHAIN AND TWINE

Consisting of but not necessarily limited to: 2- 5 gal. Pails having Link Chain, 1- 5 gal. Pail of GRAYBAR® 6500 ft. of Poly Line. (NOTE: Line has been withdrawn from Bucket.)

52 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 550 MILWAUKEE MAGNETIC DRILL PRESS Cat. No. 4203 838B14480089.
- 551 LOT 8- (APPROX.) CABLE SLINGS With 3- Hoses.
- 552 WESTWARD® TORQUE WRENCH No. 23NN59 400 to 2000 ft. lbs. with Extension Handle, All in Custom Storage Case.
- 553 PROTO® PROFESSIONAL TORQUE WRENCH 6020 CX 120 to 600 ft. lbs. Rating, in Storage Case.
- 554 JONNESWAY® TORQUE WRENCH T07600F 100 to 600 ft. lbs. Rating in Storage Case. (NOTE: The Square Drive Head is Broken.)
- 555 LOT 2- TORQUE WRENCH 1- 42 in. (approx.) long, 1- 16 in. (approx.) long, having Carrying Storage Case.
- 556 LOT 7- PIPE WRENCHES

 Consisting of but not necessarily limited to: 7- RIDGID Adjustable Pipe Wrenches having
 1- 48 in., 1- 24 in., 2- 36 in., and 3- 14 in.
- 557 STEEL STORAGE CABINET 2- Door.
- 558 ARMSTRONG WRENCHES

Consisting of but not necessarily limited to: 1 in. Drive Socket Wrench Set having 19-Sockets, Ratchet Wrench, Bar Wrench, Extensions, and Knuckle; All in Storage/Carrying Case; with 2- Deep Throat C-Clamps and 2- Clevises.

- 559 LOT 15- (APPROX.) FABRIC LIFE SLINGS AND CLEVISES 15- (est.) Slings of Various Sizes Capacities, 8- (approx.) Clevises, Various Sizes, Plate Clamp.
- 560 STEEL STORAGE CABINET 2- Door, with 4-Shelves.
- 561 LOT INGERSOLL RAND, SWAGELOK CONTENTS OF 4- SHELVES
 Consisting of but not necessarily limited to: Top Cabinet, SPEARHEAD, Model 748-E-25,
 Adjustable Extension Gasket Cutter, Internal/Extend Snap Ring, Plyers Set and Related
 Tools; Tap and Die Set, Twist Drills, Air Impact Wrench with 6 in. Extension, 1 in. Drive,
 SWAGELOK Pipe Benders, CONE MOUNTER CO. Heated Cone, 12 in. Cone.
- 562 Z SHADETM INSTANT CANOPY With Aluminum Frame.
- 563 LOT ALL THREAD RODS

Consisting of but not necessarily limited to: FASTENAL® 28- (approx.) Carbon Steel, Stainless Steel, Copper and Galvanized Rods, Most are 6 ft. long x 1 in. dia. and smaller, 4- Pieces are 10 ft. long (approx.).

564 - LOT PALLET RACK SHELVING

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 565 CONTENTS OF PALLET RACK SHELVING LOT 564
 Consisting of but not necessarily limited to: 2- Pallets having 20 (approx.) Boxes of FASTENAL Consumables, Bolts Hex Nuts, Pipe Fittings and Related.
- 566 JOB BOX® CHEST 1-652990 (NOTE: Appears Like New/Very Little Use).
- 567 LOT 18- BOXES (APPROX.) PALL CORPORATION RELATED PLANT ITEMS/SUPPLIES
 13- Boxes PLATTCO Dust Cartridges Co. No. 95013038; 4- Boxes PALL CORPORATION Claris PP FLTR CART 1 MIC 40 in.
- 568 LOT 1- BOX SNYDER FILTRATION MEMBRANES SP005-31-8040 10- (Approx.) Count.
- 569 JAMCO PRODUCTS STORAGE CABINET FOR HYDRAULIC HOSE AND LINE FITTINGS
 18-1/2 in. tall x 24 in. deep x 48 in. wide, having Double Hinged Front Doors. Cabinet and Doors Fitted with Cantilevered Plastic Parts Bins. (Contents of Yellow Bins Lot 570 are Not Included.)
- 570 SWAGELOK AND RELATED CANTILEVERED PLASTIC PARTS BIN CONTENTS Consisting of but not necessarily limited to: SWAGELOK SS-200, SS-400, SS-600 and SS-810, Tube and Hose Unions, Union Elbows, Plugs, Tees, Ferrule Sets; SS-45S8, SS-43GS6 Ball Valves, Tube Supports and Related. (Contents of Yellow Bins.)
- 571 LOT 4- BUCKETS SANITARY STAINLESS STEEL PIPE FITTINGS

 Consisting of but not necessarily limited to: 4-5- gal. Buckets with Clamping Fittings, Ball Valves, Valve Actuators, Various length of small dia. Stainless Steel Pipe, 2-1/2 in. dia. (est.) Tee and Related Equipment.
- 572 LOT 6- BOXES (APPROX.) RAYCHEM TERMINATIONS FOR NEUTRAL CABLE TFT-253E (Date Code 11/14/2011) (NOTE: States, "Use Before 11/2014"), Co. No. 95014468.
- 573 1- BOX BROOKS INSTRUMENTS INSTRUMENTS
 Co. No. 95013455 to Co. No. 95013456, Assembled into 1- Piece, Co. No. 95013592;
 Shelf Location Q-03-04.
- 574 LOT 5- BOXES (APPROX.) PARTS

 Consisting of but not necessarily limited to: 2- Boxes of RYAN HERCO FLOW

 SOLUTIONS No.5909.273 Signet PH/ORP Inline SNSR Electric, 2- Boxes FRISTAM

 PUMPS Part No. 802600653 758 Single Seal Kit, 1- Co. No. 95014028 Dryer; Shelf

 Location: Q-03-03.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 575 LOT 9- BOXES (APPROX.) AND 2- ENVELOPES NORGREN FITTINGS
 Consisting of but not necessarily limited to: 4- Boxes of NORGREN 124470418 1/8 NPTF
 1/4 in. Fittings, 10- Items per Box; 3- Boxes NORGREN 124470428 1/4 NDTF Fittings,
 10- Items per Box 124250428, V4NPTF Fittings, 10- Items per Box; Shelf Location Q-0302. With CUSTOM FABRICATING Thermocouple Model Pyromation A3, Stainless
 Steel; With 2- EMERSON PROCESS MANAGEMENT Diaphragm Type Y 690A, and 1Bag of 1/4 in. Pipe Fittings; 1- Box Related Cable Wiring and Gaskets; Shelf Location Q
 0302.
- 576 LOT BEARINGS, REBUILD KITS AND GASKETS
 3- Boxes and 2 Bags of Rebuild Gasket Kit and Related consisting of but not necessarily limited to: 2- Boxes of Co. No. 95014349 Rebuild Gasket Kit; 1- Box Co. No. 95014347 Rebuild Gasket Kit; 2- Boxes Co. No. 95014348 / S501-144 containing 4- Roller Bearings with Packing Rope; Shelf Location Q 03-01.
- 577 STORAGE SHELF UNIT
- 578 STORAGE SHELF UNIT
- 579 LOT 3- BOXES DIAPHRAGMS AND RELATED

 Consisting of but not necessarily limited to: 1- Box of Diaphragms, Co. No. 95011856, Co. No. 95012959 and Co. No. 95012977; 1- Box Diaphragms Co. No. 95013003, Co. No. 95012900 and Co. No. 95012911; 1- Box O-Rings, Co. No. 95014199; Shelf Location Q-02-05.
- 580 2- BOXES AND 1- DEVICE AIR CYLINDER, PARTS AND RELATED Consisting of but not necessarily limited to: ALICAT Part No. MCR-100SLPM-D-X s/n 7153 (New/Unused) (NOTE: Is packed in OEM Shipping Box, Enclosed in Sealed Plastic Cover/Bag/Sack; 1- NUMATICS Air Cylinder Co. No. 95014007 for PLATTCO; 1- Box MCMASTER CARR Co. No.95011789 O-Rings; Shelf Location Q-02-04.
- 581 LOT 8- BOXES FISHER PARTS TRIP VALVE REPAIR, GRAPHITE PACKING AND RELATED

 Consisting of but not necessarily limited to: 2- Boxes of FISHER PARTS BY EMERSON, Trip Valve Repair, Kit Part No R377X000012; 2- Boxes FISHER PARTS Single Graphite 1/2 in. Item Packing Kit No. RPACKX00112; 2- Boxes #38B5786X052, Standard Relay Assembly Reclaim 'C' Assembly; Shelf Location Q-0203.
- 582 LOT 3- BOXES REPLACEMENT PARTS KITS, REPAIR KITS AND RELATED Consisting of but not necessarily limited to: 1- Box containing PARKER Cylinder Replacement Parts Kits, Part No. from Co. No. 950137760 to Co. No. 95012421; 1- Box containing MILTON ROY, LUB POWER, MORIN ACTUATORS AND OTHERS, Repair Kits, Part No. #95013363 to #95011977; 1- Box containing HUDSON PUMP, O-Ring Seat, Manifold; T Cover Part from Co. No. 95011972 to Co. No. 95013479; Shelf Location Q-0202.
- 583 STORAGE SHELF UNIT 55 of 112

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 584 LOT 2- BOXES WIRE ROPE LANYARD KITS

 Consisting of but not necessarily limited to: 1- Box Wire Rope Lanyard Kits, Part No. Co.

 No. 95014846 to Co. No. 95014851.
- 585 LOT 2- BOXES REPAIR KITS AND THRUST BEARINGS
 Consisting of but not necessarily limited to: 1- Box Repair Kits and 1- Box Thrust Bearing
 Size 80, Co. No. 95012908; Shelf Location Q-01-04.
- 586 LOT 3- BOXES REPAIR KITS, PACKING BOX RINGS AND RELATED Consisting of but not necessarily limited to: Repair Kits, Packing Box Rings, Seals Packing, Hex Nuts, Keys, Pins and Gaskets; 1- Box Diaphragm Kits, Gasket Kits, Piston Rings, O-Rings and Others, Co. No. 95011852 to Co. No. 95012879; 1- Box O-Rings, Seals, Bearings, Pins and Others, Co. No.95011399 to Co. No. 95012997.
- 587 LOT 3- BOXES GASKET SETS, SHIMS, REPAIR KITS AND RELATED Consisting of but not necessarily limited to: 1- Box of Gaskets Sets, Shims, Repair Kits, Co. No. 95012872 to Co. No. 95012995; 1- Box of Seat Ring, Repair Kit, Stem, Filter, Diaphragm Assembly, Co. No. 95012930 to Co. No. 95012888; 1- Box of Disk Holder, Bushing, O-Ring, Seat Ring, Seat, Packing Bearings, Co. No. 95012913 to Co. No. 95011397; Shelf Location Q-01-02.
- 588 Lot 3- BOXES REPAIR KIT, DIAPHRAGM, SEAL RING AND STEM PLUG AND RELATED Consisting of but not necessarily limited to: 1- Box of Repair Kit, Diaphragm, Seal Ring, Stem Plug, Co. No. 95012912 to Co. No. 95012931; 1- Box of Stem Plug, Repair Kit, Retainer/Bushing Assembly, Seal Bushing, Co. No. 95012910 to Co. No. 95012981; 1- Box of Plug and Stem, Bearing, Packing, Screw, Mounting Kits, Co. No. 95011469 to Co. No. 95012899; Shelf Location Q-01-01.
- 589 STORAGE SHELF UNIT
- 590 LOT 5- BOXES FEDERAL SIGNAL ELECTRA FLASH, RHEODYNE AND RELATED Consisting of but not necessarily limited to: 2- Boxes FEDERAL SIGNAL Electra Flash Model 141 ST-024A; 1- Box RHEODYNE; and 2- Boxes Solenoid Assembly for SLIDE GATE CYCLONE, Co. No. 95012121, Co. No. 95012122, Co. No. 95014163, Co. No. 95015067; Shelf Location P-0105.
- 591 LOT 8- BOXES ECLIPSE UV SCANNER, NPT VALVE AND RELATED Consisting of but not necessarily limited to: 2- ECLIPSE Veri-Flame Control/Gas Low Cham, 1- Box ECLIPSE Actuator Mounting Kit 1/2"; 1- Box Eclipse Rod Control, 1- Box ECLIPSE Connector for Linkage, 3- Boxes ECLIPSE 49600-90 UV Scanner/Gas Low Cham, 1- Box ECLIPSE UV No Purge, 2- ECLIPSE UV 3 in. NPT Valves, 3- ECLIPSE 1.5 in. NPT Valve, Co. No. 95012296, 95012295, 95014091, 95014092, 95015029, 95015093, 95015095; Shelf Location P-01-04.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 592 LOT 11- BOXES FUSED TERMINAL BLADES AND RELATED Charm Fused Terminal Blocks, DI Dry6, DO 24 VDC ISO, AD 4-20 Hart Similar, Co. No. 95012476 to 95011951; Shelf Location P-01-03.
- 593 LOT 8- BOXES (APPROX.) EMERSON PROCESS MANAGEMENT / DELTAV DELTAV CHARM BASEPLATE
 Charm Baseplate, Type KFD 2-SR2-EXI.W, Co. No. 95013909 to Co. No. 95015066; Shelf Location P-01-02.
- 594 LOT 33- BOXES (APPROX.) TURBO SRM AND HARDWARE
 Consisting of but not necessarily limited to: 29- Boxes, Turbo SRM, 4- Boxes Hardware,
 Co. No. 95014177 to Co. No. 95014945; Shelf Location P-01-01.
- 595 STORAGE SHELF UNIT
- 596 LOT 2- BOXES AND 4- COILS TUBING
 Consisting of but not necessarily limited to: 2- Boxes MASTER FLEX Precision Pump
 Tubing, 4- Coils FASTENAL #0448186, 1/2 in OD x 100 ft. Black SURETHANE Tubing,
 Co. No. 95015117; Shelf Location P-0205.
- 597 LOT 12- BOXES / TRAYS (APPROX.) SAFETY SWITCH IGNITION CABLE, CONNECTORS AND RELATED

 Consisting of but not necessarily limited to: Safety Switch Ignition Cable; LCD Screen; Truck Pin; Lock Mini; 4- Pin Connector-Male and Female; 8- Pin Connector-Male and Female, Co. No. 95012120 to Co. No. 95013880; Shelf Location P-0204.
- 598 LOT 26- BOXES (APPROX.) JDM TECHNOLOGIES, INC. DISPOSIBLE FILTER ELEMENTS, DEVICENET, PRESSURE REGULATORS AND RELATED Consisting of but not necessarily limited to: Disposable Filter Element, (NOTE: 3- Boxes appear to be Opened/Empty) 4- Boxes SCHNEIDER BMXDD13202K; 7- Boxes EATON DeviceNet; 3- VICTOR Pressure Regulators; 9- Boxes- not Id'd, Co. No. 95014798 to 95013552; Shelf Location P-0203.
- 599 LOT 12- BOXES (APPROX.) EXTENSION CABLE, GAS PRESSURE SWITCHES AND RELATED

 Consisting of but not necessarily limited to: JDM TECHNOLOGIES, BENTLY NSV Extension Cable; 1- HONEYWELL Gas H/G/LP Pressure Switch; 5- HONEYWELL Gas Pressure Switches; 4- FISHER PARTS DVC6200 Mounting Kits, Co. No. 95014389 to Co. No. 95015063; Shelf Location P-02-02.
- 600 LOT 15- BOXES (APPROX.) AND 2- ROLLS SOLENOID VALVE, FIBERGLASS TAPE AND RELATED

 Consisting of but not necessarily limited to: 15- Boxes of JDM TECHNOLOGIES, MAC Solenoid Valve, 24 VDC; 2-Rolls Style IG1250 Fiberglass Tape, Co. No. 95015257 to Co. No. 95013924, 95012468; Shelf Location P-02-01.
- 601 STORAGE SHELF UNIT

57 of 112

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 602 LOT 10- ROLLS (APPROX.) PLASTIC TUBING
 Consisting of but not necessarily limited to: MASTERFLEX (or Similar) Plastic Tubing,
 Clear and Black; Shelf Location P-03-05.
- 603 LOT 13- BOXES (APPROX.) TEMPERATURE TRANSMITTER PORT KITS, AND RELATED

 Consisting of but not necessarily limited to: Resistance Repeater, Temperature

 Transmitter, Port Kits, Mini Regulator, Glass Tube and MAC Valves, Co. No. 95015078 to Co. No. 95014?15; Shelf Location P-03-04.
- 604 LOT 8- BOXES (APPROX.) SIGNET, SENSORS AND CONDENSER AND RELATED Consisting of but not necessarily limited to: RYAN HERCO SIGNET Integrated System Condenser, Flat ORP, NPT; Sensor Flow 5-4 in. Pipe Signet and Related, Co. No. 95011130 to Co. No. 95015365; Shelf Location P-03-03.
- 605 LOT 9- BOXES (APPROX.) VLV BALL, AND CHECK PVC VALVES AND RELATED Consisting of but not necessarily limited to: RYAN HERCO VLV Ball PVC 2 in.; VLV Check PVC 2 in.; VLV Check PVC 1 in.; GRANGER, Unidentified, Co. No. 95012290 to Co. No. 95011963; Shelf Location P-03-02.
- 606 LOT 17- BOXES (APPROX.) ALLEN-BRADLEY CONTROLLOGIX AND RELATED Consisting of but not necessarily limited to: ALLEN-BRADLEY Controllogix, 6- Point A/I Module, Input/Output Cards, Discrete, Analog and Related, Co. No. 95013351 to Co. No. 95012328; Shelf Location P-03-01.
- 607 STORAGE SHELF UNIT
- 608 LOT 9- BOXES (APPROX.) ALLEN-BRADLEY POWER SUPPLIES
 Consisting of but not necessarily limited to: ALLEN-BRADLEY Compact I/O Power
 Supply, Flex Ether Net Adapter and Related, Co. No. 95012123 to Co. No. 95013029;
 Shelf Location O-0305.
- 609 LOT 19- BOXES (APPROX.) POWER SUPPLIES AND OUTPUTS
 Consisting of but not necessarily limited to: 16- Point and 8- Point Output, Allen-Bradley
 Power Supply, Co. No. 95015064 to 95015361; Shelf Location O-03-04.
- 610 LOT 12- BOXES AND TRAYS (APPROX.) SWITCHES, BATTERY ASSEMBLY AND RELATED

 Consisting of but not necessarily limited to: Switches, Battery Assembly, Relays, Mini Circuit Breakers, Circuit Breakers and Related, Co. No. 95014301 to Co. No. 95014966; Shelf Location O-03-03.
- 611 LOT 12- BOXES (APPROX.) CIRCUIT BREAKERS, SWITCHES AND RELATED Consisting of but not necessarily limited to: Supplementation Protector, Circuit Breakers, Red Camp, Push Button Switches, Co. No. 95014963 to 95012319; Shelf Location O-03-02.

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 612 LOT 12- BOXES AND TRAYS (APPROX.) ALLEN- BRADLEY CURRENT OUT-PUT MODULE, SWITCHES AND RELATED Consisting of but not necessarily limited to: 8- Channel Current Out-Put Module, proximity Switches, Amber and Green Lamps, Selector Switches, Co. No. 95012001 to Co. No. 95012327; Shelf Location O-0301.
- 613 STORAGE SHELF UNIT
- 614 LOT 7- BOXES AND TRAYS (APPROX.) TRANSDUCER, CIRCUIT BREAKERS AND RELATED

 Consisting of but not necessarily limited to: ASCO Press Transducer, Circuit Breakers
 - Auxiliary Contact, Co. No. 95013746 to Co. No. 95013581; Shelf Location O-0205.
- 615 LOT 15- BOXES (APPROX.) GASIFIER COIL, SOLENOID AND RELATED Consisting of but not necessarily limited to: ASCO Red Hot Gasifier Coil, Solenoid and Related, Co. No. 95013875 to 95013889; Shelf Location O-0204.
- 616 LOT 12- BOXES (APPROX.) VALVES

 Consisting of but not necessarily limited to: ASCO Red Hot Valves, #T-480737, T-753778, T-916189, T-618958, and T-613566, Co. No. 95014142 to Co. No. 95012311; Shelf Location O-0203.
- 617 LOT 11- BOXES (APPROX.) SOLENOID VALVES AND RELATED Consisting of but not necessarily limited to: ASCO Red Hot Solenoid Valves, 120 VAC, Switch Temp/Pressure, Copper Direct Probe and Related, Co. No. 95012168 to Co. No. 95013791; Shelf Location O-02-02.
- 618 LOT 5- BOXES (APPROX.) ALLEN- BRADLEY AC DRIVE AND TERMINAL PANEL VIEW

 Consisting of but not necessarily limited to: ALLEN-BRADLEY Power Flex 40 AC Drive, ALLEN-BRADLEY 6.5 IN. Assembled Terminal Panel View 700, Co. No. 95012057 to Co. No. 95013573; Shelf Location O-02-01.
- 619 STORAGE SHELF UNIT
- 620 LOT 16- BOXES AND TRAYS (APPROX.) GAUGES, PRO-THERM AND RELATED Consisting of but not necessarily limited to: 4001-2LM 4 in. SST Gauges, PRO THERM, and 0-200 and 0-60 Oil Filled, Co. No. 95013010 to Co. No. 95013793; Shelf Location O-01-05.
- 621 LOT 11- TRAYS (APPROX.) GAUGES

 Consisting of but not necessarily limited to: Gauges, some are Oil Filled, Co. No. 95013869 to Co. No. 95015028; Shelf Location O-0104.
- 622 LOT 20- BOXES (APPROX.) GAUGES

 Consisting of but not necessarily limited to: DWYER, NOSHOK, AND ASHCROFT,
 Gauges, Co. No. 95011526 to Co. No. 95015045; Shelf Location O-0103.

59 of 112

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 623 LOT 12- BOXES (APPROX.) AND 14- UNBOXED GAUGES
 Consisting of but not necessarily limited to: Gauges, NOSHOK, ASHCROFT, TRERICE
 AND WINTERS Gauges, Co. No. 95014884 to Co. No. 95011236; Shelf Location O-0102.
- 624 LOT 20- BOXES AND TRAYS (APPROX.) PRESSURE REGULATORS AND FILTERS Consisting of but not necessarily limited to: Nitrogen Pressure Regulators, WILKERSON, TMT NORGREN® Filters, NOSHOK Bottom Connectors, Co. No. 95014259 to Co. No. 95011321; Shelf Location O-01-01.
- 625 STORAGE SHELF UNIT
- 626 LOT 2- TUBES, 2- BOXES AND 4- BAGS CONVEYOR BELT SPLICER FITTING AND DIAPHRAGM

 Consisting of but not necessarily limited to: FLEXCO Alligator Steel Conveyor Belt Splicer Fitting for 18 in. Belt, TYCO DV5 Diaphragm, Co. No. 95013851 to Co. No. 95015280; Shelf Location N-01-05.
- 627 LOT 11- TRAYS (APPROX.) SIGHT GAUGES, FILTERS, AND RELATED Consisting of but not necessarily limited to: Sight Gauges, In-line Filters, Air Filters, Snap Rings and Related, Co. No. 95015184 to Co. No. 95013528; Shelf Location N-01-04.
- 628 LOT 12- TRAYS (APPROX.) SPROCKETS, BUSHINGS, AND RELATED Consisting of but not necessarily limited to: Sprockets, Taper Bushings, Coupling Hubs, Bearings and Similar, Co. No. 95015023 to Co. No. 95013752; Shelf Location N-01-03.
- 629 LOT 10- TRAYS (APPROX.) SEALS, ROTOR BEARING WITH SEAL AND RELATED Consisting of but not necessarily limited to: Mechanical Seal Repair Kit, Rotor Bearing with Seal, Bearings, Seals, Collars and Related, Co. No. 95012060 to 95013911; Shelf Location N-01-02.
- 630 LOT 25- BOXES (APPROX.) PUMPS BEARINGS AND RELATED

 Consisting of but not necessarily limited to: FRISTAM® Pumps, 633 Single Seal Kit;

 PEER® BEARING 52mmOD Housing with 20 Bolt Flanges; PEER® BEARING 52mm

 OD Housing, Relube; TINAA Wälzlager Bearing; TEMKEN® Ball Bearing; FRISTAM

 102 Single Seal Kit; and Related, Co. No. 95012454 to 95012455; Shelf Location N-01-01.
- 631 STORAGE SHELF UNIT

60 of 112

- 632 LOT 5- BOXES DWYER®, ABB PRESSURE SWITCHES, BALLAST AND RELATED Series 150 Consisting of but not necessarily limited to: Pressure Switches; I / P Converter; Ballast and Related, Co. No. 95014478 to Co. No. 95015022; Shelf Location N-02-05. GRAYBAR GE232 Max Ballast, #4-20MA, 5-15 psi, I / P Converter, Dwyer Boiler-Combustion Air Low Flow Switch, Dwyer #1950-0-B120 Explosion Proof Switch.
- 633 LOT 12- BOXES MICRO-SWITCHES AND RELATED Consisting of but not necessarily limited to: Co. No. 95012173 to 9501194?; 2 to 1/2 amp Fuses, Relays, Switches; Shelf Location N-02-04.

-ACCURACY OF DESCRIPTION NOT GUARANTEED-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIEDFOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:

WWW.MAASCOMPANIES.COM
"THE LEADER IN CLIENT SATISFACTION"

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 634 LOT 12- TRAYS (APPROX.) ROLLER ARM, LIMIT SWITCH AND RELATED Consisting of but not necessarily limited to: Vibrator, Roller Arm, Limit Switch, Thermocouple, Level Switch, PLC Door Lamp, Relays and Related; 95012505 to 95013497; Shelf Location N-02-03.
- 635 LOT 12- TRAYS (APPROX.) FLUE SIGHT, CIRCUIT BREAKER AND RELATED Consisting of but not necessarily limited to: Flue Sight, Check Valves, Auxiliary Contact, Truck Analog Input, Truck Digital Input and Output, Circuit Breaker, Bleeder Vent and Related, Co. No. 95014844 to 95011136; Shelf Location N-02-02.
- 636 LOT 11- TRAYS (APPROX.) SOLENOIDS, SWITCH, VALVE AND RELATED Consisting of but not necessarily limited to: Air Vent, Solenoid, Low Pressure Switch, Solenoid Pilot Valve, RFI Filter, Coil and Related; 95011326 to 95013511; Shelf Location; N-02-01.
- 637 STORAGE SHELF UNIT
- 638 LOT 8- BOXES (APPROX.) DAYTON FLOAT SWITCH AND RELATED Consisting of but not necessarily limited to: DAYTON Float Switch, Brass Float Valve, CENTRAL AIR Inc. 500-ACW Switch, Co. No. 95013459 to Co. No. 95013557; Shelf Location N-03-05.
- 639 LOT 19- BOXES (APPROX.) PHOTOELECTRIC SENSORS, PUMP CONTROLLER AND RELATED; Consisting of but not necessarily limited to: Photoelectric Sensors, Pneumatic Oscillator Pump Controller, Pressure Module, LCD Display Kit and Related, Co. No. 95014264 to Co. No. 95013770; Shelf Location N-03-04.
- 640 LOT 23- BOXES (APPROX.) FLOW METERS PRESSURE SWITCH AND RELATED Consisting of but not necessarily limited to: Flow Meters, DUNGS® Gas Pressure Switch, COOPER® CROUSE-HINDS Gas Pressure Switch, Terminator Cable Fitting Type TMCX285 and TMCX165 and Related, Co. No. 95011208 to 95013850; Shelf Location N-03-03.
- 641 LOT 26- BOXES (APPROX.) FLOWMETERS PRESSURE SWITCH AND RELATED Consisting of but not necessarily limited to: Flowmeters, BARKSDALE Pressure Switch, Banner Stainless Steel Emitter, Banner Engine Receiver Stainless Steel and Related, Co. No. 95014024 to 95013551; Shelf Location N-03-02.
- 642 LOT 20- BOXES (APPROX.) TRANSFORMER, VALVES AND RELATED Consisting of but not necessarily limited to: DUGAN Transformer, MAC Valves, KING INDUSTRIES COMPANY, INC. IFNPT PVC EP 60 SCFM, Gas Pressure Switch, 1-1/2 in. GOYEN Valve, Co. No. 95012039 to 95013421; Shelf Location N-03-01.
- 643 STORAGE SHELF UNIT

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 644 LOT 10- BOXES (APPROX.) THERMOMETER, GAUGES AND RELATED Consisting of but not necessarily limited to: THERICE Thermometer, WIKA 3 in. Pressure Gauges, Burner Cover Gasket, PLATTCO Gasket, Co. No. 95013015 to 95015137; Shelf Location M-03-05.
- 645 LOT 6- BAGS (APPROX.) AND 1- BOX GASKETS Co. No. 95013625 to 95013621; Shelf Location M-03-04.
- 646 LOT 6- PLASTIC BAGS (APPROX.) FABRICATED RING GASKETS
 Consisting of but not necessarily limited to: Fabricated Ring Gaskets, 8 in. dia. To 2.875 in. 100+ (est.) total, Co. No. 95013628; Shelf Location M-0303.
- 647 LOT 10- TRAYS (APPROX.) GASKETS

 Consisting of but not necessarily limited to: Gaskets 3/4 in. x 1/16 in. 150 lbs., through 8 in. x 1/16 in. 150 lbs., Co. No. 95013440 to 95013447; Shelf Location M-03-02.
- 648 LOT 12- BOXES (APPROX.) GASKETS

 Consisting of but not necessarily limited to: Gaskets 1/2 in. FF through 6 in. 3700 150 lbs.,

 Co. No. 95011839 to 95011832; Shelf Location M-03-01.
- 649 STORAGE SHELF UNIT
- 650 LOT 12- BOXES (APPROX.) TEMPERATURE GAUGES AND RELATED Consisting of but not necessarily limited to: WEKSLER® Temperature Gauges, Brackets and Related, Co. No. 95015006 to Co. No. 95010114; Shelf Location M-02-05.
- 651 LOT 11- BOXES AND 3- TRAYS BUSHINGS, METERING DRUM AND RELATED Consisting of but not necessarily limited to: DODGE®, MARTIN, MADISON, QD Bushings, Metering Drum, SCHNEIDER Output, Analog and I/O Cards, Co. No. 95011121 to Co. No. 95015313, Shelf Location M-02-04.
- 652 LOT 11- TRAYS (APPROX.) REPAIR KITS, GRAPHITE ISOLATION PADS AND RELATED Consisting of but not necessarily limited to: Repair Kits, Graphite Isolation Pads, Screen Mesh, Scale, Freeze and Seat Valve Protection Floats and Cover Gaskets, Co. No. 95012521 to Co. No. 95013483; Shelf Location M-02-03.
- 653 LOT 8- TRAYS AND 3- BOXES (APPROX.) REPAIR KITS SHEAR PINS AND RELATED

 Consisting of but not necessarily limited to: Repair Kits, Shear Pins, O-Rings, Snap Rings, and Related. Co. No. 95012560 to Co. No. 95015016; Shelf Location M-02-02.
- 654 LOT 8- BOXES (APPROX.) ROLLER CHAIN AND RELATED Consisting of but not necessarily limited to: TSLIBAKI# RS 50, 10 ft. RIV Roller Chain, DIAMOND 40 RIV 10 ft. Chain, DIAMOND 40 R, 10 ft. Chain and Similar, Co. No. 95012163 to Co. No. 95011938; Shelf Location M-02-01.
- 655 STORAGE SHELF UNIT
- 62 of 112

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 656 LOT 10- BOXES (APPROX.) READI-SEALTM GASKET MATERIAL Consisting of but not necessarily limited to: Readi-SealTM Expanded PTFE Gasket Material, 1/8 in. x 100 ft. to 3/4 in. x 100 ft., Co. No. 95015002 to Co. No. 95015006; Shelf Location M-01-05.
- 657 LOT 11- TRAYS (APPROX.) AND 2- BOXES ALTERNATOR DRIVE, VALVES AND RELATED

Consisting of but not necessarily limited to: Alternator Drive, Needle Valve, Relief Valve, Vent Scrubber Blower, Mica Shield, Cushion Garlicky, Slight Glass Repair Kit and Related, Co. No. 95012004 to Co. No. 95015160; Shelf Location M-01-04.

- 658 LOT 12- TRAYS (APPROX.) IMPELLER NUT, SEALS, RINGS, SLEEVES AND RELATED
 - Consisting of but not necessarily limited to: Impeller Nut, Seals, Retaining Ring, Coupling Sleeves, Bearings, Washer Gaskets, Repair Kits, Diaphragm and Related, Co. No. 95011767 to Co. No. 95012565; Shelf Location M-01-03.
- 659 LOT 4- BOXES (APPROX.) PLUGS, VALVES, AND RELATED Consisting of but not necessarily limited to: Plugs, Endura Trap, Ball Valve, Shower Head, Co. No. 95013772 to 95015070; Shelf Location M-01-02.
- 660 LOT 7- BOXES (APPROX.) PULLEY AND RELATED PARTS
 Consisting of but not necessarily limited to: TURNER UCSR207 20 Pulley and Related,
 Co. No. 95013956 to Co. No. 2649; Shelf Location M-01 01.
- 661 STORAGE CABINET Metal, 6 ft. tall, x 4 ft. wide.
- 662 LOT CONTENTS OF STORAGE CABINET, WELDING EQUIPMENT AND RELATED Consisting of but not necessarily limited to: 2- RADNOR Flowmeters for Mig and Tig, (Both NEW and UNUSED); 4- Boxes RADNOR Scratch Brushes; RADNOR Copper-Coated Electrodes; Alloy Grounding Alligator Clamps; Cable Connectors, Welding Hose, MSAV-Gard® Accessory Assembly; 12- (approx.) Count Boxes/Bundles Welding Rods/Wire, Box. (NOTE: All Items in this Cabinet appear to be NEW/UNUSED.)
- 663 LOT 2- LENCO ELECTRODE STABILIZING OVENS
- 664 LOT 12- (APPROX.) LINCOLN ELECTRIC WELDING RODS AND RELATED Consisting of but not necessarily limited to: LINCOLN ELECTRIC Fleetweld 5P Welding Rods (NOTE: 2- Cans are Open); ESAB3- Cans Atom Arc 7018 Welding Rods, 4- Cans LINCOLN ELECTRIC Excalibur 7018-A1 MR® Welding Rods; 1- OXFORD ALLOYS INC Stainless Steel, #310-16 and 1-316L-16 Welding Rods.
- 665 HENKEL ENTERPRISES, LLC WELDING ROD OVEN K-200 11512
- 666 UNASSIGNED
- 667 LOT STORAGE SHELF UNIT
- 63 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 668 LOT 8- BOXES (APPROX.) FLOWSERVE REBUILD KIT, PREMIUM GREASE AND RELATED
 - FLOWSERVE Rebuild Kit for Syngas Cooler, MOBILTM Premium Grease for Ceramic Bearings, Aerosol Cans of CRCOD Contact Cleaner, Permeable Membrane Kit, Grainger and Related; Shelf Location R-01-04.
- 669 LOT 12- BOXES (APPROX.) JOHN CRANE LENCO PARTS, FANS AND RELATED Consisting of but not necessarily limited to: JOHN CRANE LEMCO Parts, 1- Aerosol Can of Latite, N2-Regulator I.D. Fans, 3- Boxes of Blue Line Hand Pads, 2- Boxes of Blackstone Hand Pads, 4- 1/2 in. Hydraulic Hoses; Shelf Location R-01-03.
- 670 LOT 2- PARTS CABINETS
 - Each DURHAM Multi-Bin/Compartment containing Assorted SWEDGELOCK Fittings, 7- PARKER Fittings in Boxes, (NOTE: The Smaller Cabinet has NO Contents/Fittings); Shelf Location R-01-02.
- 671 LOT 4- BOXES (APPROX.) GRAY WATER TANK VALVE AND RELATED 8 in., Consisting of but not necessarily limited to: 8 in. Grow Water Tank Valve, Ram Wheels for Gasifier Project and Related; Shelf Location R-01-01.
- 672 LOT DIAPHRAGM PUMPS, GEAR REDUCER, VALVES
 Consisting of but not necessarily limited to: 4- Nylon/Plastic Diaphragm Pumps, 2-2 in. and 2- 1/2 in.; Shelf Location R-0101.
- 673 LOT NORD DRIVE SYSTEMS GEARBOX Type SK 51 EF N250TC Gearbox 200953753-200 (Mfg. 2013) NORD Offset Reduction Gearbox.
- 674 LOT OUINCY OR SIMILAR AIR COMPRESSOR

Powered by HONDA GX240 8.0 hp Gasoline Engine Unitized and Mounted in Offshore Square Tubing Metal Frame with Diver's Breathing Equipment, 80 gal. (est.) Horizontal Air Receiver Tank mounted in Offshore Square Tubing Metal Frame.

With DIVERS AIR SUPPORT EOUIPMENT

Consisting of but not necessarily limited to: 1- Roll SCOTT 1/2 in. 300 psi Breathing- Air Only- Hose; AIR SYSTEMS INTERNATIONAL Model POA-4, Pressure Regulator Housed in Storage Case; 4- Station Distribution Manifold; KURI TEC #A1141 1/2 in. ID, Hose; AIRSYSTEMS INTERNATIONAL Pressure Regulator; 1- Box containing 2- Masks with and stored in a 4- Wheel Trailer 24 in. wide x 45 in. long.

675 – LOT 10- BOXES ASSEMBLY SHROUD, PNEUMATIC REGULATORS AND RELATED

Consisting of but not necessarily limited to: 1- Box FISHER PARTS I / P Assembly/Shroud, 3- Boxes JDM TECHNOLOGIES INC. Pneumatic Regulators, 2-Boxes SHINKO Model DCL-33-A-SM Multi-Range, 2- Boxes PEPPERL+ FUCHS.

64 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 676 LOT 4- BOXES TOWER PACKING AND RELATED 1 in. Tri-Packs PP, TRI- PP1, 5 CF Condensation Tower Packing; on Pallet.
- 677 LOT 2- SECTIONS VEITECH PALLET RACK SHELVING UNIT Having 4- Shelves.
- 678 LOT 9- BOXES (APPROX.) GASKETS

Consisting of but not necessarily limited to: 24 in. Manway "L" 3700, Co. No. 95012033, TEADIT Flexible Graphite Tape for 1 in. and 1-5/8 in. Bolt Holes, 30 in. 75 Series, And 6 in. 150 Series, GARLOCK 3700, Co. No. 95013566 and Co. No. 95013567, 1-4 in. x 1/8 in. x 100 ft. Fiberglass Tape Co. No. 95011154, FLEXITALLIC L. P. 12-7/8 in. x 14-3/4 in. x 18.75 in. Gaskets and Similar, and DD-01-01; 3- (approx.) 30 in., 150 Series, 304 RWI, to 1/2 in., 150 Series (est.) 200+ Gaskets; Shelf Location DD-01-02.

- 679 LOT VEITECH PALLET RACK SHELVING UNIT Having 4- Shelves.
- 680 LOT 3- WEG AND OTHERS ELECTRIC MOTORS

Consisting of but not necessarily limited to: 3- Electric Motors, Co. No. 95011984, Co. No. 95012075; and Co. No. 95012101; Shelf Location CC-01-01, in Wood Crate. (NOTE: Appear to be NEW and UNUSED.)

With GOVERNOR VALVE PARTS

Consisting of but not necessarily limited to: SHIN NIPPON ESV and HP Governor Valve Parts for Steam Turbine; Brass Packing Seals; Suction Hose Pick-up Screen and Related, Co. No. 95011976; Shelf Location CC-01-01; in Wood Crate, 5-Boxes and 3- Loose Items (approx.).

681 – LOT MIST ELIMINATOR

42 in. Mesh Mist Eliminator, 3- Piece Set, Co. No. 95013346; 72 in. Mist Eliminator 3- Piece Set 95013343; Shelf Location DD-01-02, in Wood Crate.

With LOT 6- SPRAY NOZZLES AND RELATED

Stainless Steel, Spray Nozzles; Shelf Location DD -0102.

With LOT SPRINGS, GREASE REBUILD KIT AND RELATED

Consisting of but not necessarily limited to: Springs; Grease Gun; Service Kit; Vent Cap; Rebuild Kit; Packing and Related, Co. No. 95012535 to Co. No. 95012586; Jacking Oil Pump Regulator, Co. No. 95012532; 2- Each 95012602 and 2- Each Co. No. 95012528; Shelf Location-A CC-01-02, on Pallet.

682 – LOT PRECISION BRAND®, SCOTCH® AND OTHERS SHEETS OF CARBON AND STAINLESS STEEL AND RELATED

Flat Sheets, various thicknesses, of Carbon and Stainless Steel; SCOTCH Cushion/Bubble Wrap; GGS; Sand Bag;, Stainless Steel Wire Screen and Related; Shelf Location DD-02-01, 25- (approx.) Boxes, 1- Roll and 2- Bundles.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

683 - LOT TURBINE SYNC CHECK RELAY AND RELATED PARTS

Consisting of but not necessarily limited to: Turbine Sync Check Relay; Digital Sync and Condition Controller; Digital Exciter Control System; Generator Protection System; 1-Box Boiler Analyzer and Generator Spare Parts, Co. No. 95012573; Parts for Turbine Generator, Pressure Switch, Co. No. 95012024; Shelf Location, B CC-01-02, DD-02-02, in 3-Wood Crates and 10-Boxes (approx.).

With LOT SPARE PARTS FOR TURBINE AND RELATED

Consisting of but not necessarily limited to: Spare Parts for Turbine; Gauges; Pressure Switches and Related, Co. No. 95012024 to 95011996; Shelf Location, C CC-01-02, in 12+ Boxes (approx.).

684 – LOT 2- JOINTS PVC PIPE AND TURBINE LIFTING EQUIPMENT

Consisting of: 1- 4-1/2 in. and 1- 1-1/2 in. dia. x 25 ft. long; With 1- Wood Crate of Turbine Lifting Equipment Co. No. 95012604; Shelf Location B & C CC-01-03.

685 – LOT FILTERS

Consisting of but not necessarily limited to: Co. No. 95013450, Co. No. 95012056, Co. No. 95012055 and Co. No. 95011986; Shelf Location, A CC-01-03, in 6- Boxes (approx.).

686 - LOT 7- PIECES FABRICATED PARTS AND FIXTURES

100107; Shelf Location B&C CC-01-04, with Clamps for the Sweet Water Condenser; on 2- Pallets.

687 - LOT SYNGAS COMPRESSOR PARTS, PILOT BEARING AND RELATED

Consisting of but not necessarily limited to: Large Gear with Spur Cut Teeth; Blower; Spherical Segment, Sliding Sleeve; Pilot Bearing; Syngas Compressor Parts; America Air Filters and Related, Co. No. 95011751, Co. No. 95015390, 95011265, 95011268; Shelf Location CC-0201; on 3- Pallets.

688 - UNASSIGNED

689 - LOT FLOWSERVE

Consisting of but not necessarily limited to: Co. No. C CC-02-02., Co. No. 95011299; on Pallet, 5- Wood Crates and 2- Boxes.

690 - LOT ATLAS COPCO PARTS AND SPECIAL TOOLS

Consisting of but not necessarily limited to: Parts and Special Tools for the Syngas Compressor; 1- Job Box (or Similar); With Williams Steel Job Box; ATLAS COPCO Syngas Coupling; Shelf Location C & B CC-02-02, on 2- Pallets.

691 – LOT 3- BOXES ATLAS COPCO SPARE PARTS AND SPECIAL TOOLS

Consisting of but not necessarily limited to: Metal Chest with Contents, if any, Gas Filter, O-Rings, 1/2 Retainer Disk, (New) Compressor Diaphragm Pump and Related; with Parts; Shelf Location CC-02-02.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 692 LOT COUPLING AND OIL PUMP
 - 1- Crate is Coupling Co. No. 95011260; 1- Crate Main Oil Pump Co. No. 95011302; Shelf Location A B & C CC-02-03, in 2- Wood Crates.
- 693 SYNGAS COMPRESSOR POWER CELL

Co. No.95011759; Shelf Location A CC-02-04, on Pallet.

- 694 LOT 8- SAMSONITE TABLES 6 ft. Folding Leg.
- 695 VEITECH PALLET RACK SHELVING UNIT 2- Sections, Each having 4- Shelf Unit.
- 696 LOT 25- (EST.) VALVES
 1-1/2 in. dia. And smaller, Ball and Other, Threaded and Flanged, 2/3 (est.) are Stainless
 Steel; Shelf Location BB-01-01.
- 697 LOT 100- (EST.) VALVES

 Most all appear to be Stainless Steel, Assorted, but most are 1 in. to 1/2 in. dia.
- 698 LOT 50- (EST.) VALVES

 Most are 1-3/4 in. and smaller, Most are Stainless Steel, Check and Threaded; Shelf Location BB-01-01.
- 699 LOT 40- (EST.) VALVES

 Most are Stainless Steel, Ball and Butterfly, Most are Threaded, 3- (approx.) are Flanged,
 Most are 2 in. dia.; Shelf Location BB-01-01.
- 700 LOT 25- (EST.) VALVES Carbon Steel and Most are Threaded; Shelf Location A BB-01-02.
- 701 LOT HCN SCRUBBER PARTS AND GASKETS

 Consisting of but not necessarily limited to: HCN Scrubber Parts and Gaskets; Shelf Location B BB-01-02, in Wood Crate.
- 702 LOT 2- ROLLS WEIGHT BELT CONVEYOR BELT Conveyor Belting, 16 in. wide, Co. No. 95011201; Shelf Location C BB-01-02, A BB-01-04.
- 703 LOT 25- (EST.) VALVES

 Ball and Rising Stem, 1-1/2 in. dia. And smaller, Most are Threaded, 4- (approx.) are
 Flanged, most are Stainless Steel; Shelf Location A BB-02-01.
- 704 LOT 20- (EST.) CAMERON AND OTHERS VALVES

 Most are Butterfly, 1- Rising Stem, 1- Ball, 4- (approx.) are Flanged 6 in. to 2-1/2 in. dia.;

 Shelf Location B BB-02-01.
- 705 LOT 4- VALVES
 4 in. dia., 2- Rising Stem, Weld Neck, 2- 4 in. Check, Flanged, WGE; Shelf Location C
 BB-02-01.
- 67 of 112

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 706 LOT 50+- (EST.) VALVES
 - 1- in. dia. Carbon Steel, Most Threaded; Shelf Location A BB-02-02.
- 707 LOT 25- (EST.) VALVES Assorted, 2 in. Carbon Steel; Shelf Location B BB-02-02.
- 708 LOT 3- VALVES 3-16 in., Butterfly, Ductile Iron; Shelf Location C BB-02-02, on Pallet.
- 709 LOT GASKETS

Assorted, Consisting of but not necessarily limited to: 3-30 in., 18 in., 16 in., 14 in., 12 in., 10 in., 8 in., 6 in., and smaller, Pallet Rack Shelving End Cap.

- 710 LOT CLEANER, COATING AND MORTAR
 - 5- 5 gal. Buckets, Consisting of but not necessarily limited to: 2- NALCO Nalclean, 2- KORUNDAL Mortar, 1- MODAC Acrylic.
- 711 LOT 2- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- 712 LOT SPROCKETS AND PILLOW BLOCK BEARINGS

Consisting of but not necessarily limited to: 3- 17 in. Chain Drive Sprocket with 3-1/2 dia. Shaft Hole, Co. No. 95011501, 1- Hub Co. No. 95011502, 2- Pillow Block Bearings Co. No. 95011494, 2- Boxes Co. No. 95011496 and Co. No. 95011497, and Related Items; Shelf Location A AA-01-01, on Pallet.

- 713 LOT 3- PROCESS BARRON EXPANSION JOINTS
 - Co. No. 100105; Shelf Location B AA-01-01.
- 714 LOT 5- (APPROX.) WELD NECK FITTINGS

Consisting of but not necessarily limited to: 2- CHANUTE 9 in. dia. x 10 in. tall, with 3-Weld Neck Fittings; on Pallet.

- 715 FABRICATED SINGLE PEDESTAL AND STEEL STRAPS
 - 8- Pieces (approx.) Steel Strap, 4-3/4 in tall x 2-1/4 in. wide x 6 ft. long, 2- Pieces 1/4 in. tall x 4 in. wide x 6 ft. long (approx.), Co. No. 9501409; Shelf Location C AA-01-01.
- 716 LOT 4- BOXES FILTER CARTRIDGES

Co. No. 95014350; Shelf Location B AA-01-02, on Pallet.

- 717 LOT 3- BOXES EMERSON FLOW TRANSMITTERS
 - Shelf Location C AA-01-02, on Pallet.
- 718 LOT 2- PPI TROUGHING ROLLERS FOR BELT CONVEYOR Co. No. 95011522; Shelf Location A AA-01-04.
- 719 LOT 2- SCREENS
 - 1- Round and 1- Square, Bonded HIC-Sewer, Co. No. 95011522 and Co. No. 95013026; Shelf Location B&C AA-01-04.
- 720 2- ICS IGN STABILIZER Co. No. 95011221 and Co. No. 95011222.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 721 LOT 3- BUNDLES DRAG LINK CHAIN
 - 2- Strands Chain in Flite, Co. No. 12001445; Shelf Location A B & C AA-02-01.
- 722 LOT FEED INCLINE CONVEYOR PARTS AND COMPONENTS
 Co. No. 95011183 and Co. No. 95011185; Shelf Location A AA-02-02, in Crate and Box.
- 723 LOT HORIZONTAL CONVEYOR PARTS AND COMPONENTS Co. No. 95011187; Shelf Location B AA-02-02, in Wood Crate.
- 724 SEW EURODRIVE ASH CONVEYOR BELT Co. No. 95011492; Shelf Location C AA-02-02, on Pallet.
- 725 VIBRATION JOINT Stainless Steel, 16 in. dia. (est.) 100103 AMERICAN BOA INC.; Shelf Location B AA-02-05.
- 726 SYNGAS EXPANSION JOINT 20 in.; Shelf Location AA-02-05.
- 727 FIRE DOOR AND COMPRESSION DOOR FOR GASIFIER
- 728 LOT 10- PIECES (APPROX.) VEITECH PALLET RACK SHELVING
 Consisting of but not necessarily limited to: Section Load Bearing columns, Connection
 Lateral Beams, Each Section having 5- Shelves.
- 729 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING
- 730 LOT 5- BOXES BEARINGS AND PARTS
 1- Unboxed, 1- Box FLOW SERVE Parts, 2- Boxes of Co. No. 95011521, 2- Boxes are Undetermined.
- 731 LOT EXPLOSION VENTS AND GASKETS
 1- Crate of Explosion Vents, Co. No. 95011871; and Co. No. 95011157; and 1- Crate Bag
 House Lid Gaskets, Co. No. 95011871; Shelf Location B C G-01-01; in 2- Wood Crates.
- 732 LOT EXPLOSION VENTS AND BLAST COVERS

 Consisting of but not necessarily limited to: 24 w x 24 l Vent Explosion and Frame Vent,
 Co. Nos. 95011150, 95011155, 95011156; Shelf Location AB G-01-02, in 3- Wood
 Crates.
- 733 LOT 7- BOXES (APPROX.) DODGE, REXNARD BEARINGS AND HOUSINGS
 4- Boxes (approx.) DODGE Co. No. 95014899; 3- Boxes (approx.) Rexnard Co. No.
 95014897; 4- SKF SAE 522 Pillow Block Bearings, Co. No. 95015293; (NOTE: All 4appear to be NEW/Unused.) Shelf Location B C G-01-02. With Bearing Housings on 2Pallets: Shelf Location DD-0101; With Lot of 1- Pallet of 2- Items, Pillow Block Bearings
 for Application on a 3 in. (est.) Shaft. (NOTE: Appears to be Used.)
- 734 LOT FERMENTER COOLING WATER PUMP SHAFT ASSEMBLY 1- Shaft, Co. No. 95011931; Shelf Location A G-02-02; in Wood Crate, on Pallet.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 735 LOT FERMENTER COOLING WATER PUMP SHAFT ASSEMBLY
 1- Shaft Assembly, Co. No. 95011932, 1- END PWR 3180XLOIL NC 4340 SFT, Co. No. 95011891; Shelf Location AB G-02-01; in Wood Crate and Box, on Pallet.
- 736 LOT CENTRIFUGAL BLOWER WHEEL Co. No. 95011562 and 1- Shaft Co. No. 95011134; Shelf Location AB G-02-02.
- 737 LOT ITT IMPELLER AND RELATED PARTS
 IMPLR, 5V w/TFL O-Ring, dia. 15.75 x 12.8125, Co. No. 95011333, Sideplate, Suction,
 Co. No. 95011801, Cover, Taper w/VPR Ring, Co. No. 95011930, Swirler 325, MM
 9112120, Co. No. 95011226; Shelf Location C G-02-02; on Pallet.
- 738 LOT 7- BOXES (APPROX.) EATON ELECTRICAL PARTS AND CONSUMABLES Consisting of but not necessarily limited to: 12- (est.) Cat. No. 5BHLE-150E Capacitors, Co. No. PS11358; Shelf Location A G-03-01.
- 739 LOT 6- ITEMS AIR BLASTER® BIN DECLOGGING DEVICE AND RELATED Shelf Location C G-03-01, in 4- Boxes.
- 740 LOT 7- (APPROX.) HOSES

 Consisting of but not necessarily limited to: 6- PARKER Series 7392E Water Suction
 Hose, 150 psi max WP with Stainless Steel QC End Fittings; 1- CONTINENTAL Conti
 Tech Purple Flexwing, 150 psi max WP; Shelf Location AB G-03-02.
- 741 LOT VALVES, BEARING UNITS AND RELATED

 Consisting of but not limited to: 2- 8 in. Butterfly Valves, 4- Boxes JIB Bearing Units, 1Box DODGE V6B Screw and Related; Shelf Location BC G-03-02, on Pallet.
- 742 LOT 4- ROLLERS Steel, 2-1/2 in. dia. x 42 in. long (est.); Shelf Location A & B G-03-04.
- 743 WESCO NARROW AISLE LIFT TRUCK, CELL LIFTER, MANUALLY OPERATED Co. No. 95011757.
- 744 CUTLER HAMMER INVERTER 4.2 KV 0-900 hp, Frm A, Portable.
- 745 LOT 12- (APPROX.) GASKETS 10± of Large, (est.) 30 in. dia. (est.).
- 746 LOT 25- (APPROX.) V-BELTS BANDO, GATES and Others, 6- Size Levels, 5 ft. center to center and smaller.
- 747 LOT 3- SECTION VEITECH PALLET RACK SHELVING UNIT
- 748 LOT EXPLOSION VENT FRAMES
 8- each, Co. No. 95011158; Shelf Location AB G (G)-01-01; Explosion Vent Frames Co.
 No. 95011158; Shelf Location C G-01-01, in Crate.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 749 LOT GOULDS IMPELLER, TRIM PIECES RD08686A 950 STF 1- COV, ST Box TPR BO w/VPE Ring Co. No. 95011933, 1-Impeller, 5V with O-Ring, dia. 21.63 x 20.68, Co. No. 95011332; Shelf Location AB G (G)-02-01; in 2- Crates.
- 750 LOT GOULDS PARTS Co. No. 95011890; Shelf Location C G (G)-01-01.
- 751 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- 752 LOT GOULDS AND GRISWOLD PUMP RELATED PARTS
 Impeller, SA w/TFL O-Ring 5 Vane dia. 8.625, Co. No. 95011446, Adapter, ring, ductile iron, Co. No. 95011473, Cov, ST Box SA Taper Bore, Co. No. 95011474, Cov, ST Box SA Big Bore (STD), Co. No. 95011475, Adapter, Frame Assy, Co. No. 95011477, Adapter, frame Assy ductile iron, Co. No. 95011478, Cov, ST Box SA Taper Bore, Co. No. 95011479, Cov, ST Box BB RC04060A01 1203, Co. No. 95011480, Adapter, Frame Assy Ductile Iron, Co. No. 95011482, Cov, ST Box SA Taper Bore, Co. No. 95011488, PSDM Module, Co. No. 95011507; Shelf Location A B C F-01-01, in 12- Boxes (approx.).
- 753 LOT 15- BOXES (APPROX.) MECHANICAL PUMP REPAIR KITS Co. No. 95011507 through 95011482; Shelf Location A B C F-01-02.
- 754 LOT 18- BOXES (APPROX.) CLARCOR BHA® Co. No. ABC E-01-03; Shelf Location B C F-01-03.
- 755 LOT RADICON DE-AERATOR TRAY ASSEMBLY CO62056 WATQ Tray Assembly 430 SS (37"), Co. No. 95011917, Radicon Model C062056, Co. No. 95015060; Shelf Location A B F-02-01 in 3- Boxes.
- 756 LOT 11- BOXES RADICON FILTER CARTRIDGES
 Filter 2.75" X 40" 5 Pleated; 24/Case, Co. No. 95011892; 7- Boxes in Shelf Location AB F
 & E-02-02 and 4- Boxes in Shelf Location AB F-02-03.
- 757 LOT 5- BOXES (APPROX.) BEARINGS 1- SKF, 95012486, 2- SEAL MASTER, 1- KECKLEY BASKER, Co. No. 95013465; Shelf Location AB E-01-01.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

758 – LOT 15- BOXES GASKETS AND VARIOUS SEALS, NEW IMPELLERS High speed coupling half (gearbox), Co. No. 95011102, Coupling Insert, Co. No. 95011106, High speed coupling half (motor), Co. No. 95011107, Packing, Co. No. 95011119, Connector, Spark plug, Co. No. 95011125, Nut Lock, Co. No. 95011213, O-Ring IGN Cap, Co. No. 95011215, O-Ring, Co. No. 95011216, Ignition Ring, Co. No. 95011217, Sightport gasket, Co. No. 95011219, Sightport Glass, Co. No. 95011220, IGN Stabilizer, Co. No. 95011221, Electrode, Co. No. 95011222, Sightport swivel Mount, Co. No. 95011223, Center Gas Gun Spud 3" Drilled, Co. No. 95011224, Shoe Poke Assy .194-14 1", Co. No. 95011225, Rope Gasket, Co. No. 95011228, Impeller, SA w/TFL O-Ring 24V W/BH dia. 5.00, Co. No. 95011447, Impeller, SA w/TFL O-Ring 6 Vane, dia. 9.750, Co. No. 95011450, Impeller, 100-537 1203, dia. 12.375, Co. No. 95011451, Impeller, SA w/TFL O-Ring 5 Vane, dia. 5.750, Co. No. 95011452, Impeller, SA w/TFL O-Ring 5 VANE, dia. 4.875, Co. No. 95011453, Impeller, SA w/TFL O-Ring 5 Vane, dia. 9.375, Co. No. 95011458, Adaptor DSF-2000, Co. No. 95011506, Impeller 24V C03394A 1203 dia. 5.875, Co. No. 95011556, Gasket, Manway type, size 16", 0.375", Co. No. 95011846, Impeller 5V C00143A02 1203, dia. 6.875, Co. No. 95011861, Impeller, SA W/TFL O-Ring Bal Holes, dia. 6.500, Co. No. 95011862, Sight Glass, Co. No. 95011868, Impeller LTX (IMP dia. 11.00), Co. No. 95011872, Attachment Kit, Co. No. 95012006, Kinetrol seal kit, Co. No. 95012052, Replaceable Tips, Co. No. 95012153, Replacement Flap2195 Vane Sec 1, Co. No. 95012154, Stuffing Box Packing, Co. No. 95012171, Vane seal, Co. No. 95012195, High Speed Coupling Complete, Co. No. 95012225, Attachment Kit, Co. No. 95012226, Packing & Gland Bolt Assembly, Co. No. 95012239, Buna Rep Seal Kit-Load Coupler, Co. No. 95012246, AT-5 Calibrator, Co. No. 95012247, Drive Coupling, Co. No. 95012248, Gasket, Co. No. 95012249, Gasket, Co. No. 95012250, Pkg Gland Gasket, Co. No. 95012251, Drive Gear, Co. No. 95012252, Jack Shift Pinion Gear, Co. No. 95012253, PG-15 Buna-N Pkg Gland, Co. No. 95012254, PG-15 Viton Pkg Gland, Co. No. 95012255, Viton Cvr O Rng, Co. No. 95012256, *CVR* Bearing, Co. No. 95012257, Thrust Bearing, Co. No. 95012258, *CVR* Rolr, Co. No. 95012259, *CVR* Block, Co. No. 95012260, Wire & Lead Seal, Co. No. 95012261, Flat Washer, Co. No. 95012262, Jack Shaft Washer, Co. No. 95012263, Strn w/ 4 150# dia. Bdy, Co. No. 95012264, 2 Strn W/ 40 Mesh Lnr, Co. No. 95012265, PA-6 PRE-AMP, Co. No. 95012266, PTFM Bearing, Co. No. 95012267, Pickup Coil, Co. No. 95012268, Retaining Ring, Co. No. 95012269, Rotor Assembly, Co. No. 95012270, Thrust Washer, Co. No. 95012271, 3 Viton Valve Diaphragm, Co. No. 95012272, 1/2x5/8x1/16 O-Ring, Co. No. 95012273, 2-7/8x3-5/8x3/8 Viton O-Ring, Co. No. 95012274, Viton O-Ring, Co. No. 95012275, 1/2x11/16x3/32 O-Ring, Co. No. 95012276, Inner Strn Bskt 40 Mesh, Co. No. 95012277, E Strn Bskt, Co. No. 95012278, Viton Diaphragm, Co. No. 95012279, *CVR* O-Ring, Co. No. 95012280, 2-3/8x2-1/2x1/16 O-Ring, Co. No. 95012281, 3/8x1/2x1/16 O-Ring, Co. No. 95012282, WATTS 26A Pressure Reducing Valve 1 - 25, Co. No. 95012315, B&G Relief Valve 1170-36 /Gas Low Cham, Co. No. 95012316; Shelf Location A B C E-01-02, in 15 Boxes (approx.).

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 759 LOT 13- BOXES (APPROX.) DODGE, BALDOR BEARINGS, BEARING BLOCKS, MECHANICAL SEAL CARTRIDGE
 Consisting of but not necessarily limited to: Mechanical Seals, DODGE Bearings; 2-BEARING, 4 7/16, 4-BOLT, S2000, E-TYPE, Co. No. 95011180, Co. No. 95011969, 2-Bearing Take up Block DODGE TPHU-S2-307R, Co. No. 95011177, 2-Bearings, VPS-347, Pillow Block, 2 15/16, Co. No. 95011188, 1-Pillow Block Bearing PLB6859FR ID FAN C, Co. No. 95014951, 1-6HTN Mechanical Seal Cartridge, Co. No. 95011969, Bearing 3 7/16 2 Bolt DODGE#P2BSCM307 Co. No. 95011162, 2-Bearing 3 15/16 2 Bolt, Dodge S2000 #250, Co. No. 95011160; Shelf Location A B C E-02-01.
- 760 LOT 2- BOXES (APPROX.) CONTROL OIL / MSU VACUUM PUMP PARTS Consisting of but not necessarily limited to: Impeller, SA W/TFL O-Ring 6 Vane, dia 11.875, Co. No. 95011457, Plate, Titanium for 4-007-gtv=013-00, Co. No. 95011238; Shelf Location C E-02-02.
- 761 LOT 1- BOX STAINLESS STEEL BASKET STRAINERS
 Consisting of but not necessarily limited to: 2-Basket Strainers (Quench Water) P0201A/B, Co. No. 95014892; Shelf Location A E-02-02.
- 762 LOT 714- (APPROX.) FILTER BAGS

 Consisting of but not necessarily limited to: Spare Filter Bags for Conveying Bag Filter,

 Train 1, Co. No. 95011520; Shelf Location C-03-01 to C-03-05; in 35- Boxes (approx.).
- 763 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- 764 LOT 3- BOXES RO FILTER CARTIDGES / OPTI-CLEAN LOW PH CLEANER Consisting of but not necessarily limited to: HSG PVC 5-40" Cartridges, Co. No. 950119581, 2- 5 gal. Buckets Opti-Clean 'A' Cleaner Low pH 25lb Pail, Co. No. 95012215; Shelf Location ABC D-01-01.
- 765 LOT 23- BOXES (APPROX.) SKF BEARINGS, GASKETS, REPAIR KITS 2-BRG, BALL SET SKF 7315 BEAGY, GASKET, 24" MANWAY QUENCH TOWER, PSV 4 X 4, PSV 4 X 4, 3- REGULATOR REPAIR KIT, 3- MINOR REPAIR KIT, REPLACEMENT CYLINDER FOR ASH SUMP NOZZLE, BEARING, BEARING 22320 E SKF, BEARING 31317 J2 SKF, BEARING 31317 QQ SKF, SEAL RING, PTFE; 8580/A81/CD, NPS8/DN200;PT, MILTON ROY REPAIR KIT (MK XIIA), Seal Kit LFG Compressor Shaft, Buna Seal Kit, Ash Ram Hyd Pump, AIR CANNON, MINI-B VIBCO, SKF Roller Bearing 3-15/16 Syngas ID Fan, Co. No. 95011925, 95012007, 95012146, 95012157, 95012158, 95012159, 95012165, 95012166, 95012167, 95012424, 95012484, 95012485, 95012491; Shelf Location ABC D-01-02.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 766 LOT 7- BOXES (APPROX.) PUMPS, METERING PUMPS AND RELATED PARTS PMP/MTR .25GPH 110V 150PSI PVC;LOC: EW, DPO54P, Co. No. 95011816, Alkali Dosing Pump Repair Kit, Co. No. 95011870, Spray valve 316 -L SS De-Aerator, Co. No. 95011916, LIQUIFLO® Pump, P-0306X s/n 56729-1-2, Co. No. 95012643, WALCHEM Pump, Metering P-0313X, Co. No. 95012644, Repair Kit Pump 1/4 Inch Liquid End, Co. No. 95013897, Diaphragm Pump, Quench Tower, Co. No. 95014233, Pump Meter PVC .50GPH 150PSI RO BLEACH, Co. No. 95014886; Shelf Location ABC D-01-03.
- 767 LOT 5- BOXES (APPROX.) PUMP, DIAPHRAGM VALVES AND RELATED PARTS Float Valve & Ball Assembly, Co. No. 95011560, RO Assembly VLV DIAPH PVC 2" TU 225 psi @70 F; LOC:EW, Co. No. 95011814, RO Assembly Dosing Tank Level Switch; Loc: EW, ASMLY, Co. No. 95011820, Pump, Diaphragm Caustic- CIP, Co. No. 95013477; Shelf Location ABC D-01-04.
- 768 LOT WATER HOSES
 Gasifier Water Hoses and Similar, Co. No. 95014890; Shelf Location ABC D-01-05, in 2-Boxes and 4-Bundles (approx.).
- 769 LOT 5- BOXES (APPROX.) GEARED MOTORS, IMPELLERS AND RELATED PARTS 2- Geared Motors with Nema Adapter Type SK373 1N56C (21rpm) Co. No. 95013057, Co. No. 95013058, Geared Motor with Nema Adapter Type SK172 1N56C (60rpm) Co. No. 95011962, Impeller Handing LG FC 636/IMP//LG Co. No. 95011823, Impeller Handing RG FC 636/IMP/S/RG Co. No. 95013056, Impeller Handing LG FC 636/IMP/S/LG Co. No. 95011824, Pressure Relief Valve Co. No. 95013046, Gearbox for Screw Conveyor RMAP060 Co. No. 95013055; Shelf Location ABC D-02-01.
- 770 LOT 14- BOXES (APPROX.) NTN®, FALK, REXNARD, DODGE BEARINGS, HUBS, COUPLINGS AND RELATED PARTS

 Bearing (PN: GT-15) 14-29P Co. No. 95011376, Bearings, 2-3/16" dia. Scrubber Blower HCPX211-35-AH 2-3/16 21914-PR Co. No. 95011463, Bearing, Flanged 4H SCM 2.4375 Condenser 311146-006 Co. No. 95011982, Hub Falk 1070T 1.875 Co. No. 95012432, Bearing, End TPB4R Co. No. 95014907, Coupling Rexnord 1100T10-2.875 x 3.875 Co. No. 95015259, Hose, Water 1" SS W/Union, Gasifier Ram Co. No. 95015292, Coupling Hub Falk (Imp) 1100T10 Syn ID Fan Co. No. 95015297, Coupling Hub (Motor) 1100T10 Syn ID Fan Co. No. 95015326; Shelf Location ABC D-02-02.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

771 – LOT 15- BOXES (APPROX.) REXNARD, BALDOR·DODGE BEARINGS, SEAL KITS AND RELATED PARTS

Bearing, 2-3/16" BROWING Metering Drum VFCS-335 511208 Co. No. 95011186, 2-Coupling Grid, FALK, 1110T10 0758254 1100-1140t10/20 CPLGS Co. No. 95012022, 95012237, Bearing seal kit Fixed Recirc Fan Co. No. 95014900, Grommet Kit Free brg Recirc Fan Co. No. 95014901, Grommet Kit Fixed Recirc Fan Co. No. 95014903, Aux seal kit Fixed brg Recirc FAN Co. No. 95014902, Pillowblock Bearing PELB6847FR ID FAN C Co. No. 95014950, Adaptor Assy, H322 3-11/16 ID FAN C Co. No. 95014997, Bearing, Tapered Bore ID Fan C Co. No. 95014998, Seal Collar, ID FAN C Co. No. 95014999; Shelf Location ABC D-02-03.

- 772 LOT 7- BOXES AND 4- ITEMS BUTTERFLY VALVES AND RELATED PARTS INTELLITOP 2.0 24VDC 2P1S PG-9 PG-11 INT Co. No. 95012442, Actuator 2705211 BFV for 1.5 Co. No. 95013895, Actuator 2705212 BFV for 2-3 in Co. No. 95013896, .75 "Butterfly Valve 316SS w/Actuator E60 Co. No. 95014482, 2" Sanitary Butterfly Valve w/Actuator Co. No. 95014484, 1.5" Sanitary Butterfly Valve w/Actuator Co. No. 95014486, .75" Sanitary Butterfly Valve w/Actuator Co. No. 95014486, .75" Sanitary Butterfly Valve w/Actuator Co. No. 95014487, 1.0-1.5" Butterfly Valve w/Actuator MTG Co. No. 95014736, 3" Sudmo Valve, Membrane Co. No. 95015315, 3" Actuator, Membrane Co. No. 95015317, 6" Actuator, Membrane Co. No. 95015318; Shelf Location ABC D-02-04.
- 773 LOT 60+- (EST.) HYDRAULIC HOSES

 Consisting of but not necessarily limited to: 'Made-Up', 3/4 in. dia. x 42 in. and smaller (approx.); Shelf Location ABC D-02-05.
- 774 LOT GASKETS & PLATES

Flow Plate NT50X H 0.5 Titanium LOC-IN E Co. No. 95012240, Flow Plate NT50X V 0.5 Titanium LOC-IN E Co. No. 95012241, Flow Plate NT50X H 0.5 1.4401 LOC-IN EPD Co. No. 95012242, Flow Plate NT100X H 0.5 1.4401 Loc-In EP Co. No. 95012243, Gasket NT50X EPDM Co. No. 95012244, Gasket HX NT100X EPDM E0511 Preheater HX Co. No. 95012245; Shelf Location ABC D-03-01, in Wood Crate and Box.

775 – LOT 11- BOXES (APPROX.) PERMA BELTING, WIND SOCKS, CONTROL UNITS, CONNECTOR BOOTS

Belting for Fines Conveyor, Wind Socks, CONNECTOR BOOT, BICARB SILO, Co. No. 95013958, 950014124, 95013576, 3-95013577, 2-95013578, 95015135, 95013955, 95015050; Shelf Location ABC D-03-02.

- 776 LOT 2- BOXES AND 6+ PLASTIC BAGS GASKETS AND RELATED PARTS Consisting of but not necessarily limited to: Gaskets; Shelf Location ABC D-03-03.
- 777 LOT 1- BOX HYDRAULIC HOSES

Consisting of but not necessarily limited to: 3- coils, 'Made- Up' 3/4 in. x 3/8 on. x 10 ft. to 10 in. (approx.), Co. No. 9501240 to 95012361; Shelf Location ABC D-03-05.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 778 LOT SYNGAS FAN COUPLING, GRID / COVER ASSEMBLY
 Adapter SNW 22 x 3-15/16 Syngas ID FAN, Co. No. 95015294, Coupling Grid and
 Cover- Recirc Fan, Co. No. 95011519, Grid & Cover Assembly ID FAN C, Co. No.
 95014952, Coupling Grid & Cover Assy Syngas ID FAN, Co. No. 95015296; Shelf
 Location BC C-01-01, in 11 Boxes (approx.).
- 779 LOT 6- BOXES (APPROX.) JOHN CRANE VALVE, VIBRATOR, BEARING SLEAVE, SEAL REPAIR KITS

 1/2" JORDAN GLOBE LO FLOW VALVE Cv=0.05, 1/2" JORDAN GLOBE LO FLOW VALVE Cv=1.0, BEARING SLEEVE DWG A-5993173, VIBRATOR VS-510 VIBCO, SEAL-JC 5610Q HSP-38058 X18F, Seal Repair Kit M210604, Co. No. 95012543, 95012546, 95012437, 95013761, 95011670, 95013516; Shelf Location ABC C-01-02.
- 780 LOT 9- BOXES (APPROX.) JOHN CRANE SPARE PUMPS: QUENCH TOWER, 2ND GROWTH FERMENTER, TREATED EFFLUENT TRANSFER SEAL, JC 5610Q HSP-1010803 X18F5, SEAL, JC 5610Q HSP-1026124, SEAL, JC 5610Q HSP-39035 X18F, SEAL-JC 5620PR HSP-38070 X18, SEAL-5620P HSP-38070 X18F551, SEAL-5610Q HSP-38068 X18F551, Seal JC M58017 Refurbished, SEAL, JC 5610Q HSP-38068 X18F551 201A, SEAL, JC 5610Q HSP-38068 X18F 703A/0341, Co. No. 95011511, 95011514, 95011672, 95011664, 95011680, 95011674, 95014807, 95011678, 95011669; Shelf Location ABC C-01-03.
- 781 LOT 7- BOXES (APPROX.) PLATTCO 3 IN. PUMP STRAINERS, PACKING FOR PLATTCO SLIDEGATE 3" Polyethelene Sump Pump Strainers, 2-Seat 8" for PLATTCO Slide Gate, Packing for PLATTCO Slide Gate; Co. No. 95013574, 2-95014297, 95014298; Shelf Location A C-01-04.
- 782 LOT 2- BOXES AND 5- ITEMS CARRIER FEEDSTOCK DRYER TRAIN 1 SPARE PARTS: SPRINGS AND LINKS
 4-Spring Coil Prime Red, 2-Spring Coil Drive Grey/White, Stabilizer Arm Assy, Flow Switch, Magnetrol 110-FS-02240, Basic Drive 5203J25A; Co. No. 4-95011144, 2-95011143; Shelf Location ABC C-02-01.
- 783 LOT 14- BOXES (APPROX.) CLAMP SPRING COIL DRIVE, TORQUE NUT, SPRING DIE, SKF BEARINGS Clamp Spring Coil Drive, Torque Nut, Spring Die, SKF Bearings, Bearing Sleave, Lock Nut; Co. No. 2-95011803, 95011926, 95011330, 95011146, 95011148, 4-95011935, 95011150, 95011145; Shelf Location ABC C-02-02.

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 784 LOT 8- BOXES (APPROX.) MECHANICAL SEAL FOR BOILER FEED WATER PUMP, O-RINGS, LOCK WASHERS, NUTS AND STUDS Mechanical Seal for Boiler Feed Water Pump, O-Rings, Lock Washers and Nuts, Galvanized and Stainless Steel Nuts and Studs, Seal, Spacer Hub, O-Ring 2.5X206ID, O-Ring, O-ring #274, Coupling Keys, Throw Out Bushings, Stainless Bolts, Co. No. 2-95011957, 95011597, 95011785, 95011787, 95011799, 950117797, 950117800, 95013631, 4-95012447, 950111777, 95011778, 95011791, 95011785,95011792, 95012450, 95011271, 95011694, 95011695, 95011709, 95011710, 95011576, 95011577, 95011730, 95011731, 95011245, 95012471, 95012472, 95012477, 95012478, 95012510, 95012511, 95012506, 95012508, 95012465, 95012466, 95012468, 95012469, 95012495, 95012494, 95012497; Shelf Location AB C-02-03.
- 785 LOT 4- BOXES (APPROX.) GOULDS GASKETS, O-RINGS AND RELATED PARTS Casing Gaskets, O-Rings, Co. No. 95011646 to 95011729; Shelf Location AC C-02-04.
- 786 LOT SEAL MASTER FEED STOCK DRIVE ARMS

 Consisting of but not necessarily limited to: Co. No. 95011151 to 95011142; Shelf Location AC C-03-01, in 5- Boxes and 2- Loose Items.
- 787 LOT 8- BOXES (APPROX.) SERVOT PERMEATE HOSE Accumulator Charging Assembly, Hook Spanner Hose, Co. No. 95011625 to 95012482; Shelf Location ABC C-03-02.
- 788 LOT 2- BOXES (APPROX.) HOSES Shelf Location A C-03-03.
- 789 LOT 25 +- (EST.) BAG HOUSE FILTER SOCK CAGES Metal, Co. No. 95011578.
- 790 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- 791 LOT 3- SHELVES PIPE FITTINGS AND RELATED 6 in. and smaller, 45° long Sweep Ells, Blind, Weld Neck, Threaded, Quick Change Fittings, 3 in. OD x 20 1/2 (est.) Flanged Spool. Carbon Steel, and Stainless Steel; Shelf Location A B C B-01-01, B-01-02, B-01-04.
- 792 LOT TUBING, CARBON STEEL 1-1/4 in. dia. x 20 ft. long (est.), with 60 + (est.) Joints, Shelving Location ABC B-01-03.
- 793 LOT 3- BOXES AND 6- ITEMS STAINLESS STEEL PIPE JOINTS AND RELATED PARTS

 Consisting of but not necessarily limited to: 3- Joints (approx.) 1-1/4 in. dia. x 4 ft. long (est.) Stainless Steel Pipe, Threaded and Similar Pieces, Co. No. 95013008, Shelving Location, ABC B-03-01.

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 794 LOT 28- BOXES (APPROX.) PECO FACET SURGE HOPPER VENT FILTER / ASSEMBLY HOUSINGS Surge Hopper Vent Filter Cartridge MF/D380, Surge Hopper Vent Filter, MF/D 380 Cartridge Filter Canisters Assembly Housing 00012982; Co. No. 20-95013051, 24-95014306 Shelving Location A B-03-03, with 28- Boxes, Shelving Location ABC B-03-04.
- 795 LOT 25- (APPROX.) SOCK FRAMES Metal.
- 796 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- 797 LOT 5- BOXES KLEENGUARD®, SHIMADZU, AND OTHERS SPECTROPHOTOMETER / LAB SAFETY SUPPLIES UV Mini-1240, UV-vis a109549 SHIMADZU UV Mini-1240 UV-VIS Spectrophotometer, s/n A109549, A-70 Protective Clothing Sleeve Protectors, BRADLEY Halo Emergency Eye Wash Covers Part No. S90-390, 6- Check Weights, Partial Case of Lab Training Foam TF-1170; Shelf Location C E-01-01.
- 798 LOT 15- BOXES (APPROX.) DUPONT TYVEK COVERALLS
 Consisting of but not necessarily limited to: RYAN HERCO, CASCADE AIR, SCBA
 Mask and Air Harness, DuPont, TYVEK Coveralls; Shelf Location ABC E-01-02.
- 799 LOT 10- BOXES FILTERS AND RELATED PARTS
 Consisting of but not necessarily limited to: PRO FITTER®, SC MERV 8 Pleated Filter, and Similar, Co. No. 95014429; Shelf Location ABC E-01-03.
- 800 LOT 14- BOXES (APPROX.) THERMO SCIENTIFIC, ANSELL AND OTHERS CENTRIFUGE TUBES, EYEWASH AND RELATED PARTS
 Consisting of but not necessarily limited to: THERMO SCIENTIFIC 50 mL Centrifuge Tubes, ANSELL TorchNTuff®, SAS, DERMA-LITE PF EX M 6607-20, Model 1M Eyewash, 2- Tubs of Chair Arm Rests; Shelf Location ABC E-02-01 and LL-02-01.
- 801 LOT 13- BOXES (APPROX.) EPPENDORF, PIRAMAL GLASS, PHOENIX CLOSURES, INC CURRETTES, BOTTLES AND RELATED PARTS

 Consisting of but not necessarily limited to: EPPENDÔRF Style No. 14955126,
 Disposable Plastic Curette, PIRAMAL GLASS USA, INC., Clear and Amber Glass
 Bottles with Caps, PHOENIX CLOSURES, INC. Lab Sample Bottles and Lids; Shelf Location ABC E-02-02, and LL-02-02.
- 802 LOT 11- BOXES (APPROX.) PIRAMAL GLASS BOTTLES AND RELATED PARTS Consisting of but not necessarily limited to: PIRAMAL GLASS USA, INC., 32 oz. and 500 ml Bottles; Shelf Location ABC E-02-03.
- 803 LOT 4- BOXES Pro Fitter[®], Co. FILTERS 4300497 Filter 20" w x 20" h X 2" MERV8 PN 4300497, Co. No. 95014427; Shelf Location C E-02-04.

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 804 LOT 3- BOXES SILGAN SAMPLE BOTTLES AND RELATED PARTS
 Consisting of but not necessarily limited to: SILGAN™ 32 oz. Sample Bottles; Shelf Location ABC E-02-05.
- 805 LOT 6- BOXES (APPROX.) STORAGE ITEMS

 Consisting of but not necessarily limited to: Metal Cabinet, U-Line 4- mil Plastic Bags,
 Cardboard Boxes, New/Unused, 120 cc, W-H Round Natural; Shelf Location ABC E-0301 and LL-03-01.
- 806 LOT 23- BOXES (APPROX.) PIRAMAL GLASS, RESTEK BOTTLES, COLUMNS AND OTHER LAB RELATED PARTS

 Consisting of but not necessarily limited to: PIRAMAL GLASS Bottles, RESTEK Columns, Lab Filters from Trace Environment, 5- gal. Metal Buckets with Lids, (New/Unused) U-LINE Insulated Shipping Kits, FRISTOM, TM 72308 Filter Elements; Shelf Location BC E-03-02 and LL-03-02.
- 807 LOT 5- BOXES (APPROX.) FILTERS AND RELATED PARTS
 Consisting of but not necessarily limited to: PRO FITTER® Filters, Koch Multi-Pleat XL,
 Co. No. 95014428; Shelf Location AB E-03-03 and LL-03-03.
- 808 LOT 10- FLEX CONN BELLOWS

 Consisting of but not necessarily limited to: 12 in. ID, (est.) Rubberized, Flanged Vibration
 Connection Joints; Shelf Location ABC E-03-04, and LL-03-04; ABC E-03-05, and LL03-05.
- 809 LOT 7- (APPROX.) BAG HOUSE FILTER SOCK CAGES Metal.
- 810 LOT VEITECH PALLET RACK SHELVING UNIT
- 811 LOT 8- BOXES (APPROX.) AND 2- BUCKETS PVC FITTINGS AND RELATED PARTS

 Consisting of but not necessarily limited to: PVC Pipe Fittings, 8in. dia. to 1 in. Couplings, 2-1/2 in. Valves, Bolted Flanges and others; Shelf Location ABC L-01-01.
- 812 LOT 14- BOXES (APPROX.) AND 3- ITEMS FISHER, SPEARS PVC FITTINGS, STAINLESS STEEL TEES AND RELATED PARTS
 Consisting of but not necessarily limited to: FISHER, SPEARS, PVC Pipe Fittings, 2- 1 in. Flanged Stainless Steel Tees, 1- Stainless Steel Rotor; Shelf Location ABC L-01-02 and K-01-01.

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

813 – LOT 15- BOXES (APPROX.). ADAPTER SEALS, SEAL KITS, VALVES, FLOW METERS

End Cap For Pro 8-300 Production Membrane, Co. No. 95013500, Head Seal Production Membrane, Co. No. 95013501, Permeate Port Seal Production Membrane, Co. No. 95013502, Oil Guard, 680 2-Pole Split Inside (New), Co. No. 95013537, Retaining Ring For Permeate Port, Co. No. 95013503, Adapter Seal Production Membrane, Co. No. 95013504, Permeate Port Production Membrane, Co. No. 95013505, PWT Seal Production Membrane, Co. No. 95013506, Fitting, 1/4 NPT / Stick, Co. No. 95013532, Oil Ring, 680 for 3&3.5 BRG, Co. No. 95013534, Actuator Seal Kit, SK-K-Size 2, Co. No. 95012440, Actuator Seal Kit, SK-KV2008 1.0"-4.0", Co. No. 95012443, Diaphragm for valve on pulse boiler BH, Co. No. 95011344, Diaphragm for valve on pulse boiler BH, Co. No. 95011345, Diaphragm Kit Pulse Baghouse Goyen, Co. No. 95013422, ASCO valve 8210B59 1+1/2", Co. No. 95012311, BROOKS Armor Metal Tube Flowmeter, Co. No. 95013458; Shelf Location ABC L- 01-03 and K-01-02.

- 814 LOT ROSEMOUNT SENSOR ELEMENTS AND RELATED PARTS
 Consisting of but not necessarily limited to: Thermocouple Element SSI 110-TIT-02232A
 Co. No. 95013481, RTD ROSEMOUNT 140-TIT-05222 Co. No. 95014435, RTD Critical
 60002173 Bullgr 6970399137 Co. No. 95014319; Shelf Location ABC K-01-03 and A K01-04.
- 815 LOT GRUNDFOS® VFD DRIVE
 Consisting of but not necessarily limited to: GRUNDFOS® VFD Drive 20hp 480/27, s/n 006111H152, Co. No. 95011246; Shelf Location C L-02-01.
- 816 LOT 9- BOXES (APPROX.) EMERSON DELTAV AND RELATED PARTS USB Converter DSF-2000, 3425-057-01, Co. No. 95011559, SD Plus Controller, SE3006, Co. No. 95011948, System Power Supply, 24 vdc Input, SE5009, Co. No. 95011955, Redundant Pair of CHARM I/O Cards, SE6502, Co. No. 95011956, Simplex Logic solver, VS3201, Co. No. 95011965, Load Cell DEB RL75058B-75K, 39516, Co. No. 95012283, DC Transient board, 89894, Co. No. 95012284, Board Assy, 920i CPU w/Firmware, 117930, Co. No. 95012285, LCD DISPLAY, 920i MODULE, 100759, Co. No. 95012286, Board, CPU iQube2 4 Channel A/D w/o Connector, 106390, Co. No. 95012287, Board 8 Channel ST Signal Trim & Section Trim, 89889, Co. No. 95012288, Power supply switchings85-265 VAC, 76556, Co. No. 95012871; Shelf Location ABC L-02-02.
- 817 LOT MAGNETROL ELEMENTS
 MAGNETROL Element 270-LIT-07414, Co. No. 95012298, MAGNETROL Element 270-LIT-07404 Co. No. 95015235; Shelf Location BC L-02-03, in 2- Tubes.
- 818 LOT 50- BAGS (APPROX.) COLUMN PACKING MATERIAL Stainless Steel Packing Material for the Quench Tower T-201 and Vent Scrubber T-401, Shelf Location ABC L-03-01; ABC L-03-02; ABC L-03-03; ABC L-03-04.

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 819 LOT 5- BOXES (APPROX.) ETHERNET SWITCH, POWER SUPPLY AND RELATED PARTS

Consisting of but not necessarily limited to: Fully Managed Ethernet Switch, Power Supply, Touch Level Indicator; Shelf Location A K-02-02.

- 820 LOT CABLE, WIRE AND RELATED PARTS

 Consisting of but not necessarily limited to: Meter Cable, 20 and 40 mm; TUCK 8- Pin 40 and 60 mm, 1- Spool, Co. No. 95014909 to 95014002, of Multi-Conductor Wire; Shelf
- 821 LOT 2- BOXES BROOKS METERS

 Consisting of but not necessarily limited to: Rotameter 1024NM0D2AC4E9CB0001, Co.
 No. 95014806, Model GT1000 Glass Tube Flowmeter Co. No. 95014957; Shelf Location C K-01-04.
- 822 LOT STOKES RESCUE BASKET ABC K-01-05.
- 823 LOT VEITECH PALLET RACK SHELVING

Location ABC K-02-03.

- 824 LOT 12- BOXES (APPROX.) AND 2- ITEMS FURNESS CONTROLS PRESSURE TRANSMITTER AND RELATED PARTS

 Consisting of but not necessarily limited to: FURNESS CONTROLS Model 254 TURBO Boiler Silence Outlet, Co. No. 95011825 to P.O. 28989, CONREELS Coil of Electrical /Electronic Cable, 1- Drive Sheave 24 in. dia. (est.) 2- V-Belt Groove QD Hub, 1- Shaft; Co. No. 95011812, 95011825, 95011983, 95011998, 95012012, 95013053, Shelf Location ABC J-01-01.
- 825 LOT HRS HEAT EXCHANGER, WESTLOCK, JOHN CRANE VENT GAS BOILER PARTS, 1st GROWTH AGITATOR SEALS

 Consisting of but not necessarily limited to: Limit switch: Westlock 2004NBY-2A-2M02, Level Temperature Switch, 1st Growth Agitator Seals, Boxes of Misc. Parts; Co. No. 95012406, 95011120; Shelf Location ABC J-01-02.
- 826 LOT 8- BOXES (APPROX.) PACKING MATERIAL FOR HCN SCRUBBER 14192-2 1: Tri-Packs PP, Tri-PP-1, 5CF; Shelf Location ABC J-01-04, and ABC J-01-05.
- 827 LOT 2- BOXES DYNAMIC RUBBER MECHANICAL SEALS Shelf Location AB J-02-03.
- 828 LOT 8- BOXES (APPROX.) DAYTON, MONITEUR FLOAT SWITCH, VALVE POSITIONER AND RELATED PARTS

 Consisting of but not necessarily limited to: DAYTON Float Switch and MONITEUR Model 41N-E1N-SF, Co. No. 95014958 and 95015059; Shelf Location C J-02-02.
- 829 LOT 14- BOXES (APPROX.) AGM INDUSTRIES, INC. SELF LOCKING WASHERS Consisting of but not necessarily limited to: AGM INDUSTRIES, INC., Mild Steel Self Locking Washers, 2-1/2 in. square, 10 ga., INSWOOL Ceramic Fiber Blanket, Co. No. 95013071; Shelf Location ABC J-03-01.
- 81 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 830 LOT 10- BOXES (APPROX.) ACTUATORS, SOLENOIDS AND RELATED PARTS Consisting of but not necessarily limited to: Yoke, actuator, 1-1/8" bore, guide bushing FV-05008 Flow Control Valve Yoke, Actuator, 1-1/8" Bore, Guide Bushing 24184-10G Co. No. 95011470, PARKER Solenoid Valve, Co. No. 95012426, Controller, Rotary Valve Fieldvue FV-04006 Controller Rotary Valve Fieldvue FSDVC6200-101/FM/AD/G60B Co. No. 95013005, CONTROLLOGIX Power Supply Co. No. 95013361, Solenoid Valve PARKER Gasifier Rams Co. No. 95013915, Solenoid Valve PARKER Single Valve Co. No. 95014967; Shelf Location BC I-01-02.
- 831 LOT 11- BOXES (APPROX.) MAGNETROL LEVEL SWITCH AND RELATED PARTS Consisting of but not necessarily limited to: Level Switch Hi Magnetrol 120-LSH-03818, Gauge Glass Redline 3/4" x 14", Co. No. 95013599, 95014148, 95014969; Shelf Location AC I-01-03.
- 832 LOT 5- BOXES (APPROX.) AND 1- ITEM EATON BREAKER AND RELATED PARTS Transformer Blower MCC 64C2142G01 Co. No. 95011604, Water diffusers, pn:16-1111P Z-0720 16-1111P Co. No. 95012199, EATON SVX9000 DeviceNet 75HP 480V NEMA 1 Co. No. 95014956, Breaker 400A 3 Pole EATON HKD 65K Co. No. 95015061; Shelf Location ABC I-02-01.
- 833 LOT 32- BOXES (APPROX.) EATON MCC EQUIPMENT
 Consisting of but not limited to: Ignition Wire, Control PC Board, 400A Aux Interlock,
 Contactor Coil, ISO Switch AUX Interlock Assembly, Fuses, Voltage Sensor, CT Sensor,
 Rectifier Phase Kit Frames A & B, Control Fuse Kit, SC9000, 3 Phase Loss Monitor,
 4160V 600HP / 448KW VT Master Interface, 4160V 700HP / 522KW VT Master
 Interface, 4160V 1750HP / 1306KW VT Master Interface, Slave Interface Card 4160V A
 & B, Controller Interface Card, Power Supply Card, Repair Kit: V150,200 & 300 seals,
 AL6, 6", Power Supply PSG120F -A1 120W 3 Phase, SVX003A1-4A1B1 Adj. Freq.
 Drive, Breaker QJ23B150 Siemens 150A 3P 240V; Co. No. 95011123, 95011460,
 95011461, 95011462, 95011584, 95011585, 95011586, 95011587, 95011588, 95011602,
 95011603, 95011605, 95011606, 95011608, 95011609, 95011610, 95011611, 95011612,
 95011613, 95011614, 95011615, 95011944, 95013898, 95014993, 95015071; Shelf
 Location ABC I-02-02.
- 834 LOT BOX THERMOCOUPLES

Consisting of but not necessarily limited to: ThermaCouples for 410, 412, 413, Co. No. 95013451, 95013453, 95013454; Shelf Location C I-02-03.

835 – LOT 2- BOXES FLOTECT HORN / ANTENNA-STANDPIPES, LEVEL / FLOAT SWITCHES

VEGA PUL62/68 Horn/Antenna-Standpipes, Co. No. 95013937, Liq Level GA 22" w/Guards & Valves, Co. No. 95012318, Float Switch FLOTECT KO Pots, Co. No. 95013876; Shelf Location ABC I-03-03.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 836 LOT HOSES AND V BELTS
 - Consisting of but not necessarily limited to: GATES, STRONG, BX96, 3VX750, 3VX600, and Similar; Shelving Row End Cap.
- 837 LOT 3- SECTIONS VEITECH PALLET RACK SHELVING UNIT
- $838-{\rm LOT}$ 3- BOXES ROSEMOUNT EMERSON, WILDEN TRANSMITTER, PUMP, YELLOW BRACKETS

Consisting of but not necessarily limited to: Transmitter PH Rosemount 110-AIT-02409, Pump AODD 3 Inch Alum. Const. WIL-FLEX WILDEN Muffler, Yellow U-Shaped Brackets; Co. No. 95013887 to 95013525; Shelf Location ABC H-01-01.

- 839 LOT 14- BOXES (APPROX.) ROSEMOUNT EMERSON TRANSMITTERS
 Consisting of but not necessarily limited to: Transmitter ROSEMOUNT 140-PIT-05014
 Co. No. 95011554, Transmitter ROSEMOUNT 110-FIT-02005 Co. No. 95012503, RTD
 Element ROSEMOUNT 110-TIT-0204 Co. No. 95014260, Manifold ROSEMOUNT
 0305RC32B21B4L4 Co. No. 95014411, Transmitter Scalable Multi Variable Pres Co. No. 95014489, Transmitter Rosemount 110-PIT-02015C Co. No. 95014869, Manifold
 Rosemount 110-PIT-02015C Co. No. 95014870, Transmitter ROSEMOUNT 130-FIT04006 Co. No. 95014914, Manifold ROSEMOUNT 130-FIT-04006 Co. No. 95014915,
 Manifold ROSEMOUNT 110-FIT-02339 Co. No. 95014917, Transmitter ROSEMOUNT
 110-FIT-02437 Co. No. 95015113, Manifold ROSEMOUNT 110-FIT-02437 Co. No.
 95015114, Integral Manifold, Pressure Transmitter, ENDRESS & HAUSER, Co. No.
 95014411, 95014489, 95014261; Shelf Location ABC H-01-02.
- 840 LOT 19- BOXES (APPROX.) ROSEMOUNT EMERSON ROSEMONT SENSOR CABLE AND RELATED TRANSMITTERS

 Consisting of but not necessarily limited to: ROSEMONT, Conductivity Sensor Cable and Related Parts, RTD ELEMENT ROSEMOUNT 120-TE-03815, Co. No. 95014189, Thermowell ROSEMOUNT 120-TIT-03815, Co. No. 95014191, RTD & TRANSMITTER ROSEMOUNT 260-TIT-08151, Co. No. 95014282, Transmitter Rosemount 290-PIT-07552, Co. No. 95014894, Manifold Rosemount 290-PI-07552, Co. No. 95014895, CONDUCT SENSOR ROSEMOUNT 140-AIT-04012, Co. No. 95015290, CABLE-CONDUCTIVITY SENSOR 140-AIT-04012, Co. No. 95015291;, Co. No. 95014282 to
- 841 LOT 2- BOXES SANDPIPER DIAPHRAGM PUMPS
 S05B2KITPNS000, S07B1K2KPNS000 Consisting of but not necessarily limited to:
 SANDPIPER 1/2 PVDF Diaphragm Pump, PVDF PTFE S05B2KITPNS000,
 Santoprene Backup Single Double Diaphragm Pump, 23 gpm, 100 psi
 S07B1K2KPNS000; Shelf Location H-01-03.

95015280; Shelf Location ABC HH-02-05.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 842 LOT 2- Boxes+ EMERSON PROCESS MANAGEMENT TRANSMITTER, AIR HOSE, END FITTINGS, LINK BARS

 Consisting of but not necessarily limited to: EMERSON PROCESS MANAGEMENT, TRANSMITTER TEMP 644 ROSEMOUNT 0-500FAir Hoses with End Fittings, 1-Flexible Pipe, 3- Link Bars, Co. No. 95014105; Shelf Location ABC H-02-01, on Pallet.
- 843 LOT 16- BOXES (APPROX.) MISCELLANEOUS PARTS Shelf Location C H-02-01, on Pallet.
- $844-{\rm LOT}$ ROSEMOUNT, ENDRESS HAUSER AND OTHERS BURNER, TRANSMITTERS AND RELATED PARTS

Consisting of but not necessarily limited to: HONEYWELL Mod Motor/Gas Upper/Low Burner Co. No. 95012297, DWYER Mercoid Spdt Snap Switch Co. No. 95013555, Vibration switch EVAPCO Co. No. 95013569, FLOTECT Switch N2 Gasifier Purge Co. No. 95013861, ROSEMOUNT Transmitter 110-LIT-02092B Co. No. 95011544, Cable for ROSEMOUNT 5801 Trans Co. No. 95013870, Transmitter ROSEMOUNT 644 Co. No. 95015080, ROSEMOUNT Connector 1"x1" 316SS Co. No. 95015134, Pipe Wall Mounting Bracket 260-AIT-08157 Co. No. 95014227, ROSEMOUNT Manifold 250-PIT-08490 Co. No. 95011702, Transmitter EH Cerabar 120-LIT-03641 Co. No. 95014811, Transmitter EH Cerabar 120-PIT-03606 Co. No. 95013515, ENDRESS HAUSER RTD Temp 120-TIT-03711A Co. No. 95012614; Shelf Location C H-02-01.

845 – LOT 14- BOXES (APPROX.) ABB, ROSEMOUNT, TOPWORX®, METSO TRANSMITTERS AND RELATED PARTS

Consisting of but not necessarily limited to: Transmitter ROSEMOUNT 120-LIT-03034A FIT-03066 Co. No. 95011425, Transmitter, 220-LIT-07100 A LIT-07100-A Co. No. 95011430, Transmitter ROSEMOUNT 110-TIT-2032 & A LIT-03034-B Co. No. 95011549, Transmitter ROSEMOUNT 250-LIT-08436 LIT-08311-A Co. No. 95011583, Transmitter ROSEMOUNT 110-TIT-2232A P-0601 SEAL-5620PR HSP-38060 X18F551X Co. No. 95011660, METSO Pneumatic Positioner Co. No. 95012577, ABB Process Analyzer AX400 pH(ORP) Co. No. 95012580, Switchbox TOPWORX Controller Co. No. 95013873, Transmitter Temp 644 ROSEMOUNT 0-500F Co. No. 95014105, Transmitter ROSEMOUNT 260-AIT-08157 Co. No. 95014225, Transmitter ORP ROSEMOUNT 110-AIT-02825 Co. No. 95014738; Shelf Location ABC H-02-03 (02).

- 846 LOT 20- BOXES (APPROX.) BALDWIN FILTERS
 RS3518, PA3606, RS3744XP, PA3493, RS3745, RS3935, RS5334, PA1637-FN
 Consisting of but not necessarily limited to: BALDWIN Filters, Co. No. 95015246, 95015330, 95015352, 95015353, 95015354, 95015356, 95015357, 95015360; Shelf Location ABC H-03-01.
- 847 LOT 100 +- (EST.) FUEL, OIL AND LUBE FILTERS
 Consisting of but not necessarily limited to: BALDWIN Filters, Models: B495, B76-SS,
 BF1382-SP, BT839 and Others; HITACHI MOTORCRAFT, JOHN DEERE, CARQUEST and Others; Shelf Location ABC H-03-02.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 848 LOT 50- (EST.) FUEL, OIL AND AIR FILTERS
 Consisting of but not necessarily limited to: BALDWIN Filters, Model PA4991, BF7802,
 PF7744, FIRE PUMP Filters, GOLD Filters, CAT, CARQUEST, Co. No. 95015239 to
 95015335; Shelf Location ABC H-03-03.
- 849 LOT 15 +- Boxes (est.) OIL AND AIR FILTERS

 Consisting of but not necessarily limited to: BALDWIN Filters RS4621, Cabin Air Filters,
 Co. No. 95014867 to 95014865, HITACHI 4642122, Full Flow Fuel Filters, Oil Filters;
 Shelf Location ABC H-03-04.
- 850 LOT 3- PALLETS GASKETS

 Consisting of but not necessarily limited to: Gaskets, Various, 30 in. dia. (est.) and Smaller; Shelf Location AB H-03 05.
- 851 LOT 8- Boxes/Wood Crates (approx.) GASKETS, VARIOUS Specialized, 6 ft. dia. (est.) and smaller.
- 852 LOT 4- BOXES IFI PIPE INSULATION JACKETING AND SURLYN INSULATING MATERIAL

 Consisting of but not necessarily limited to: 60 sq. ft.of 2 x 36 x 20 FG Rigid Roll

 Jacketing, FSK 016 x 36 x 100 Roll SM Aluminum with Surlyn Insulating Material.
- 853 LOT DARCO ACTIVATED CARBON SUPER SACK
 Activated Carbon Injected into the Gas Stream that Falls Out into the Bag House; DARCO FGD, LOT NO 8131391, NET WT 900 LBS, PR 2142.
- 854 LOT 3-1/2 IN. DIA. HOSE X 18 FT. LONG (EST.)
 With 4- Drive Belts, 14MGT-2520-20, Co. No. 95011349, 1- Box Replacement Blades,
 Syngas Cooler Fan, Co. No. 95011359.
- 855 LOT 2- BOXES HEAT GASKET ROPE Consisting of but not necessarily limited to: 2- Sizes; on Pallet.
- 856 LOT 2- COMPANION FLANGES, 32 IN. ID (APPROX.) And PISTOLE 4- Fire Adjustable Spray Nozzles, Grip Type.
- 857 BALDOR · RELIANCE PUMP

 Consisting of but not necessarily limited to: Pump Line Shaft, Deep Sump powered by BALDOR · RELIANCE 5 HP (EST.) Electric Motor.
- 858 LOT I-GARD CORP NEUTRAL GROUNDING RESISTORS Type NGR13280-400-10s/N4 23KV Class Ser. Num. 36691 400 Amps.
- 859 LOT INTERNORMEN FLUID PURIFIER SYSTEM, PORTABLE Type: IFPM 21 .3vg.10.b.v. 568378-10 (Mfg. 2011).

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 860 LOT CALLIDUS TECHNOLOGIES FLARE PILOT ASSEMBLY AND RELATED PARTS
 - P-9010822 Consisting of but not necessarily limited to: 1- Flare Pilot Assembly 85 x 20 x 22 in. Stainless; in 3- Wood Crates.
- 861 LOT 7- FLARE TIP COOLING / CLEANING NOZZLES

 Used to Spray Service Water to Clean Flare Tips and also to Maintain Minimum Flow when in Service for Cooling, on Pallet.
- 862 LOT 2- Crates, Wood ROSEMOUNT FLOW INDICATING TRANSMITTERS ANNUBAR Rosemount 110-FIT-02005; Co. No. 95011417.
- 863 AUGER SHAFT 12 in. dia. x 10 ft. long (est.) having 3 in. dia. Shaft (est.).
- 864 LOT 3- BOXES INSTRUMENTATION CABLING
- 865 LOT CONVEYOR BELTING
 - 3- Deep Side Vulcanized Belting and 1- Pallet of Link Chain, Drag Type Steel Conveyor; on Pallet and 2- Wood Crates.
- 866 LOT 7- Crates, Wood POWELL GATE AND CHECK VALVES
 5- Valves per Box/Crate (approx.) Flanged, 16-150 WCB, 8-600 WCB and smaller.
- 867 LOT ORION AND RATHGIBSON INSTRUMENT SIGHT GAUGE, STAINLESS STEEL RATHGIBSON, 10 ft. long (est.) x .875 x 0 049 Avg. TP3 Stainless Steel, and 1- 4 ft. long (est.), MAGNETROL ELEMENT, Co. No. 95015236.
- 868 LOT CONE SHAPED HOPPER, STAINLESS STEEL

 Consisting of but not necessarily limited to: 20 in. dia. x 3 in. dia. lower x 36 in. high (est.) upper.
- 869 LOT 4- BOXES BAG HOUSE FILTER SOCKS
- 870 LOT 17- BOXES (APPROX.) BOGE AIR COMPRESSOR PARTS AND CONSUMABLES
 Consisting of but not necessarily limited to: TITUS, WALKER & BOGE Part No. 558000308P Filter Element, KATY EQUIPMENT, INC. Compressor Lubricant, ATOMUFFLER; on Pallet.
- 871 LOT BURLING VALVE REGULATOR AND STRAINER ASSEMBLY BS1.0-ICC5118-451601110 Unitized and Mounted on a Stainless Steel Freestanding Frame.
- 872 LOT HOSES AND FILTERS
 - Consisting of but not necessarily limited to: Suction Strainer, Filter Element, Hoses, Ram Scraper, Couplings and Similar, Co. No. 95013575 to 95013040; in Wood Crate on Pallet.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 873 LOT ORION INSTRUMENTS INSTRUMENTS, STAINLESS STEEL In 2- Wood Crates.
- 874 LOT BOX PRO MAG PM LIQUID LEVEL GAUGE PM26H-35S1468 F001-14 Stainless Steel.
- 875 LOT 35- BOXES (APPROX.) PARKER HANNIFIN ULTRAFILTRATION SPIRAL MEMBRANES
 S-Series with Polypropylene Cross Flow Filtration Elements, Co. No. 95014173, 35
 Boxes, Some Partial; on 3- Pallets.
- 876 LOT 2- DESKS

87 of 112

Consisting of but not necessarily limited to: 1- Shipping Foreman's Desk, Steel; Single Pedestal, Metal, Desk, 30 in. x 60 in.; U-LINE Parts Boxes/Bins; 2- Swivel Chairs, Bookcase, 5- Shelf, 36 in. wide (est.); 2- HON Lateral File Cabinets, 1- 5- Drawer, 40 in. wide (est.), 1- 4- Drawer, 30 in. wide (est.).

- 877 LOT SIGNODE STRAPPING UNIT
 With Tools, Reel of Strapping Tape and Clips, Mounted on a Portable Stand.
- 878 LOT STORAGE SHELF, 4- SHELVES, STEEL With Loose Leaf Binder Manuals.
- 879 LOT 2- SHELVING UNITS, PLASTIC Having 5- Shelves.
- 880 LOT CONTENTS OF STORAGE SHELF
 With 2- GENERAL ELECTRIC, Lucalox® Lamps; 8- VICTOR Gas Pressure Regulators,
 Each having 2- Gauges, Box of Trash Can Liners; Box of Miscellaneous Computer
 Related Items.
- 881 STORAGE SHELF Steel, 5- Shelf.
- 882 CONTENTS OF STORAGE SHELF

Consisting of but not necessarily limited to: GRANGER, DAYTON, QUICK CONNECT Fittings 3 in. dia. and smaller, Stainless Steel and Other; 4- Boxes of FASTENAL Fittings.

- 883 STORAGE CABINET, STEEL 7 ft. high x 48 in. wide (est.).
- 884 LOT TEST INSTRUMENTS AND RELATED

 Consisting of but not necessarily limited to: 2- Differential Gas Pressure Regulator and
 Gauge Sets, 1- with Long Hoses; 4- ROSEMONT Analytical Remote Controllers; Connect
 Link 490; 3- Masterlink® L/STM and 4- Easy Load II and Related.
- 885 WHIRLPOOL REFRIGERATOR/FREEZER ETOMSRXTQ02 VSO4151015 (Mfg. 10/2010).
- 886 HON LATERAL FILE CABINET WITH CONTENTS
 - 4- Drawers, Locking, Consists of but not necessarily limited to: File Folders, Catalogs, and Related.
- 887 HON LATERAL FILE CABINET WITH CONTENTS 2- Drawer Locking.

-ACCURACY OF DESCRIPTION NOT GUARANTEED-ALL ITEMS SOLD AS-IS WHERE-IS WITH NO WARRANTIES OR GUARANTEES, EXPRESSED OR IMPLIEDFOR COMPLETE EQUIPMENT PHOTOGRAPHS VISIT OUR WEBSITE:

WWW.MAASCOMPANIES.COM

"THE LEADER IN CLIENT SATISFACTION"

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 888 LOT 3- PARKER ACCUMULATOR AND ACCESSORIES Each in Storage/Transportation Case; Hydraulic Piston and Actuators.
- 889 FELLOWS SHREDDER 99 ci.
- 890 LOT 3M AND BRADY LABEL MAKERS
 - 1- Model PL200 and 1- Model BMP21-Plus Consisting of but not necessarily limited to: Label Tape, 11- Boxes of BRADY[®] BMP[®] 21- PLUS Cartridges in White Perma-Sleeve White Vinyl, White Nylon and Others.
- 891 HON DESK, STEEL 6 ft. long (est.).
- 892 AQUATEC PRESSURE BOOST PUMP CPD 8800 In Case.
- 893 APPLIED MEMBRANES, INC. SILT DENSITY INDEX TEST KIT In Case.
- 894 DWYER® MAGNEHELIC® DIFFERENTIAL PRESSURE GAUGE In Case.
- 895 AEMO® 5000V MEGOHMMETER 6505 In Case.
- 896 BIDDLE ROTATION TESTER In Case.
- 897 6PFC² TEST KIT In Case.
- 898 UNASSIGNED
- 899 HALLOWELL® STORAGE CABINET, STEEL 48 in. wide x 72 in. high (est.), 4- Shelves.
- 900 LOT CONTENTS OF SHELVES

Consisting of but not necessarily limited to: NORTON, MELABO, GEMINI, Grinding Wheels, STARRETT, Bore Gauge, RED HEAD, TRUBOLT and Related Tools.

901 - LOT SMART FLOW FILTER MODULES

OptiSep 11000 9Y-M2B-0005 Consisting of but not necessarily limited to: Smart Flow, 48 in. x 34in., Part No. 94-M28-0005, in Wood Crate.

- 902 LOT OFFICE FURNITURE
 - Consisting of but not necessarily limited to: 2- Deep, Upholstered, Arm Chairs; Pedestal Table, 30 in. dia.; 4- Drawer, Vertical File Cabinet; 4- Shelf, Wood, Bookcase; Double Pedestal Wood Desk; Swivel Chair; and Related Office Furniture, Fixtures and Equipment.
- 903 VEITECH PALLET RACK, SHELVING UNIT
- 904 LOT 44- BOXES (APPROX.) FLOW SERVE FAN SEALS
 Consisting of but not necessarily limited to: Co. No. 95014690, C-4313, 95014695, and Others.
- 905 LOT 3- BOXES ALLEN BRADLEY PHOTO SWITCH With Respirator, Work Boots and Other Items.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

906 - LOT CONTENTS OF SHELF

GRAINGER®, CRC, SCOTCH®, FLOWSERVE and Others; NOVA Components, PH Sensors, ORP Sensors, Tape and Related, Co. No. 95012583, to Co. No. 95012582; Shelf Location -18B.

907 - LOT CONTENTS OF SHELVES

Consisting of but not necessarily limited to: IQ Pump, WILKERSON Syngas Desiccant, ph Instrument, and Junction Box., Co. No. 9501.

908 - LOT SPARE PARTS FOR THE STEAM TURBINE In Wood Crate.

909 - LOT BREAK ROOM EQUIPMENT

Consisting of but not necessarily limited to: WHITE Model MRT15CSEWO, Refrigerator/Freezer, s/n LA62510923; Toaster Oven and Broiler, Electric; GENERAL ELECTRIC Microwave, GEORGE FOREMAN Grill, BLACK & DECKER 2- Slot Toaster.

910 - LOT OFFICE FURNITURE

2- 4- Drawer File Cabinets, 2- 6 ft. long Folding Leg Table 10- (approx.) Chairs; 5- Swivel and 3- Folding, Steel. Bookcase.

911 - LOT OFFICE FURNITURE

4- Double Pedestal Desks, 2- Wood and 2- Metal; Swivel Chair; 3- 7 ft. tall x 3 ft. wide Wood Bookcases having 5- Shelves Each; 3- Drawer, Metal, Vertical File Cabinet; 3- Straight Side Arm Chairs, 3- Chairs are Swivel; 1- HON 4- Drawer Metal Lateral File Cabinet, Portable; Audio Visual Cart; 2- Boxes of Supplies including Copy Paper and Related.

912 - LOT 3- INFRARED THERMOMETERS

Consisting of but not necessarily limited to: 1- BLUE-POINT, 1- DEGREE, 1832° and 1- 3M CORP. High Temperature, Infrared Thermometers, 1- in a Case.

- 913 DRÄGER GAS SAMPLING INSTRUMENT Accuro.
- 914 LOT SNAP-ON® COMBINATION PULLER SET VE-113B.
- 915 LOT TOOLS AND SUPPLIES AND CONTENTS OF BOOKSHELVES IN LOT 911 Consisting of but not necessarily limited to: MILWAUKEE Hacksaw Blades; STARRETT Micrometer; 2- Bit Sets; Office In/Out Trays; Safety Glasses.
- 916 LEESON HYDROSTATIC TEST PUMP Powered by Electric Motor.
- 917 UE SYSTEMS INC ULTRA PROBE 9000 IS With Accessories in a Custom Case.
- 918 OPTALIGN® PROFTECHNIK SHAFT ALIGNMENT SYSTEM Smart With Accessories in a Custom Case.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 919 OLYMPUS DIGITAL ULTRASONIC THICKNESS GAUGE
 45 MG Standard Kit with Dual Transducer, 45 MG, Datalogger SOFTWARE OPTION
 Capability with Carrying Case.
- 920 GENERAL ELECTRIC PROTIMETER Grainmaster® Grain Moisture Meter.
- 921 LOT RELATED SUPPLIES AND CONSUMABLES

 Consisting of but not necessarily limited to: 25 + Electrical 'Lock-Out Board' Pad Locks,

 TENCARVA TCV-Pump Oil, AEGIS Manual, Hose having Brass and Fittings, GE BIAX

 T/E Eco42W Lamp, 9- Plastic Bags with Related Parts.
- 922 MAXX AIR FLOOR FAN
 Pro 24 in. (est.) dia. Floor Fan powered by 1/3 hp (est.) Electric Motor.
- 923 LOT OFFICE EQUIPMENT AND SUPPLIES

 Consisting of but not necessarily limited to: 24 in. Guillotine Paper Cutter; 2
 SWINGLINE Heavy Duty Staplers; 2- Boxes of Copy Paper, 1- Aspen 30 and 1- Staples;

 2- Electric Power Strips; 3- Poster Frames.
- 924 COFINCO COOLING FAN HOUSING With Blade Safety Shielding, Co. No. 95011558; on Pallet.
- 925 COFINCO WOOD CRATE 66 in. x 39 in. x 10 in., Co. No. 95011558; on Pallet.
- 926 LOT EXPLOSION VENT FANS 24 in. x 24 in. in 2- Wood Crates.
- 927 LOT SYNGAS FAN PARTS

 Consisting of but not necessarily limited to: DODGE and Other Related Parts, Co. No. 95011347 to Co. No. 95011363 and 95011351; in 2- Wood Crate on Pallet.
- 928 LOT MANCHESTER TANK 1- AIR RECEIVER TANK, VALVES AND RELATED Cat No. 304906 (Mfg. 2012) Consisting of but not necessarily limited to: MANCHESTER TANK, 30 gal. Vertical Air Receiver Tank, 1/2 NPT Brass Check Valves and Related; in 5- Boxes on Pallet.
- 929 LOT PRIMARY COOLER TUBE PLUGS In Wood Crate on Pallet.
- 930 UNASSIGNED
- 931 LOT 3- BOXES AND 2- ITEMS
 Consisting of but not necessarily limited to: Train 1 Fan Parts, Co. No. 95015119, Right
 Angle Reduction Gearbox and Similar; on Pallet.
- 932 LOT SHAFT SEAL Co. No. 95012036; Related End Plates; on Pallet.
- 933 LOT CHEMINEER Mechanical Seal Cartridge 13HTMN Co. No. 95011968.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 934 LOT CALLIDUS TECHNOLOGIES 4 INCH BURNER TIP FOR GROUND FLARE 2 in. ID (approx.) Flanged Screened End Piece for Callidus Unit; DF-200619-401, Co. No. 95011991; in Wood Crate.
- 935 LOT BAG HOUSE PARTS
 Parts for PULSE Bars in the Bag House, Co. No. 5005473; in Wood Crate.
- 936 25- (EST.) PRO TECH SAFETY HARNESSES GUARDIAN Edge Series Retractable Lifelines Safety Harnesses; CAPITAL Protecta Safety Harness for High Work.
- 937 LOT 5- (APPROX.) HAND TOOLS

 Consisting of but not necessarily limited to: 1- 4- Tyne Pitch Fork, 1-'Grubbing' Pick Axe, 2- Rakes.
- 938 LOT 6- (APPROX.) ROCK RIVER SHOVELS

 Consisting of but not necessarily limited to: Long Handles, Round and 1- Square Point.
- 939 LOT 9- (APPROX.) LIBMAN AND OTHER FLOOR BROOMS, PUSH TYPE Consisting of but not necessarily limited to: 4- 30 in. wide (est.) 2- New/Unused, 3- 40 in. wide (est.).
- 940 STORAGE RACK, PLASTIC With 5- Shelves.
- 941 CLOTHING / CHANGING LOCKERS, STEEL Having 5- Individual Locker Compartments, 6 ft. high (est.).
- 942 HON LATERAL FILE CABINET Having 4- Drawers, Locking.
- 943 LOT 4- (APPROX.) LOUISVILLE AND WERNER® STEP LADDERS WITH 1- STEP STOOL 4 ft. tall (est.), 300 lb. capacity, Fiberglass.
- 944 LOT 7- (APPROX.) STEP LADDERS
 1- LOUISVILLE, 2- Aluminum, 4 ft. Step Ladders and 4- 30 in. Safety Ladders.
- 945 LOT 3- (APPROX.) LOUISVILLE AND ROCK RIVER STEP LADDERS 8 ft. tall, Fiberglass.
- 946 LOUISVILLE STEP LADDER 10 ft. tall, Fiberglass.
- 947 LOUISVILLE STEP LADDER 12 ft. tall, Fiberglass.
- 948 LOT 12- SECTIONS (APPROX.) WELDING CURTAINS
- 949 BIG RED TRANSMISSION JACK Double Ram 1000 lbs. capacity.
- 950 LOT 4- TRASH CANS With 1- Broom and Dust Pan.
- 951 UNASSIGNED
- 952 UNASSIGNED
- 91 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 953 UNASSIGNED
- 954 LOT 3- C-CLAMPS
- 955 UNASSIGNED
- 956 LIVE ANIMAL TRAP Steel Wire Type.
- 957 LOT 10- BAG HOUSE VENT EXPLOSION COVERS Part No. E-0102 24 in. x 24 in., 294-1, in Crate, for Train 2.
- 958 LOT 2- SKF BEARINGS 23144 cc/w33 & 24156 cc/w33 For Fermentation Agitator.
- 959 TABLE, FOLDING LEGS 6 ft. long.
- 960 LOT 3- TRAYS LOCTITE® AND BLASTER AEROSOL CANS Loctite®LB-771.
- 961 INGERSOL-RAND AIR HAMMER KIT With Bits, in Case.
- 962 LOT 76- PIECES (APPROX.) SNAP-ON TAP AND DIE SET TDTDM500A In Case. (NOTE: Some Pieces Missing.)
- 963 LOT 2- HOUSEKEEPING CARRIERS With Contents.
- 964 LOT 2- HUSKY AND EVERCRAFT MECHANIC'S CREEPERS
- 965 UNASSIGNED
- 966 GLOBAL FLOOR FAN Single Pedestal Floor Fan, 36 in. dia. Powered by 1-1/2 hp Electric Motor.
- 967 JET 20" STEP PULLEY DRILL PRESS, FLOOR TYPE JDP-20MF Powered by 1-1/2 hp Electric Motor.
- 968 JET DUAL WHEEL BENCH GRINDER
 J86-10A 10 in. dia., Model JBG-10A, s/n 12020175, powered by 1-1/2 hp Electric Motor.
- 969 LOT FLOW SERVE BUTTERFLY VALVE WITH ACTUATOR With 2- Boxes of 6 in. Valves, Co. No. 95015314.
- 970 FLANGED FITTING Stainless Steel, Co. No. 95011802, in Wood Crate.
- 971 LOT 2- BUTTERFLY BALL VALVES Stainless Steel, 8 in., Co. No. 95014881.
- 972 LOT 2- RISING STEM GATE VALVES CF8MKAD03A25 Stainless Steel, 10 in., Korea 13-01 A1A.
- 973 LOT 3- SPOOLS ELECTRICAL POWER CABLE AND COMMUNICATION / CONTROL.
- 974 WORK BENCH Steel, with Heavy Duty Vise.
- 975 978 UNASSIGNED
- 92 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 979 LOT 3- PRY BARS AND SLEDGE HAMMER 2- Pry Bars and 1- Sledge Hammer.
- 980 UNASSIGNED
- 981 LOT PUMP AND CONSUMMABLE SUPPLIES
 To include: KLEEN SWEEP, Rags, Manual, Centrifugal Pump (Less Electric Motor).
- 982 WORK BENCH Heavy Duty Steel with Vise.
- 983 UNASSIGNED
- 984 MILWAUKEE DEEP CUT BAND SAW
 Cat. No. 6232-20 In Molded Carrying/Storage Case.
- 985 MILWAUKEE DEEP CUT BAND SAW
 Cat. No. 6232-20 In Molded Carrying/Storage Case.
- 986 MILWAUKEE DEEP CUT BAND SAW Cat. No. 6232-20 In Molded Carrying/Storage Case.
- 987 UNASSIGNED
- 988 WILLIAMS TOOL CABINET 11- Drawer, Locking, Portable.
- 989 WILLIAMS TOOL CABINET 11- Drawer, Locking, Portable.
- 990 WILLIAMS TOOL CABINET 11- Drawer, Locking, Portable.
- 991 WILLIAMS TOOL CABINET 11- Drawer, Locking, Portable.
- 992 UNASSIGNED
- 993 UNASSIGNED
- 994 UNASSIGNED
- 995 LOT HUSKY TOOLS DIE SET EP-510C In Molded Carrying/Storage Case.
- 996 LOT ITW RAMSET FASTENING GUN Red Head SA270 Powder Actuated Semi-Automatic .27 Caliber, 10 Shot Strip, In Molded Carrying/Storage Case.
- 997 LOT BOSCH HAMMER DRILL RH540M With Bits, In Molded Carrying/Storage Case.
- 998 LOT BOSCH HAMMER DRILL Bull dog With Bits, In Molded Carrying/Storage Case.
- 999 LOT MILWAUKEE ORBITAL SAWZALL With Bits, In Molded Carrying/Storage Case.
- 1000 DEWALT DIE GRINDER 2 in., Corded.
- 1001 LOT 3- METABO RIGHT ANGLE GRINDERS Corded.
- 1002 UNASSIGNED
- 1003 LOT 4- SAFETY FACE SHIELDS

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1004 LOT 10- PACKAGES (EST.) CARBON FAN SEALS With Inner and Outer Seals, For Use with SYNGAS Fans.
- 1005 LOT 10- (APPROX.) SYNGAS FANS SHAFT SEALS To fit Syngas Fans, with Bags containing Carbon Seals.
- 1006 UNASSIGNED
- 1007 LOT OMEGA H- FRAME PRESS 60253 SS120400404 25 ton capacity, Hydraulically Operated, having Manually Operated Hydraulic Power Pack.
- 1008 LOT BETTIS VALVE ACTUATOR C2012 SR4-CCW-M3HW Robotarm II 1601129-16 (Mfg. 04/2016) Having TopWorx Indicator.
- 1009 LOT BETTIS VALVE ACTUATOR / METERING PUMPS
 C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TOPWORX™ Indicator, with 2- LMI Metering pumps and SMITH METERING CO. Valve.
- 1010 LOT 2- BETTIS VALVE ACTUATORS C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TopWorx Indicator, Co. No. 9501-2040 and Co. No. 9501-2041.
- 1011 LOT 2- BETTIS VALVE ACTUATORS C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TopWorx Indicator, Co. No. HS-2334 and Co. No. HS-2141.
- 1012 LOT 2- BETTIS VALVE ACTUATORS C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TopWorx Indicator, Co. No. HS-2135.
- 1013 LOT RIDGID VIDEO INSPECTION SYSTEM
 Snake® Mini-Pak With Box containing Compact Color Camera, #20193, Unused.
- 1014 UNASSIGNED
- 1015 LOT 2- BETTIS VALVE ACTUATOR C2012 SR4-CCW-M3HW Robotarm II Having TopWorx Indicator, Co. No. HS-02341 and Co. No. HS-002140.
- 1016 LOT PORTA-POWER UNIT With 12- ton Bottle Jack.
- 1017 LOT 5- WET/DRY VACUUM UNITS With 2- RIDGID, 1- CRAFTSMAN; AND 1- STINGER.
- 1018 BETTIS VALVE ACTUATOR C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TopWorx Indicator, Co. No. HS-2134.

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1019 LOT 2- BETTIS VALVE ACTUATORS C2012 SR4-CCW-M3HW Robotarm II (Mfg. 04/2016) Having TopWorx Indicator.
- 1020 LOT FISHER BUTTERFLY VALVE WITH ACTUATOR NPS 10, 3720 CV / 3214KV F000137416 8 in. Stainless Steel.
- 1021 LOT FASTENAL® MULTIBIN STORAGE CABINET With Contents of Bolts, Nuts and Washers.
- 1022 LOT DURHAM MANUFACTURING MULTIBIN STORAGE CABINET With Contents of Bolts, Hex Nuts, Washers and Fittings.
- 1023 LOT DURHAM MANUFACTURING MULTIBIN STORAGE CABINET With Contents of Steel Pipe Fittings, Threaded, 2 in. dia. To 1/2 in. dia. and smaller; Consisting of but not necessarily limited to: Unions, Tees, Ells, Nipples, Some Extra Heavy.
- 1024 LOT DURHAM MANUFACTURING MULTIBIN STORAGE CABINET With Contents of Steel Pipe Fittings, Threaded.
- 1025 LOT DURHAM MANUFACTURING MULTIBIN STORAGE CABINET With Contents of Steel Pipe Fittings, Threaded.
- 1026 LOT FASTENAL® MULTIBIN STORAGE CABINET With Contents of Steel Pipe Fittings, Threaded.
- 1027 LOT FASTENAL® MULTIBIN STORAGE CABINET With Contents of Steel Pipe Fittings, Threaded.
- 1028 LOT 2- FASTENAL® PARTS CABINETS

 Each having 4- Drawers with Contents consisting of but not necessarily limited to: TEK,

 Set, Machine and Similar, Stainless Steel and Carbon Steel.
- 1029 LOT BOLTS, NUTS AND RELATED

 Contained in a 4- Wheel Trailer; Consisting of but not necessarily limited to: Bolts, Pipe Fittings, and Pressure Regulators; in Buckets, Trays, and Boxes.
- 1030 LOT 1- BOX MOUNTING HARDWARE & GASKETS
 For U-Trough Conveyor; Curtain, 1- Box MARTIN SPROCKET AND GEAR INC,
 Mounting Plate Assembly, Fabric Curtain; With Mobile Frame and Safety Equipment (in Plastic Bag).

1031 TO 1039 UNASSIGNED

ADMINISTRATION BUILDING

PPE ROOM

1040 – LOT 3- BW MICRODOCK II SYSTEM Automatic Test and Calibrations System, With 2- Charging Units.

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 1041 LOT 32- (APPROX.) BW SINGLE GAS DETECTORS Gas Alert Extreme HCN, NH3, H25 Models.
- 1042 LOT 7- (APPROX.) BW QUATTRO GAS DETECTORS
- 1043 LOT 10- (APPROX.) CROWCON PORTABLE GAS DETECTORS Gasman CH4.
- 1044 LOT 31- (APPROX.) CROWCON SINGLE GAS DETECTORS Having 7- Chargers.
- 1045 LOT 12- (APPROX.) CROWCON CHARGERS
- 1046 LOT 25- (APPROX.) MOTOROLA 2-WAY RADIOS PR400.
- 1047 LOT 25- (APPROX.) MOTOROLA 2-WAY RADIOS PR400.
- 1048 LOT 4- (APPROX.) MOTOROLA 2-WAY RADIOS R765IS With 4- Earpieces, 6- Speaker Mics, 4- Belt Clip Holders.
- 1049 LOT 8- (APPROX.) MOTOROLA 2-WAY RADIO SPEAKER MICS PMMN4013A New Stubby Antennas, Desktop Microphone, 8- Used Speaker Mics.
- 1050 LOT 2- MOTOROLA MULTI-UNIT CHARGER CONVERSION KITS CP150/200.
- 1051 LOT 25 +- (EST.) MOTOROLA CHARGER BASES Various.
- 1052 LOT 28 +- (EST.) LOCK BOXES Each having 4 to 10 Locks, 21- Rolls of Caution and Danger Site/ Marking Tape.
- 1053 LOT 21- PAIRS (APPROX.) BRAHA, CRAFTSMAN, TEXAS STEER AND OTHERS SAFETY SHOES Various Sizes, Some New in Box.
- 1054 UNASSIGNED
- 1055 LOT 8- BOXES (APPROX.) 3M / RADIANS CORDED EAR PLUGS
- 1056 LOT 18- (APPROX.) SAFETY HARDHATS (NEW/UNUSED)
- 1057 LOT 18- (APPROX.) SAFETY HARDHATS (NEW/UNUSED)
- 1058 LOT 8- (APPROX.) HONEYWELL RESPIRATORS Z54001S With 2- Trays of Canisters and Related.
- 1059 LOT 2- BOXES (APPROX.) ROPE AND PLASTIC SEALS
- 1060 LOT REGULATOR, AMMONIA/HCN DETECTOR
- 1061 BW TECHNOLOGIES QUATTRO GAS ALERT, CONFINED SPACE KIT (NOTE: May Not be Complete.)
- 1062 BW TECHNOLOGIES QUATTRO GAS ALERT, CONFINED SPACE KIT (NOTE: May Not be Complete.)

- LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 1063 LOT (APPROX.) SENSIDYNE® AIR SAMPLING PUMP Gilian 5000®.
- 1064 LOT (APPROX.) RAE SYSTEMS AUTO RAE LITE FOR QRAE III GAS MONITOR Calibration and Test Station with QRAEII Gas Meter and Charger.

FIRST AID ROOM

- 1065 STORAGE SHELF Plastic.
- 1066 SCOTT SAFETY AIR-PAK SCBA UNIT
 4.5 SCBA (Self Contained Breathing Apparatus) Bag, Regulator, 60 min. Scott Tank,
 Mask.
- 1067 SCOTT SAFETY AIR-PAK SCBA UNIT
 4.5 SCBA (Self Contained Breathing Apparatus) Bag, Regulator, 60 min. Scott Tank,
 Mask
- 1068 SCOTT SAFETY AIR-PAK SCBA UNIT
 4.5 SCBA (Self Contained Breathing Apparatus) Bag, Regulator, 60 min. Scott Tank,
 Mask.
- 1069 SCOTT SAFETY AIR-PAK SCBA UNIT
 4.5 SCBA (Self Contained Breathing Apparatus) Bag, Regulator, 60 min. Scott Tank,
 Mask.
- 1070 LOT 1- BOX LION® PROTECTIVE GLOVES Defender.
- 1071 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 10 Medium Mfg. 2012.
- 1072 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 10-1/2 Medium Mfg. 2012.
- 1073 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 11 Medium Mfg. 2012.
- 1074 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 12 Medium Mfg. 2012.
- 1075 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 13 Medium Mfg. 2012.
- 1076 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 10 Medium Mfg. 2012.
- 1077 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 12 Medium Mfg. 2012.
- 1078 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 12 Medium Mfg. 2012.
- 1079 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 10 Medium Mfg. 2012.
- 1080 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 11 Medium Mfg. 2012.
- 1081 THOROGOOD FIRE BOOTS Hell Fire 807 Men's Size- 11 Medium Mfg. 2012.
- 1082 LOT 3- CAPITAL SAFETY HIGH WORK SAFETY HARNESSES Protecta[®].
- 1083 LOT CAPITAL SAFETY HIGH WORK SAFETY HARNESSES Protecta[®].
- 1084 LOT CAPITAL SAFETY HIGH WORK SAFETY HARNESSES Protecta[®].

- LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION
- 1085 LOT 12- (APPROX.) CAPITAL SAFETY SAFETY TETHERS Protecta® 1340060.
- 1086 LOT 8- (APPROX.) CONDOR® D-RING EXTENDERS
- 1087 LOT TOOL LANYARDS, FALL PROTECTION GEAR Consisting of but not necessarily limited to: SQUIDS® Tool Lanyards, 4- SALA® Nano-Loks, MILLER Relief Step.
- 1088 LOT 2- RYOBI LIGHTS, HIGH BEAM PORTABLE FLASH LIGHTS XENON Each with Charging Base; 2- Head Word Battery Powered Work Lights.
- 1089 LOT 1- TRAY PROTECTIVE RESPIRATORS AND GLOVES Consisting of but not necessarily limited to: GATEWAY SaniFold Vented Respirators; DERMA -LITE PF+ EX, EL Gloves.
- 1090 LOT 2- GRANGER FIRST AID STATIONS Bulk, 100- Person.
- 1091 CONNEY SAFETY FIRST AID CABINET Crusader® 100.
- 1092 LAERDAL SPINEBOARD BaXstrap.
- 1093 LATERAL FILING CABINET 5- Drawer.
- 1094 LATERAL FILING CABINET 5- Drawer.
- 1095 CONFERENCE TABLE Rounded at both Ends, Wood, 8 ft. long.
- 1096 LOT 4- 3M HEARING PROTECTORS / SAFETY GLASSES With 10- (approx.) CREWS Safety Glasses.
- 1097 LOT 1- TRAY UVEX SAFETY GLASSES Various Styles.
- 1098 LOT 1- TRAY UVEX SAFETY GLASSES
- 1099 LOT 5- BOXES (APPROX.) UVEX SAFETY EYEWARE (NOTE: Most appear to be NEW.)
- 1100 LOT 4- TRAYS FIRST AID SUPPLIES Consisting of but not necessarily limited to: Gauze Pads, Plastic Adhesive Strips, Major Wound Compress, Antiseptic Wipes, Extra Large Adhesive Strips, Compression Bandages, DYNAREX Semi-Wrap-Self Adherent, 3M N95 Particulate Respirator and Related.
- 1101 CARDIAC SCIENCETM AED G3 AUTOMATED EXTERNAL DEFIBRILLATOR Powerheart® With Set of Adult Pads, Includes Wall Case.
- 1102 LOT 2- NORTH 5- MINUTE EMERGENCY ESCAPE BREATHING APPARATUS 845^{TM} New/Unused.
- 1103 PAC-KIT® EMERGENCY RESPONSE FIRST AID KIT
- 1104 ERIE COMPRESSED OXYGEN BOTTLE WITH CASE / BAG
 406 Liters, having 2- Regulators, Rigid and Fabric Carrying Case; Appears New/Unused.
 98 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1105 LOT 4- SCOTT SAFETY / LUXFER / TYCO AIR PACK TANKS Part No. 10009672 L876-002, 804723-01 60 Minute Oxygen Supply, 4500 psi, 6/21/12.
- 1106 LOT 2- BOOKCASES, WOOD 6 ft. high x 36 in. wide and 6 ft. high x 32 in. wide.
- 1107 LOT RELATED OFFICE SUPPLIES

 Consisting of but not necessarily limited to: Heavy Duty Paper Punches, Staplers, Tape
 Dispensers, PENDAFLEX® Folders, foot Rest, HON 3- Drawer Lateral File Cabinet,
 OUARTET® Dry Marker board, 4- Boxes D-Ring Binders, Portable Electric Resistance
- 1108 UNASSIGNED

Heater.

1109 - UNASSIGNED

LAB

- 1110 GENERAL ELECTRIC REFRIGERATOR / FREEZER, SIDE BY SIDE GSH25JSDB-SS With Icemaker and Door Dispenser, Stainless Steel.
- 1111 TRASH CAN, STAINLESS STEEL
- 1112 JUST-RITE® SAFETY DISPOSAL CAN Part No. 14765.
- 1113 PERKIN ELMER® ATOMIC APSORPTION SPECTROMETER
 AAanalyst 600 With PERKINS ELMER AAS800 Auto Sampler with PERKINS ELMER
 Power Supply and Cooling System.
- 1114 UNASSIGNED
- 1115 LOT HOSES, 3- CYLINDERS WITH TUBING OUTLETS
- 1116 THERMO SCIENTIFIC THERMOLYNE ELECTRIC FURNACE
- 1117 PETROTEST GUM CONTENT TESTER 13-2043 176121601 (Mfg. 4-16-12) 5 Metal Heating Block Test Stations.
- 1118 HEMCO VENTED FUME HOOD CABINET
 45611 Uniflow SE Aire Stream 72", With Built-in Exhaust Blower and Vapor Proof Light.
 (NOTE: Cabinet Only, Roof-Top Vent is NOT Included.)
- 1119 SECUREALL® FLAMMABLE MATERIALS STORAGE CABINET L124 (Mfg. 4-16-12) 24 gal. Capacity.
 With ACID STORAGE CABINET Metal, under Counter.
- 1120 UNASSIGNED
- 1121 SRI INSTRUMENTS GAS CHROMATOGRAPH SRI 8601C Gas Chromatograph, Multi-Gas #1 Configuration, with 1- Box of Supplies and Accessories, 1- DELL Monitor, Keyboard and Mouse; Set-up for HCN Testing.
- 1122 LOT SUPPLIES Lower Cabinet and Consumables. 99 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1123 LOT 2- TRASH CANS 1- Stainless Steel and 1- Plastic.
- 1124 LOT KIT Containing 2- RKI Instruments, Inc. Hydrogen and Air Gas Bottles.
- 1125 DELL MONITOR, KEYBOARD AND MOUSE
- 1126 LOT SINDIE SULPHUR ANALYZER
 7039 G3XR, M- Series BT-120308004 Autosampler utilizes XOS® Accu-Cell Cup; With
 1- Tray containing Manuals, Rolls of Strip Paper and Printer.
- 1127 BIO CLAVE AUTO CLAVE B4000-16 STE 48A-16L With Trays and Auto Clave Tape.
- 1128 ELGA LOW PRESSURE GAUGE AND PRE-TREATMENT CARTRIDGES LC 140, LC 208 With 3- ELGA Standard Cartridges, 1- ELGA D1 Cartridge, 2- Boxes of Pre-Treatment.
- 1129 DRYING RACK Plastic 24 in x 30 in (approx.) having Face Shield and 2- Handle Strainer.
- 1130 ELGA PURE LAB FLEX-PURE LAB WITH FLEX OPTION DV35 05015BPMI, OS00003646 With Pure Lab Flex Dispenser, Model 815LX s/n 0S01BPM1, with 1- Tray of Manuals and Fittings, DV35 Docking Vessel, Mfg. 1/26/2012.
- 1131 UNASSIGNED
- 1132 LANCER LAB GLASSWARE DISHWASHER, STAINLESS STEEL 815LX.
- 1133 LOT 1- TRAY LAB SUPPLIES

 Consisting of but not necessarily limited to: 2- Bags of Pipettes, and Rubber Squeeze Bulbs.
- 1134 LOT VOLUMETRIC LAB SUPPLIES

 Consisting of but not necessarily limited to: Flask, Cylinders, Beakers, Centrifuge Tubes, and Gloves.
- 1135 DELL MONITOR, KEYBOARD AND MOUSE
- 1136 HERMLE CENTRIFUGE Z206A With Extra Tube Wheel, 22096, 10/200.
- 1137 VACUUM PUMP Powered by Electric Motor with 2- Shelf Storage Equipment Rack.
- 1138 EPPENDÔRF MINI-SPIN CENTRIFUGE
- 1139 FISHER SCIENTIFIC FIXED SPEED VORTEX MIXER
- 1140 UNASSIGNED
- 1141 2- FISHERBRAND® DESSICANT CABINETS
 1- 12 in. tall and 1- 18 in. tall; With Misc. Shelves and Glassware.
- 1142 FISHER SCIENTIFIC ULTRA LOW TEMP CHEST FREEZER 5150, Isotemp 827996-164 3 cu. ft. Capacity, Temp Range -50C to -86 C.
- 100 of 112

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1143 UNASSIGNED
- 1144 GLOMAX DETECTION SYSTEM LUMINOMETER Multi-Jr. Promega.
- 1145 SHIMADZU SPECTROPHOTOMETER 1240 UV-VIS With Accessories.
- 1146 2- SHIMADZU D2-LAMPS With Attachment Trays.
- 1147 THERMO SCIENTIFIC BENCH TOP PH METER Orion Star™ A111 With Arm.
- 1148 UNASSIGNED
- 1149 4- EUTECH INSTRUMENTS EC TESTER, WATERPROOF Oakton® Having 2- C-Rings, 1- Box and Counter.
- 1150 3- FISHERBRAND® HYDROMETERS Alcohol, 1- Digital Thermometer and 2- Related.
- 1151 EUTECH INSTRUMENTS TURBIDIMETER, PORTABLE T-100, Oakton® OKTN100IR.
- 1152 LOT 4- PIECES LAB TEST EQUIPMENT
 Consisting of CHEMETRICS, V2000, Multi-Analyte Photometer; 1- FISHER
 SCIENTIFIC Accumet, AP110, Portable pH Meter Kit; 1- NALCO Model 8000-000 Hand
 Held Fluorometer and 1- MYRON L COMPANY Ultrameter Free Chlorine Tester.
- 1153 UNASSIGNED
- 1154 UNASSIGNED
- 1155 CONTENTS OF 2- CABINETS

 Consisting of but not necessarily limited to: Pipettes and Consumables.
- 1156 UNASSIGNED
- 1157 LOT 13- EPPENDÔRF AND BIO EXPRESS Consisting of 4- BIO Express; 5- EPPENDÔRF Reference; 4- EPPENDÔRF Research Plus.
- 1158 LOT EPPENDÔRF AND TITRETTE FLASK AND BOTTLE DISPENSERS Consisting of 1- TITRETTE 25 ml Class A Precision, 1- EPPENDÔRF Varispenser with Manuals.
- 1159 FISHER SCIENTIFIC MINI-PUMP, VARIABLE FLOW
- 1160 METROHM ETHANOL WATER TESTER 870 KF, Titrino Plus Having Model 803 T-Stand; 1- Tray NEO'S Strip Printer, Manuals, Cables and Related.
- 1161 UNASSIGNED
- 1162 UNASSIGNED
- 101 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1163 OHAUS® IR SENSOR SCALES Navigator XT.
- 1164 CORNING STIRRING HOT PLATE PC-600D.
- 1165 4- FISHER SCIENTIFIC STIRRING HOT PLATES Cat. No. 1152016SH.
- 1166 FISHER SCIENTIFIC STIRRING HOT PLATE Isotemp Ceramic Top.
- 1167 TALBOYS STANDARD DRY BLOCK HEATER With 2- Boxes 50 ml Con Centrifuge.
- 1168 LOT SUPPORT ITEMS

To Include but not necessarily limited to: Blocks, Crucibles, Weight Baths, Needles, Glass Syringes, Glass Bottles, Plastic Bottles.

- 1169 UNASSIGNED
- 1170 UNASSIGNED
- 1171 METROHM INTELLIGENT ION CHROMATIGRAPH

850 - Professional IC Anion-MCS.

With METROHM SAMPLE PROCESSOR 858 With METROHM Model 772 Pump Unit.

With LOT 4- TRAYS METROHM PARTS AND SUPPLIES 772 Manual, Parts, Supplies, and Consumables.

With DELL MONITOR, KEYBOARD AND MOUSE.

- 1172 UNASSIGNED
- 1173 FISHER SCIENTIFIC 4- LENS TURRET MICROSCOPE E1812-0622-18, MICROMASTER® With LCD Screen, 1- Tray of Supplies and Accessories.
- 1174 LOT BOOKCASE, WOOD With Lab Notebooks, 3- NALGENE Buckets and Related.
- 1175 EMERGENCY SPILL KIT, UNIVERSAL
- 1176 LOT STOOL, TAPE AND RELATED

 Consisting of but not necessarily limited to: 1- Step Stool, 1- Tray of Tape, Signs, and Related.
- 1177 LOT 3- STOOLS, LAB COATS, MISC.
 Adjustable Height with Foot Rings, Dry Marker Board, Lab Coats, Aprons, Rain Gear.

END OF LAB

- 1178 UNASSIGNED
- 1179 UNASSIGNED
- 1180 UNASSIGNED

LOT# OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

DCS OFFICE-COMPUTER STORAGE

- 1181 LOT 3- DELL TOWER CASE COMPUTERS Optiplex 790 SFF Windows Pro 7, Hard Drives Erased. Service Tags: JPFY3VI; 3NZQIRI, AND JPJV3VI.
- 1182 LOT 3- DELL TOWER CASE COMPUTERS
 Optiplex 790 SFF Hard Drives Erased. Service Tags: JPFX3VI, HC9HMS1, and 913ZGSI.
- 1183 LOT 3- DELL TOWER CASE COMPUTERS
 Optiplex 790 SFF Hard Drives Erased. Service Tags: JPGI4VI, 36WBORI, and JPHZ3VI.
- 1184 DELL TOWER CASE COMPUTER
 Optiplex 780 Hard Drives Erased. Service Tag: 8P280R1.
- 1185 LOT 3- DELL TOWER CASE COMPUTERS
 Optiplex790SFF Hard Drives Erased. Service Tags: 22CWHSI, HC9FMSI, and 9I54HSI.
- 1186 LOT 3- DELL TOWER CASE COMPUTERS
 Optiplex790SFF Hard Drives Erased. Service Tags: 9i5iHSI, 3NZPIRI, and 9I6ZGSI.
- 1187 LOT 3- DELL TOWER CASE COMPUTERS
 Optiplex790SFF Hard Drives Erased. Service Tags: 27WWTRI, HC9LMSI, and 914ZGSI.
- 1188 LOT 3- DELL FLAT SCREEN MONITORS 21 in.
- 1189 LOT 3- DELL FLAT SCREEN MONITORS 21 in.
- 1190 LOT 3- DELL FLAT SCREEN MONITORS 21 in.
- 1191 LOT 3- DELL FLAT SCREEN MONITORS 21 in. (NOTE: One Monitor Unscrewed from Base.)
- 1192 LOT 3- DELL FLAT SCREEN MONITORS 18 in.
- 1193 LOT 3- DELL FLAT SCREEN MONITORS 18 in.
- 1194 BROTHER NETWORK MULTI-FUNCTION UNIT DCP-7065DN Copy, Scan, Print.
- 1195 EPSON WI-FI AND ETHERNET PRINTER Artisan 810.
- 1196 LOT 6- CISCO NETWORK UNITS
 Consisting of 4- CISCO 10/100 TX Rack Mounted Network Units, C3KX-NM-1G; 2CISCO Air-Lap Dual Band Access Points.
- 1197 LOT 4- MOTOROLA MODEMS
 With 3- Smart Link Micro Analog Telephone Adapters and other Computer Related Items;
 Hardware Only.
- 1198 LOT OFFICE FURNITURE

 Consisting of but not necessarily limited to: 1- Desk with Corner Unit and 2- Drawer Pedestals, 1- Bookcase and 1- Dry Marker Board.
- 103 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1199 LOT COMPUTER POWER & VIDEO CORDS
 - 3- Storage Tubs, Consisting of but not necessarily limited to: Cabling, 6- (approx.) APC and others Power Surge Strips and Related.
- 1200 UNASSIGNED
- 1201 UNASSIGNED
- 1202 FELLOWS® PAPER SHREDDER Power Shred 320.
- 1203 EMERSON PLANT PROCESS AUTOMATION CONTROL SYSTEM DELTAVTM Version 12.3 AMS Suite Intelligent Device Manager.
 - With LOT 4- DELL TOWER CASE COMPUTERS

Precision T3500 Consisting of but not necessarily limited to: DELL Precision T3500 Tower Case Computers, 8- DELL 21 in. Monitors, 1- WESTINGHOUSE, 1- ACER and 1- INSIGNIA Monitors, 2- SANYO 40 in. Monitors. Service Tags: JLTBJQI and JLT9JQI, With 2- Keyboards and Mouses.

With LOT 12- (APPROX.) EMERSON PROCESS MANAGEMENT ELECTRICAL INSTRUMENTATION AND CONTROL PANELS

DELTAVTM Version 12.3 With AMS Intelligent Device Manager and Related;
With Stainless Steel, Weather Proof, Eye-Level mounted on appropriate Structural Member Panel, Co. No.'s JB-CIOC-105, 105A, 105C, 110A, 110I, 110J,120B, 120D, 140B, 140C, 205A 220A, 250B and C, 290A.

1204 – LOT OFFICE FURNITURE

Consisting of but not necessarily limited to: 2- Drawer Letter Vertical File Cabinet, STAPLES 2- Drawer Lateral File Cabinet.

END OF CONTROL ROOM

SUPERVISOR'S OFFICE

- 1205 LOT 3- MAPLE SYSTEMS & ALLEN BRADLEY DISPLAY SCREENS WEINTEK with EZ Ware HMI 5000 and 1- ALLEN BRADLEY PanelView Plus 1250 HMI.
- 1206 LOT 2- SAMSUNG TABLET
 Galaxy Tab 3 Certified T-Mobile Preowned, 7 in. WSVGA, LCD 1.7 ghz, Dual Core CPU.
 (NOTE: One Says Broken.)
- 1207 LOT 10- SAMSUNG TABLET Galaxy Tab 3 4- G LTE, 7 in. and Others. (NOTE: Some are Broken.)
- 1208 LOT 2- AIRGAS REGULATOR V12-2440580 1-V12-2440580, 1-Unknown.
- 1209 LOT CONTENTS OF SHELVING UNIT 1 in. Diaphragm Pump, Bolt Cutter, 3- Lock Boxes, Perkins Parts and Others.
- 104 of 112

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

1210 – LOT OFFICE FURNITURE

Consisting of but not necessarily limited to: 5- Drawer Lateral File Cabinet, 2- Cork Boards, 1- Dry Marker Board, 1- Steel Storage Shelf Unit.

1211 – LOT DELL MONITOR, KEYBOARD, MOUSE AND DOCKING STATION

SOUTH ENTRANCE

- 1212 DRY MARKER DISPLAY BOARD, PORTABLE 4 ft. tall x 8 ft. long.
- 1213 QUARTET® DRY MARKER DISPLAY BOARD 32 in. tall x 4 ft. long.
- 1214 LOT 3- EASELS with Pad Packages.
- 1215 COAT AND UMBRELLA STAND Wrought Iron.

MAIL ROOM

- 1216 FELLOWS® PAPER SHREDDER 485 Ci.
- 1217 LOT OFFICE EQUIPMENT

Consisting of but not necessarily limited to: 13 in. x 13 in. (approx.) Guillotine Paper Cutter, Heavy Duty, 3- Hole Paper Punch, 2-2- Hole Paper Punches, 2- Staplers and Related.

1218 - LOT OFFICE SUPPLIES AND CONSUMABLES

Contents of 2- Cabinets, Wall Mounted and 1- Under Counter, Consisting of but not necessarily limited to: Reams of Copy Paper, Binders, Stamp with Pads, Staples Paper Clips, and Similar.

- 1219 ELECTROLUX HOUSEHOLD MICROWAVE OVEN FGMV174KF C 9G23707267 (Mfg. 09/2012) Stainless Steel above Stove Mount.
- 1220 LOT 2- FRIGIDAIRE ELECTRIC STOVE Electric Stainless Steel, having 4- Smooth Top Burners and Oven.
- 1221 KEURIG COFFEE MAKER
- 1222 TOASTER OVEN/BROILER Electric.
- 1223 GENERAL ELECTRIC MICROWAVE OVEN Easy Clean Stainless Steel.
- 1224 TRASH CAN

Stainless Steel, 24 in. x 24 in. x 36 in. tall, (est.), having Foot Operated, Hinged Top Lid.

1225 – ARTIC AIR COMMERCIAL REFRIGERATOR SIDE BY SIDE DUAL COMPARTMENT

AR49E Stainless Steel, Portable, mounted on 4- Castering Wheels.

1226 – FRIGIDAIRE REFRIGERATOR / FREEZER

Part No. 242191834 Top Mount, Frost Proof, 18.2 cu. ft., with Icemaker, White Finish.

LOT # QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1227 LOT 16- (APPROX.) TABLE AND CHAIRS
 Consisting of but not necessarily limited to: 4- 48 in. dia. (est.) Single Pedestal Tables; 12(approx.) Stacking Straight Chairs.
- 1228 LOT 9- (APPROX.) CONFERENCE TABLE AND CHAIRS
 Consisting of but not necessarily limited to: 12 ft. long Wood Conference Table having
 Semi-Circular Ends; 8- Swivel Chairs, Each Without Arms.
- 1229 LOT 5- BANQUET TABLES 18 in. wide, Cantilevered.
- 1230 EPSON PROJECTION SCREEN E5000.
- 1231 LOT 4- CHAIRS 2- Swivel and 2- Stacking, Straight.
- 1232 UNASSIGNED
- 1233 EPSON DIGITAL PROJECTOR 905, POWER LITE PAAF170696L Located in Main Conference Room.
- 1234 LOT 9- (APPROX.) BANQUET TABLES 18 in. wide x 6 ft. long, Cantilevered, having Front Drop Leaf.
- 1235 LOT 22- (APPROX.) CHAIRS Stacking, Straight.
- 1236 SHARP DIGITAL TV LC-52LE640U 20481368 With Remote Hand Held Controller.
- 1237 VFI EQUIPMENT CABINET, WOOD 26 in. x 60 in. (est.), Front Hinged Doors, Locking Lower Storage.
- 1238 REFRIGERATOR, UNDER COUNTER 4 ct. ft., Stainless Steel Front Door.
- 1239 LOT 4- DESKS AND CABINETS

 Consisting of but not necessarily limited to: 2- Double Pedestal Wood Desk, each having Front Overhang, 36 in wide x 72 in. long, (approx.) Equipment/Storage Cabinet, Wood, Bookcase/File Drawer, Wood, 1- Shelf.
- 1240 LOT 3- VALUE GUARD® DROP SAFE WITH RELATED CASH & CHECK ITEMS F3020EE BCBA-2655 (B) Dual Compartment Safe, Each Compartment having Digital Combination Locks, Top Money Deposit Drop, with Cash Box with Lock having 6- Coin and 4- Bill Trays having Spring Loaded Hold-Down Arms, Cash Bags; with FIRST DATA Model FD200 Credit Card and Check Reader Terminal and CASIO Model HR-100TM Electronic Calculator.
- 1241 LOT OFFICE WORK CENTER, MODULAR
 Consisting of but not necessarily limited to: 1- 270° Desk Unit having Large Radius 90°
 Piece, 1- 90° Desk having 2- 2- Drawer Pedestals, 5- Drawer Lateral File cabinet, 1- Wood Bookcase, Posture Chair, Swivel.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

1242 - LOT OFFICE RECEPTION CENTER

Consisting of but not necessarily limited to: 45° Main Desk having 24 in. wide (approx.) Top Shelf, File Pedestals / Cabinets; 18 in. wide Banquet Table; Posture Chair, Swivel, Arm.

1243 - LOT 2- LATERAL FILING CABINETS

Consisting of but not necessarily limited to: 1-5- Drawer, Locking, 1-4- Drawer, Locking.

1244 - LOT 5- (APPROX.) CHAIRS AND TABLE

Consisting of but not necessarily limited to: 4- Side Arm Chairs, Wood, Upholstered, Straight; 1- Table, Wood, Side.

1245 - LOT 5- (APPROX.) ACER, DELL MONITORS AND RELATED

Consisting of but not necessarily limited to: 1- ACER Flat Screen Monitor, 1- DELL Flat Screen Monitor, 2- Monitor Elevation Platforms, 1- Docking Station.

1246 - HID FARGO ID DIRECT TO CARD PRINTER AND ENCODER

DTC1000 With 4- Related HID Boxes including Printer Cartridges, Badges and Clips; Wire Metal In/Out Tray.

1247 – FELLOWS® THERMAL AND COLD LAMINATING MACHINE

3 i-125 Consisting of but not necessarily limited to: Laminating Sheets, Scale, Desk Organizer, Tape Dispenser.

- 1248 LASKO® ELECTRIC RESISTANCE HEATER Vertical.
- 1249 COOLER CHEST, PORTABLE On 2- Wheels, 6- gal. (est.) Capacity.
- 1250 LOT 2- VACUUM CLEANERS, PORTABLE 1- SINGER and 1- DATAVAC.

1251 - OFFICE WORK CENTER, MODULAR

8- 6 ft. tall Partitions, Each having Frosted Glass Top Panel, 3- Full Length, 5- 1/2 Length; 4- Work Desks, each having 2- 2- Drawer Pedestals.

1252 – LOT DELL COMPUTER ACCESSORIES

Consisting of but not necessarily limited to: 1- Docking Station; Monitor, Flat Screen; Key Board and Mouse.

1253 - LOT DELL COMPUTER ACCESSORIES

Consisting of but not necessarily limited to: 1- Docking Station; Monitor, Flat Screen; Key Board and Mouse.

- 1254 LOT 2- CHAIRS Posture, Swivel, Arm.
- 1255 LOT 15- ITEMS (APPROX.) SAFETY EQUIPMENT

Consisting of but not necessarily limited to: 7- Hard Hats, 7- Safety Glasses, Box of HOWARD LEIGHT Pilot Hearing Protectors.

1256 - UNASSIGNED

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1257 HON (OR SIMILAR) LATERAL FILE CABINET 3- Drawer, Locking.
- 1258 HON (OR SIMILAR) LATERAL FILE CABINET 3- Drawer, Locking.
- 1259 LOT 2- CHAIRS, SWIVEL, POSTURE Having Adjustable Height, Arms and Back.
- 1260 DELL FLAT SCREEN MONITOR
- 1261 TAYLOR SHIPPING SCALE TE400.
- 1262 LOT OFFICE WORK CENTER, MODULAR

 Consisting of but not necessarily limited to: 12- (approx.) 1/2 Height Partition Dividers, 6(approx.) Work Centers, Each Center having 45° Desk Top, 2- 2- Drawer File Pedestals,
 Locking, Cantilevered, Shelf and Organizer Trays and Similar Items.
- 1263 DELL DOCKING STATION With Flat Screen Monitor and Mouse.
- 1264 EPSON WIRELESS ALL-IN-ONE COLOR INK-JET PRINTER 730, Artisan (or Similar).
- 1265 UNASSIGNED
- 1266 UNASSIGNED
- 1267 LOT 8- ITEMS CONFERENCE TABLE AND CHAIRS Consisting of but not necessarily limited to: 8 ft. long (approx.) Wood Conference Table; 7- Posture Chairs, Swivel, Without Arms.
- 1268 OFFICE WORK CENTER, MODULAR
 Consisting of but not necessarily limited to: 6- (approx.)1/2 Length and Full Height, and 8
 (approx.) 1/2 Length and 1/2 Height Partition Dividers; 7- (approx.) Work Desk Areas,
 with 2- Drawer File Pedestals, Cantilevered Trays /Shelves; 5- Posture Chairs, Swivel,

Arm; 1- Stationary Chair; Corner Round Top Table having Single Pedestal.

- 1269 LATERAL FILE CABINET 2- Drawer, Locking.
- 1270 VACUUM, PORTABLE (For Use in the Lab.)
- 1271 DELL FLAT SCREEN MONITOR With Keyboard and Mouse.
- 1272 FIRST ALERT SAFE Having Digital Combination Lock.
- 1273 BOOKCASE, STEEL 3- Shelf.
- 1274 TOP LOAD FILE CART, PORTABLE
- 1275 LATERAL FILE CABINET 3- Drawer, Locking.
- 1276 LOT 47- ITEMS (APPROX.) DELL, HP COMPUTER DOCKING STATIONS AND KEYBOARDS

Consisting of but not necessarily limited to: 33- (approx.) Keyboards and 14- (approx.) Docking Stations.

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

- 1277 HEWLETT PACKARD COLOR PLOTTER 350C Design Jet With Spare Ink Cartridges.
- 1278 LATERAL FILE CABINET 5- Drawer, Locking.
- 1279 LATERAL FILE CABINET 5- Drawer, Locking.
- 1280 LOT 6- LYON CLOTHES LOCKERS Each Section having 2- Personal Lockers, Steel.
- 1281 LOT 5- LYON CLOTHES LOCKERS Free Standing, Full Height, Steel.
- 1282 LOT 7- LYON CLOTHES LOCKERS Free Standing, Full Height, Steel.
- 1283 LOT 9- LYON CLOTHES LOCKERS Free Standing, Full Height, Steel.
- 1284 UNASSIGNED
- 1285 LOT 4- LYON CLOTHES LOCKERS Free Standing, Full Height, Steel.
- 1286 LOT BOOTS AND OVERSHOES

 Consisting of but not necessarily limited to: 2- pair (4- Boots) LACROSSE Rubber Boots,
 5- Pair (approx.) Rubber 'Pull-Over' Over Shoes, 1- Plastic Storage Tub.
- 1287 LOT 3- LYON CLOTHES LOCKERS Each Section having 2- Personal Lockers, Steel.
- 1288 LOT 11- LYON CLOTHES LOCKERS 8- Sections, 3- Free Standing, Full Height, Steel, having 2- Personal Lockers, Steel.
- 1289 EPSON DIGITAL PROJECTOR 905, Power Lite PAAF170722L In Northeast Conference Room.

1290-1299 UNASSIGNED

STRUCTURES & RACKING

AREA 105 FEEDSTOCK DRYING

1300 – LOT PLANT PROCESS STEAM, UTILITY PIPING, ELECTRICAL INSTRUMENTATION, COMMUNICATION AND FIRE PROTECTION ELEVATED BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: 500 ft. (est.) total combined Linear Length, Electrical Power Distribution, instrumentation and Communication; Aluminum, Cable Trays, 2- Level 'Box Type' Bridge, Supported 25 ft. (approx.) above Grade using 12 in. dia. (est.) Pipe Columns at varying Distances from 8 ft. to 25 ft. (est.). (NOTE: No Equipment or Other Assets which are Lotted or described elsewhere in this Catalog are included a component of this Assemblage.)

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 110 GASIFIERS

- 1301 LOT PLANT STRUCTURAL SKELETON FRAMEWORK, TRAIN 1 GASIFIER Consisting of but not necessarily limited to: 60 ft. high x 125 ft. wide x 125 ft. long (est.), Main Work Level having 4- Step-Down Access Levels; Modular Construction from Steel H and I Beams, Solid and Bar Grating Decking, Multiple Access /Regress Stairs, Ways and Ladders having OSHA Compliant Safety Hand Railings; Explosion Proof Electrical Lighting, Emergency Shower and Eye Wash Station. (NOTE: No Equipment or Other Assets which are Lotted or described elsewhere in this Catalog are included as a Component of this Assemblage.)
- 1302 LOT PLANT STRUCTURAL SKELETON FRAMEWORK, TRAIN 2 GASIFIER Consisting of but not necessarily limited to: 60 ft. high x 125 ft. wide x 125 ft. long (est.), Main Work Level having 4- Step-Down Access Levels; Modular Construction from Steel H and I Beams, Solid and Bar Grating Decking, Multiple Access /Regress Stairs, Ways and Ladders having OSHA Compliant Safety Hand Railings; Explosion Proof Electrical Lighting, Emergency Shower and Eye Wash Station. (NOTE: No Equipment or other Assets which are Lotted or Described elsewhere in this Catalog are included as a component of this Assemblage.)

CULTURE EVAPORATOR

1303 – LOT PLANT STRUCTURAL SKELETON FRAMEWORK

Consisting of but not necessarily limited to: 25 ft. high x 6 ft. wide x 8 ft. deep (est.) having 2- Work/Maintenance Levels, Stairway having 3- Intermediate Platforms, with OSHA Compliant Safety Railings. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a component of this Assemblage.)

WASTE HEAT RECOVERY

1304 – LOT PLANT STRUCTURAL SKELETON FRAMEWORK

Consisting of but not necessarily limited to: 4 Cell Tower, 65 ft. tall x 40 ft. wide x 40 ft. deep (est.) having 3- Work/Maintenance Levels, Stairways, and Ladders with OSHA Compliant Safety Railings, Explosion Proof Light Fixtures Solid and Bar Grating Decking. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

LOT # OUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 110 OXYGEN PLANT (PRIOR)

1305 – LOT PLANT PROCESS AND UTILITY PIPING, ELECTRICAL, INSTRUMENTATION, COMMUNICATION, ELEVATING BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: 1- 3- Bay Section, 40 ft. long x 22 ft. high (est.) 2- Level Box Type with Aluminum Electrical Power Distribution Tray. (Note: Apparently, No Wiring is Installed.) (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

AREA 270 TO AREA 205 / 220 MAIN EAST-WEST PIPE BRIDGE

1306 – LOT PLANT PROCESS AND UTILITY PIPING, ELECTRICAL, INSTRUMENTATION, COMMUNICATION, ELEVATING BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: 450 ft. long x 30 ft. high x 18 ft. wide (est.) Safety Valves and Pressure Control Valves and Vents for High and Pressure Steam Lines, Knock-Out Vessel Structure, 2- Levels Above Ground (average) with Sections having 3- and 4- Levels constructed of H and I Beam Carbon Steel, Stairwells, Ladders and Equipment Installation and Work maintenance Decks, OSHA Compliant Safety Railings, Solid and Bar Grating Decks, Explosion Proof Lighting Fixtures. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a component of this Assemblage.)

AREA 120 NUTRIENT TANK FARM

1307 – LOT PLANT PROCESS AND UTILITY PIPING, ELECTRICAL, INSTRUMENTATION, COMMUNICATION, ELEVATING BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: 80 ft. long x 20 ft. tall x 6 ft. wide (est.) 2-Levels, Constructed H and I Beam Carbon Steel, Explosion Proof Light Fixtures. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

LOT# QUANTITY MANUFACTURER MODEL SERIAL NUMBER DESCRIPTION

AREA 250 HCN SCRUBBER

1308 – LOT PLANT PROCESS AND UTILITY PIPING, ELECTRICAL, INSTRUMENTATION, COMMUNICATION, ELEVATING BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: 40 ft. tall x 40 ft. long x 20 ft. wide (est.) 3-Levels, Constructed of H and I Beam Carbon Steel, solid and Bar Grating Work/Maintenance Decks, Stairways and Ladders having OSHA Compliant Hand Safety Railings, Explosion Proof Lighting Fixtures. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

AREA 205 FINISHED PRODUCT TANK FARM

1309 – LOT PLANT PROCESS AND UTILITY PIPING, ELECTRICAL, INSTRUMENTATION, COMMUNICATION, ELEVATING BRIDGING SUPPORT STRUCTURE

Consisting of but not necessarily limited to: Ethanol and Related Liquid Material Shipping and Receiving Piping supported Overhead by T- Post, 10 ft. tall (est.) with 4 in. dia. and smaller Stainless Steel and Carbon Steel Lines, Aluminum Electrical Power and Communication Trays, 300 ft. (est.) Total Feet. (NOTE: No Equipment or Other Assets which are Lotted or Described elsewhere in this Catalog are included as a Component of this Assemblage.)

1310 – LOT 12- (EST.) BRADLEY EMERGENCY SHOWER AND EYE WASH STATIONS Halo Stainless Steel Basin, having Hinged Cover for Basin Shower Valve with Foot Lever Pull Chain.